


# **Historic, Archive Document**

Do not assume content reflects current scientific knowledge, policies, or practices.







## **Business Terms**

ALL ORDERS ARE ACCEPTED SUBJECT TO previous sale and the following terms and conditions:

PRICES in this catalogue cancel all previous lists and quotations and are subject to change without notice. Cost of packing will be extra. Prices include local route delivery, but a special charge covering cost is made on distant or special deliveries.

STOCK SPECIALLY SELECTED by customers at the Nurseries will be charged according to the value of the trees chosen, irrespective of catalogue list price.

RATES.—Lots of 5 and 25 of a variety will be furnished at the 10 and 100 rates respectively.

TERMS, CASH WITH ORDER, unless by special arrangement when the account is due in 30 days from date of invoice.

INSPECTION.—Our stock is regularly inspected and certificate will be sent with each shipment.

WE DO NOT GUARANTEE our stock to live and no allowance will be made for plants that fail to grow.

CLAIMS of shortage or error must be made direct to our office within five days after receipt of goods. Stock delivered as per order and in good condition is not returnable.

GOODS IN TRANSIT.—All goods are at purchaser's risk after they are delivered to the forwarding companies and we receive their receipt for the shipment in good condition.

CLAIMS FOR DAMAGE WHILE IN TRANSIT MUST BE MADE AGAINST THE DELIVERY COMPANY. Have delivery agent note the damaged condition on the freight bill, and promptly present your claim to the transportation company.

F. & F. Nurseries.

WE ARE NOT OPEN FOR BUSINESS ON SUNDAY

## Table of Contents

To facilitate quick reference to the price list we have reclassified our stock as follows—and each class is alphabetically arranged. A complete index will be found at the back of the book.

| Deciduous Trees, Shrubs and Vines | Pages | 3  | to  | 33 |
|-----------------------------------|-------|----|-----|----|
| Evergreens and Conifers           | "     | 34 | to  | 49 |
| Herbaceous Perennials             | - "   | 50 | to  | 55 |
| Fruit Trees and Bushes            | "     | 56 | and | 57 |
| Plants for Special Purposes       | "     | 58 | to  | 60 |
| Index                             |       | 61 | to  | 64 |

# Landscape Suggestions



While we cannot undertake to do any planting or landscape designing directly with our staff, we are always in close touch with competent landscape men and will gladly co-operate with you in arranging appointments.

# Deciduous Trees, Shrubs and Vines

NOTE—The figures in italics, following each variety, indicate in feet the approximate height of that plant when mature. It must be understood, however, that many varieties in their native habitant greatly exceed this height, but soil and climatic conditions modify their growth and character to a variable extent, and allowance for this has been made in the heights given here.

We recommend that all varieties marked with an asterisk be lifted with ball of earth secured in burlap. Experience has shown that the loss in these plants, which is otherwise high, is reduced to a minimum if handled in this way. This will involve an extra charge per plant, as follows:

2' to 4'—25c 4' to 6'—40c 6' to 8'—60c 8' to 10'—75c Larger sizes in proportion. In all instances where the varieties are marked B. & B., these charges are included in the printed list.

B. & B., these charges are included in the printed list. Each Per 10 ABIES. See Evergreens, page 34. ACANTHOPANAX pentaphyllum. (ARALIA). Five Leaf Aralia. 7'-8' Graceful arching habit. Splendid for banks, good foliage. \$ .35 \$3.00 ft ..... .50 to 3 ft...... 4.50 3 to 4 .75 ft..... 7.00 5 1.00 9.00 to ACER dasycarpum. Silver Maple. 60'-80' Quick growing, graceful. Leaves silvery underneath—clear yellow autumn coloring. 10 ft ..... 2.00 18.50 8 10 ft., 1¼ to 1½ in.
11 ft., 1½ to 1¾ in.
12 ft., 1¾ to 2 in.
13 ft., 2 to 2¼ in. 3.00 8 27.50 4.00 35.00 10 5.00 10 45.00 to 6.00 12 55.00 to 7.00 13 ft.,  $2\frac{1}{4}$  to  $2\frac{1}{5}$  in. ..... to – pyramidale. Pyramidal Silver Maple. 30'-40' A narrow form with vertical branches, useful for accent. ft..... 6 2.00 8 3.00 10 ft ..... 10 ft., 1½ to 1½ in... 10 ft., 1½ to 1¾ in... 11 ft., 2 to 2¼ in... 12 ft., 2½ to 2½ in... 8 4.00 to 10 0 5.00 10 1.1 6.00 to 12 7.00 Wier Cut Leaf Maple. 60'-80' Graceful, drooping. 8 to 10 ft..... 2.00 10 ft., 1¼ to 1½ in.
11 ft., 1½ to 1¾ in.
12 ft., 1¾ to 2 in. 8 3.00 4.00 10 11 to 5.00 negundo. Box Elder. 60' Grows where other trees fail-especially good for dry barren places and seashore. Rapid grower. 1.50 ft .... 8 10 12.50 1.75 8 to 16.00 2.50 10 22.50 to 3.25 30.00 to to 4.00 37.50 13 to 5.00 45.00 palmatum (polymorphum). Green Japanese Maple. 12'-15' Develops into a splendid specimen for lawn planting. ft..... 3 to 4 4.00 5 5.00 to ft..... - atro purpureum. Purple Leaf Japanese Maple. 6'-8' Has rich purple-red leaves all summer. Best in sun. These are seed-

lings carefully selected for persistent color.

6.00 7.50 10.00 12.50

1½ to 2 ft. B. & B 2 to 2½ ft. B. & B 2½ to 3 ft. B. & B 5 to 3½ ft. B. & B

| 4         | DE       | CID      | ,000         | JS TREES, SHRUBS AND VINES   |
|-----------|----------|----------|--------------|--|
|           |          |          |              | Each Per 10  |
| ACER penr |          |          |              | (striatum). Striped Maple. 20'-30' Has dis-  |
|           |          |          |              | een bark striped with white. Thrives in wet soils.   |
|           | 2        | to<br>to | 3<br>4       | ft   |
|           | 4        | to       | 5            | ft   |
| platanoi  | -        |          |              | y Maple. 50'-75' The most popular street tree,   |
| platallol | r.       |          |              | en leaves till late autumn then turns rich yellow.   |
|           | 6        | to       | 8            | ft   |
|           | 8        | to       | 10           | ft 4.00 37.50  |
|           | 8        | ţo       | 10           | ft., $1\frac{1}{4}$ to $1\frac{1}{2}$ in. 5.00 45.00   |
|           | 10       | to       | 11           | ft., 1 1/4 to 1 1/2 in. 5.00 45.00 ft., 1 1/2 to 1 1/4 in. 6.00 55.00 ft., 1 1/4 to 2 in. 7.00 65.00 |
|           | 12       | to<br>to | 12<br>13     | ft., 1 3/4 to 2 in   |
|           | 12       | to       | 14           | tt 71/2 to 71/2 in 10.00   |
|           | 13       | to       | 14           | ft., 2½ to 3 in 12.50  |
| — schw    | edle     | ri.      | Schu         | wedler Purple Maple. $40'-60'$ Probably the best   |
|           |          |          | grow         | ring purple leaf tree. Useful lawn tree.   |
|           | 4        | to       | 5            | ft 2.00  |
|           | 5        | to       | 6            | ft 3.00  |
|           | 6_       | to       | 8            | ft 4.00  |
| rubrum.   |          |          |              | arlet Maple. 50'-75' Best in moist locations, also   |
|           |          |          |              | upland. Brilliant red autumn coloring, gray bark.  |
|           | 6<br>8   | to       | 8<br>10      | ft   |
|           | 8        | to<br>to | 10           | ft., 1½ to 1½ in. 3.25 30.00<br>4.25 40.00   |
|           | 10       | to       | 12           | ft., 1½ to 1¾ in 5.00 45.00  |
|           | 12       | to       | 13           | ft., 13/4 to 2 in. 6.00  |
|           | 13       | to       | 14           | ft., 2 to $2\frac{1}{4}$ in 7.50   |
|           | 13       | to       | 14           | ft., $2\frac{1}{4}$ to $2\frac{1}{2}$ in. 9.00   |
| saccharu  |          |          |              | Maple. 50'-75' Most popular in northern states.  |
|           |          | -        |              | ed in spring—rich yellow autumn coloring.  |
|           | 6<br>8   | to<br>to | 8<br>10      | ft   |
|           | 10       | to       | 11           | ft   |
|           | 11       | to       | 12           | ft., $1\frac{1}{2}$ to $1\frac{3}{4}$ in. 4.50 40.00   |
|           | 12       | to       | 13           | ft., 1\frac{1}{4} to 2 in 5.50 50.00   |
|           | 13       | to       | 14           | tt., 2 to 2½ in 7.00 65.00   |
|           | 14       | to       | 15           | ft., 2½ to 2½ in 9.00 85.00  |
|           | 15<br>16 | to       | 16<br>18     | ft., 2½ to 3 in  |
| 4 - 4     |          | to       |              | . , , ,  |
| tatarica  |          |          | 1 a<br>riaht | ertarian Maple. 10'-12' Graceful and valuable red autumn coloring. Has good twiggy habit.            |
|           | 2        | to       | 3            | ft   |
|           | 3        | to       | 4            | ft 1.25  |
|           | 4        | to       | 5            | ft 2.00  |
| ACTINIDIA | argı     | ıta.     | Boy          | ver Actinidia. 20'-30' Greenish white, July-rich   |
|           |          |          |              | n foliage—yellow berries. A quick growing vine.  |
|           | 2        | to       | 3            | ft   |
|           | 3        | to       | 4            | ft 1.00  |
| AESCULUS  | parv     | ofliv    | ra. (        | (PAVIA macrostachia) Bottlebush Buckeye. 6'-7'   |
|           | Н        | land     | some         | spreading shrub covered with erect spikes of   |
|           |          |          | _            | owers, July-August, leaves similar to horsechestnut.   |
|           | 1½       |          | . 2          | ft 2.00  |
| AILANTHUS | s g      | land     | lulos        | a. Tree of Heaven. 50'-60' Succeeds under  |
|           |          |          |              | erse city conditions. Large leaves—grows rapidly.  |
|           | 4        | to       | 6<br>8       | ft   |
|           | 8        | to<br>to | 10           | ft   |
|           | 10       | to       | 12           | ft 3.00 25.00  |
| AMYGDALU  |          |          |              | e Prunus glandulosa, Page 22.  |
|           |          |          | 20           |  |

|               | LCID             | 00.              | TREES, BURGES THE VIEW  | 2                            |              |
|---------------|------------------|------------------|---|------------------------------|--------------|
| AKERIA quin   | ata F            | ivelee           | ıf Akebia. 15'-20' Dainty beaut                                       |                              | Per 10       |
|               | flowe            | rs, M            | ay. Deep green leaves—persisting                                      | till wint                    | er.          |
| 3             | yr .             |                  |   | \$ .75                       | \$6.50       |
| AMELANCHI     | E <b>R ca</b> i  | nader<br>rs in e | nsis (botryapium). Juneberry.<br>Parly spring before leaves. Fruits r | <i>12′–15′</i><br>elished by |              |
| 2             | to               | 3                | ft  | .75                          | 7.00         |
| 3             | to               | 4                | ft  | 1.00                         | 8.50         |
| 4             | to               | 5                | ft  | 1.25                         | 11.00        |
| AMORPHA fr    |                  |                  | ndigo Bush. 8'-10' Deep purple  |                              |              |
| 2 3           | to<br>to         | 3<br>4           | ft  | .60                          | 5.50<br>6.50 |
| 3             | to               | 5                | ft  | .75<br>1.00                  | 8.50         |
| -             | hete             | rophy            | ylla. Porcelain Ampelopsis. I   | 1.00                         | Leaves       |
| 2             | yr.              |                  | d, fruits bright blue in Sept.–Oct.                                   | .75                          |              |
|               | -                |                  | ia Creeper. 30'-50' Valuable  |                              | fions        |
| -             | autum            | n col            | oring. Useful for natural effects.                                    |                              |              |
| 2 3           |                  |                  | 1   | .35<br>.50                   | 3.00<br>4.50 |
| engelmann     | ni. E            | ngeli            | nann Creeper. 30'–40' A go<br>-very hardy and vigorous.               | od self-c                    | linging      |
| 2 2           | yr.<br>yr        |                  | 1   | .35<br>.50                   | 3.00<br>4.50 |
| veitchi (tri  | cuspid           | ata).            | Japanese Creeper. 40' 50'   | Brilliant a                  | autumn       |
|               | colori           | ng. bl           | ue berries turning black-closely s                                    |                              |              |
| 2             | yr.              | No.              | 2   | .60                          | 5.50         |
| 2             | yr.              |                  | 1   | .75                          | 7.00         |
| AMYGDALUS     | nersi            | ca (P            | runus). Flowering Peach. 8'-  | 10' Dec                      | orative      |
| in it obtibee |                  |                  | wering, blooms before leaves—red                                      |                              |              |
|               |                  |                  | ase specify color wanted  |                              |              |
| 2             | to               | 3                | ft  | .75                          | 7.00         |
| 3             | to               | 4                | ft  | 1.00                         | 9.00         |
| 4             | to               | 5                | ft  | 1.25                         | 11.00        |
| 5             | to               | 6                | ft  | 1.50                         |              |
| nana. See     | Prun             | us gla           | andulosa, page 22.  |                              |              |
| ANDROMEDA     | A. See           | Pier             | ris, pages 19 and 41.   |                              |              |
| ARALIA penta  | aphyllu          | ım.              | See Acanthopanax, page 3.   |                              |              |
| spinosa.      | Hercu<br>shado   |                  | Club. 18'–20' Useful for trop:<br>White flowers, July—dark purple l   |                              |              |
| 3             | to               | 4                | ft  | .60                          | 5.50         |
| 4             | to               | 5                | ft  | .75                          | 6.50         |
| 5             |                  | 6                | ft  | 1.00                         | 8.50         |
| 6             | to               | 8                | ft  | 1.25                         | 11.00        |
| ARONIA arbu   |                  |                  | d Chokeberry. 6'-8' Valuable b<br>acceeds in half-shade. Good fall c  |                              | its red      |
|               | $\frac{1}{2}$ to | 2                | ft  | .75                          | 7.00         |
| 2             | to               | 3                | ft  | 1.00                         | 9.00         |
| 3             | to               | 4                | ft  | 1.25                         | 11.00        |
| melanocar     |                  |                  | Black Chokeberry. 8'-10'<br>May. Black berries persist until la       | Delicate<br>ite. Hall        |              |
| 1             | $\frac{1}{2}$ to | 2                | ft  | .60                          | 5.50         |
| 2             | to               | 3                | ft  | .75                          | 7.00         |
| 3             |                  | 4                | ft  | 1.00                         | 8.50         |
| 4             | to               | 5                | ft  | 1.25                         | 11.00        |

| 0        | DEC                                     |                      | DS TREES, STIRODS AIND VINES  |             |
|----------|---|----------------------|---|-------------|
|          |   |                      | Each  |             |
| AZALEA a | bores                                   |                      | weet Azalea. 10'–12' Fragrant white flo<br>Nursery Grown Clumps.              | wers, June. |
|          |   |                      |   |             |
|          | 12                                      | to 15                | in. B. & B  |             |
|          | 15                                      | to 18                | in. B. & B  |             |
|          | 1 1/2                                   |                      | ft. B. & B 3.0  |             |
|          | 2                                       | ft_                  | В. & В 3.7  | 5 35.00     |
| amoena   |   |                      | reens, page 34.   |             |
| calendu  |   | (lutea).<br>owers in | Flame Azalea. 8'-10' Brilliant fla early spring cover the whole shrub.        | me-colored  |
|          | • |                      | Nursery Grown Clumps.   |             |
|          | 12                                      | to 15                | in., B. & B   | 5 16.50     |
|          | 15                                      |                      | in., B. & B   |             |
|          | 11/2                                    |                      | ft., B. & B   |             |
|          | $\frac{1}{2}^{\frac{72}{2}}$            | ft.,                 | B. & B 4.0  |             |
| hinodeg  | _                                       |                      | rgreens, page 34.   | •           |
| kaempf   | -                                       |                      | Azalea. 4'-5' Warm brick-red flowers  | May         |
| Racinpi  | 12                                      |                      |   |             |
|          | 15                                      |                      | in., B. & B   |             |
|          |   |                      |   |             |
| mollis.  | Chi                                     |                      | alea. 4'-6' Large showy flowers in d red. May-June. Large hairy leaves.       | shades of   |
|          | 12                                      | to 15                | in., B. & B   | 5 20.00     |
|          | 15                                      | to 18                | in., B. & B 3.2   | 5 30.00     |
|          | $1\frac{1}{2}$                          | ft.,                 | in., B. & B. 3.2<br>B. & B. 4.0   | 0 35.00     |
|          | 2                                       | ft.,                 | В. & В 5.0  | 0           |
| nudiflor | a. F                                    | inxterb              | oom. 6'-8' Sweet scented pink flowe   | rs in May.  |
| naamor   | p                                       | refers me            | pist, slightly shaded place. A beautiful                                      | variety.    |
|          |   |                      | Nursery Grown Clumps.   |             |
|          | 12                                      |                      | · · · · · · · · · · · · · · · · · · ·   | 5 1650      |
|          |   |                      |   |             |
|          | 15                                      | to 18                | in., B. & B   | 5 20.00     |
|          | $\frac{1\frac{1}{2}}{2}$                | to 2 ft.,            | ft., B. & B   |             |
| ponticu  | _                                       | Pontic A             |   |             |
| ponticu  |   |                      |   |             |
|          | 12                                      | to 15                | in., B. & B   |             |
|          | 15                                      | to 18                |   |             |
|          | $1\frac{1}{2}$                          |                      | ft., B. & B   |             |
|          | 2                                       | ft.,                 | В. & В 5.0  |             |
| rosea.   |   | owers, N             | ea. 4'-5' Good bushy habit. Beautiful lay-June. Prefers semi-shady, moist pla |             |
|          |   |                      | Nursery Grown Clumps.   |             |
|          | $1\frac{1}{2}$                          |                      | ft., B. & B 3.0   | 0 27.50     |
|          | 2                                       | to $2\frac{1}{2}$    | ft., B. & B   |             |
|          | $2\frac{1}{2}$                          | ft.,                 | В. & В 5.0  |             |
| viscosa. | Swe                                     |                      | alea. 4'-5' White, very fragrant, June<br>Nursery Grown Clumps.               | –July.      |
|          | 12                                      | to 15                | in., B. & B   | 5 16.50     |
|          | 15                                      | to 18                | in., B. & B   |             |
|          | 1 1/2                                   |                      | ft. B. & B 3.0  | 27.50       |
|          | 2                                       | ft.,                 | В. & В 3.7  |             |
| yodogav  |   |                      | wa Azalea. 3'-4' Double pinkish-laveno  |             |
|          | M                                       | ay. Qι               | ite hardy and of exceptional merit. Bu  | shy habit.  |
|          | 12                                      | to 15                | in., B. & B   |             |
|          | 15                                      | to 18                | in., B. & B   |             |
|          | 11/2                                    | to 2                 | ft., B. & B 4.00  |             |
|          | 2                                       | ft.,                 | В. & В 5.0  |             |
| BACCHARI | S ha                                    | limifolia<br>ed pods | . Groundsel Bush. 9'-10' Conspicu<br>in Sept. Good for seashore—best in ma    | ous fluffy  |
|          | 2                                       | to 3                 | ft  |             |
|          | 3                                       | to 4                 | ft  |             |
|          | J                                       | 4                    | •/-   | -           |

|           | DE         | CIDU           | JOU               | S TE       | REES, SHRU                     | BS A            | nd Vii               | VES                      | 7                     |
|-----------|------------|----------------|-------------------|------------|--------------------------------|-----------------|----------------------|--------------------------|-----------------------|
|           |            |                |                   |            |                                |                 |                      | Each                     | Per 10                |
| BENZOIN   |            |                |                   |            | Benzoin).                      |                 |                      | 10'-12'<br>itic, likes i |                       |
|           | 2          | to             |                   |            |                                |                 |                      |                          |                       |
|           | 2          | to             | 3                 |            |                                |                 |                      |                          |                       |
| DEDDEDIG  |            | to<br>nhor     | 4<br>oi           |            | mese Barberr                   |                 |                      |                          | w badaa               |
| DENDERIC  | 1          | olant          | or fo             | or ma      | issing; brilliant              | y. 4<br>t autur | nn color             | ing, scarle              | t berries.<br>Per 100 |
|           | 12         | to             | 15                | in         |                                |                 | .25                  | \$2.00                   | \$15.00               |
|           | 12         |                |                   |            |                                |                 | .35                  | 3.00                     | 25.00                 |
|           | 2          | to<br>to       | 21/               | It .       |                                |                 | .50<br>.75           | 4.50<br>6.00             | 35.00<br>50.00        |
| SHI       |            |                |                   | RFS        | These are w                    | ell-ch          | aned soli            |                          |                       |
| Sin       | 12         |                |                   |            |                                |                 |                      | 18.00                    |                       |
|           | 15         | in.            |                   |            | B. & B<br>B. & B               |                 | 2.50                 | 22.50                    |                       |
|           |            | ft.            |                   |            | B. & B<br>B. & B               |                 | 3.00                 | 27.5C                    |                       |
| — min     | or.        | Box<br>Fruits  | Barl<br>s spai    | erry       | . 2′–3′ A do<br>v. Fine for d  | warf c          | compact<br>clipped h | Japanese t<br>iedges.    | oarberry.             |
|           | 9          | to             |                   | in         |                                |                 |                      | 3.00                     | 25.00                 |
|           | 12         | to             |                   |            |                                |                 | .50                  | 4.00                     | 30.00                 |
|           | 15         | to             | 18                |            |                                |                 | .60<br>.75           | 5.00<br>6.50             | 40.00<br>50.00        |
|           | 2          | to             | 21/               | ft.        |                                |                 | 1.00                 | 8.50                     | 75.00                 |
| vulgari   |            | luroi          | nean              | Rar        | herry 7'-8'                    | <br>Yeli        | low flox             |                          |                       |
| valgari   | 1          | ed, p          | ersis             | ting t     | berry. 7'-8'<br>o mid-winter.  | Vig             | orous, u             | oright hal<br>Each       | oit.<br>Per 10        |
|           | 11/        | 2 to           | 2                 | ft         |                                | <b></b>         |                      | .50                      | 4.00                  |
|           | 2          | to             | 3                 |            |                                |                 |                      | .60                      | 5.00                  |
|           | 3          |                | 4                 |            | <b></b>                        |                 |                      |                          | 6.50                  |
| — pur     | purea<br>I | ı. P<br>purple | urpl<br>e foli    | age.       | ropean Barl<br>Similar in ha   | ıbit to         | precedin             | ıg.                      | sing soft             |
|           |            | ( to           | 2                 |            |                                |                 |                      |                          | 4.50                  |
|           | 2          | to             | 3                 |            | •••••                          |                 |                      |                          | 5.50<br>7.00          |
| *DETIII A |            | to             | 4                 |            | White Birch.                   |                 |                      |                          |                       |
| DETULA    | aiva.      | . Et<br>when   | arop              | ean<br>med | witte Birch.<br>against dark g | reen h          | ackeron              | nd bark,                 | errective             |
|           | 4          | to             | 6                 |            | agamist dark g                 |                 |                      | 1.50                     |                       |
|           | 6          | to             | 8                 |            |                                |                 |                      | 2.00                     |                       |
| *— laci   | niata      | . W            | <sup>7</sup> еері | ng C       | ut Leaf. 30'                   | -40'            | Gracefu              | l lawn tre               | e.                    |
|           | 4          | to             | 5                 | ft         | ·····                          |                 |                      | 3.00                     |                       |
|           | 5          | to             | 6                 |            | ·····                          |                 |                      | 4.00                     |                       |
|           | 6          | to             | 8                 |            |                                |                 |                      | 5.00                     |                       |
| *         | 8          | to             |                   |            | 1-1 II71.!4- D!-               |                 |                      |                          |                       |
| *— pyra   | 3          | to             | 4                 | ft         | lal White Bir                  |                 |                      | 3.00                     |                       |
| *— you    |            |                |                   |            | ping Birch.<br>Picturesque l   |                 |                      |                          | g pendu-              |
|           | 4          | to             | 5                 |            | ·····                          |                 |                      |                          |                       |
|           | 5          | to             | 6                 |            |                                |                 |                      | 5.00                     |                       |
| *lutea.   | Yel        | low l          | Bircl             |            | 0'-70' Make                    |                 |                      | ak-good                  | l foliage             |
|           | 4          | to             | 6                 | ft.        |                                |                 |                      | 1.50                     | 13.50                 |
|           | 6          | to             | 8                 | ft         |                                |                 |                      | 2.00                     | 18.00                 |
|           | 8<br>10    | to<br>to       | 10<br>12          |            |                                |                 |                      | 3.00<br>4.00             | 27.50                 |
| ******    |            | to<br>er Bi    |                   |            | -60' Thrives                   |                 |                      |                          | n raccad              |
| *nigra.   |            |                |                   |            | –00                            |                 |                      |                          | n ragged<br>planting. |
|           | 3          | to             | 4                 |            | inque very e                   |                 |                      | 1.50                     | p                     |
|           | 4          | to             | 6                 | ft .       |                                |                 |                      | 2.00                     |                       |
|           | 6          | to             | 8                 |            |                                |                 |                      | 2.50                     |                       |
|           | 8          | to             | 10                | It         |                                |                 | •••••••              | 3.50                     |                       |

| *BETULA papyrifera. Paper or Canoe Birch. 40'-50' Picturesque paper bark, very white when older—graceful branching habit.  4 to 6 ft   |
|--|
| bark, very white when older—graceful branching habit.  4 to 6 ft   |
| 4 to 6 ft  |
| 6 to 8 ft. 2.25 20.00 8 to 10 ft. 3.50 32.50 10 to 12 ft. 5.00 45.00  *populifolia. Gray Birch. 30'-40' Will grow in poor soil and dry places. Commonly found native in New Jersey.  4 to 6 ft. 1.50 13.50 6 to 8 ft. 2.00 18.50 8 to 10 ft. 3.00 27.50 10 to 12 ft. 4.00 35.00  BIGNONIA radicans. Trumpet Vine. 20'-30' Showy trumpet shaped flowers—scarlet and orange, July. Roots as it climbs.  2 yr. 50 4.00 3 yr 50.00  grandiflora. Chinese Trumpet Vine. 20'-25' Flowers deep scarlet, July. 2 yr., 2 to 3 ft. 1.00 8.50 3 yr., 3 to 4 ft. 1.50 12.50  BIOTA. See Evergreens, page 34.  BUDDLEIA veitchiana. Butterfly Bush. 5'-6' Very effective with graygreen foliage and deep lilac flowers. Likes sun. June-Sept. |
| 8 to 10 ft   |
| *populifolia. Gray Birch. 30'-40' Will grow in poor soil and dry places. Commonly found native in New Jersey.  4 to 6 ft   |
| *populifolia.  |
| 4 to 6 ft  |
| 6 to 8 ft. 2.00 18.50 8 to 10 ft. 3.00 27.50 10 to 12 ft. 4.00 35.00  BIGNONIA radicans. Trumpet Vine. 20'-30' Showy trumpet shaped flowers—scarlet and orange, July. Roots as it climbs.  2 yr. 50 4.00 3 yr 75 6.00  grandiflora. Chinese Trumpet Vine. 20'-25' Flowers deep scarlet, July. 2 yr., 2 to 3 ft. 1.00 8.50 3 yr., 3 to 4 ft. 1.50 12.50  BIOTA. See Evergreens, page 34.  BUDDLEIA veitchiana. Butterfly Bush. 5'-6' Very effective with graygreen foliage and deep lilac flowers. Likes sun. June-Sept.  |
| 8 to 10 ft   |
| BIGNONIA radicans. Trumpet Vine. 20′-30′ Showy trumpet shaped flowers—scarlet and orange, July. Roots as it climbs.  2 yr  |
| 2 yr   |
| grandiflora. Chinese Trumpet Vine. 20'-25' Flowers deep scarlet, July.  2 yr., 2 to 3 ft   |
| grandiflora. Chinese Trumpet Vine. 20'–25' Flowers deep scarlet, July.  2 yr., 2 to 3 ft   |
| 2 yr., 2 to 3 ft   |
| 3 yr., 3 to 4 ft   |
| BIOTA. See Evergreens, page 34.  BUDDLEIA veitchiana. Butterfly Bush. 5'-6' Very effective with graygreen foliage and deep lilac flowers. Likes sun. June-Sept.  |
| BUDDLEIA veitchiana. Butterfly Bush. 5'-6' Very effective with gray-<br>green foliage and deep lilac flowers. Likes sun. June-Sept.  |
|  |
|  |
| 1½ to 2 ft   |
| 7 6  |
| 2 to 3 ft  |
|  |
| BUXUS. See Evergreens, pages 34 and 35.  |
| CALLICARPA purpurea. Chinese Beauty-Berry. 3'-4' Especially at-  |
| tractive in August with its violet-lilac berries. Graceful habit.  |
| 1½ to 2 ft   |
| 2 to 2½ ft   |
| 2½ to 3 ft   |
| CALLUNA. See Evergreens, page 35.  |
| CALYCANTHUS floridus. Common Sweet Shrub. 4'-5' Reddish-brown  |
| flowers, June-Sept. Spicy fragrance—good foliage.  |
| $1\frac{1}{2}$ to 2 ft   |
|  |
| 2 to 3 ft  |
| 3 to 4 ft  |
| 3 to 4 ft  |
| 3 to 4 ft  |
| 3       to 4       ft       1.00       9.00         CARAGANA arborescens. Siberian Peatree. 10'-12' Yellow pea-shaped flowers, May-June. Does best in well-drained place.         2       to 3       ft       .60       5.00         3       to 4       ft       .75   |
| 3 to 4 ft  |
| 3 to 4 ft       1.00       9.00         CARAGANA arborescens. Siberian Peatree. 10'-12' Yellow pea-shaped flowers, May-June. Does best in well-drained place.         2 to 3 ft       .60       5.00         3 to 4 ft       .75         CARPINUS caroliniana (americana.) American Hornbeam. 30'-40' Closely resembles the beech—smooth blue-gray bark.         2 to 3 ft       .75   |
| 3 to 4 ft  |
| 3 to 4 ft       1.00       9.00         CARAGANA arborescens. Siberian Peatree. 10'-12' Yellow pea-shaped flowers, May-June. Does best in well-drained place.         2 to 3 ft       .60       5.00         3 to 4 ft       .75         CARPINUS caroliniana (americana.) American Hornbeam. 30'-40' Closely resembles the beech—smooth blue-gray bark.         2 to 3 ft       .75         3 to 4 ft       1.00         4 to 5 ft       1.50   |
| 3 to 4 ft       1.00 9.00         CARAGANA arborescens. Siberian Peatree. 10'-12' Yellow pea-shaped flowers, May-June. Does best in well-drained place.         2 to 3 ft       .60 5.00         3 to 4 ft       .75         CARPINUS caroliniana (americana.) American Hornbeam. 30'-40' Closely resembles the beech—smooth blue-gray bark.         2 to 3 ft       .75         3 to 4 ft       .75   |
| 3 to 4 ft  |

CELASTRUS orbiculatus (articulatus.) Oriental Bittersweet. 15'-20' Has decorative orange and crimson berries which last all winter. \$ .50 yr..... yr..... .75 6.00 American Bittersweet. 20'-25' Most adaptable vine, with scandens. orange and red berries that retain color when cut and dried. to 3 ft..... .50 2 yr., 3 yr., 3 to 4 ft.. ..... .75 6.00 CEPHALANTHUS occidentalis. Button Bush. 5'-6' Round heads of creamy-white flowers, July-Sept. Good foliage, likes moisture. ft . ..... 3 .50 to ft..... 3 .75 4 ft.... ............ to CERASUS. See PRUNUS. \*CERCIDIPHYLLUM japonicum. Katsura Tree. 60'-80' Develops into a magnificent tree. Beautiful spring and autumn coloring. ft..... 1.25 11.00 to - 5 ft..... 1.50 13.50 5 to 6 2.00 18.00 ft ..... 3.00 to 8 ft..... CERCIS canadensis. American Redbud. 12'-15' Rosy-pink, April. Verv effective when planted with dogwood. Good foliage. to 3 ft..... .75 7.00 1.00 3 4 ft..... 9.00 to 5 1.35 to ft...... 12.50 chinensis (japonica.) Chinese Redbud. 10'-12' Flowers larger and darker than above-best in rather moist soil. Good foliage. 15 to 18 in..... .75 7.00 1.00 1½ to 2 ft..... 8.50 2½ ft.... 1.25 11.00 to 2½ to 3 1.50 ft..... CHAMAEDAPHNE. See Evergreens, page 35. CHIONANTHUS virginica. White Fringe. 15'-18' Fragrant tassel-like white flowers, May-June. Blue-black plum-like fruits follow.  $1\frac{1}{2}$  to 2 ft..... 1.00 9.00 to 3 ft..... 1.50 13.50 3 to 4 ft.... 2.00 17.50 4 5 2.50 to ft...... CLEMATIS paniculata. Sweet Autumn Clematis. 20'-30' White fragrant flowers, Sept. Woolly seed pods also attractive. Useful vine. yr..... .50 4.00 .75 6.00 yr..... CLETHRA alnifolia. Summer Sweet. 4'-5' Spikes of fragrant flowers, July-Sept. Prefers moist shady places-good for massing.  $1\frac{1}{2}$  to 2 ft..... .75 6.50 to 3 ft..... 1.00 8.50 COLUTEA arborescens. Bladder Senna. 8'-10' Yellow flowers, June-Aug. Useful for dry places—inflated seed pods often colored. to 3 ft.... .50 3 to 4 ft ..... .75 to 5 ft..... 1.00 COMPTONIA asplenifolia. Sweet Fern. 2'-3' Scented fern-like foliage. Useful under-shrub for poor stony soil or bank planting. 1½ to 2 ft...... .75 ft ..... 1.00

| IO DECIDOC                           | OS TREES, STRUBS AND VINES  |
|--------------------------------------|---|
|                                      | Each Per 10   |
| CORNUS alba (siberic                 |   |
|                                      | blue fruits—quick grower, useful for winter effect.   |
| 2 to 3<br>3 to 4                     | ft  |
| 4 to 5                               | ft  |
| elegantissima.                       | Variegated Dogwood. 5'-6' Has silver and green d reddish bark. Good shrubby habit.                  |
| 1½ to 2                              | ft  |
| $\frac{1}{2}$ to $\frac{2}{3}$       | ft  |
| 3 to 4                               | ft  |
| — spaethi. Spaeth                    | Dogwood. 6'-8' Leaves margined yellow.  |
| 2 to 3                               | ft  |
| 3 to 4                               | ft 1.00 8.50  |
|                                      | a Dogwood. 15'-18' Branches grow in horizontaling deep shadow effects. Blue-black fruit.            |
| 2 to 3                               | ft  |
| 3 to 4                               | ft 1.00 9.00  |
| 4 to 5                               | ft 1.35 12.50   |
| amomum (sericea.)<br>twigs pur       | Silky Dogwood. 8'-9' Pale blue fruits—young ple. Prefers moist places, has creamy-white flowers.    |
| 2 to 3                               | ft  |
| 3 to 4                               | ft  |
| 4 to 5                               | ft 1.00 8.50  |
|                                      | owering Dogwood. 15'-25' Among best of the ring flowering small trees—red berries in fall.          |
| 3 to 4                               | ft 1.25   |
| 4 to 5                               | ft 2.00   |
| 5 to 6<br>6 to 8                     | ft  |
|                                      | wering Dogwood. $15'-20'$ The pink flowers are  |
| more pers                            | sistent than the white. Berries similar to white type.  |
| $1\frac{1}{2}$ to 2                  | ft 2.25   |
| 2 to $2$                             | ½ ft 3.00   |
| $\frac{21}{2}$ to 3                  | ft  |
| 3 to 4<br>4 to 5                     | ft  |
|                                      |   |
| spicuous                             | wood. 16'-18' Large white flowers in June. Con-<br>cherry-like scarlet fruits, attractive to birds. |
| 2 to 3                               | ft  |
| paniculata. Gray I                   | Dogwood. 10'-12' Numerous small white flowers   |
| in May, f                            | ollowed by white fruits on red stems—likes moisture.  |
| $1\frac{1}{2}$ to 2                  | ft  |
| 2 to 3<br>3 to 4                     | ft  |
| 4 to 5                               | ft 1.00 8.50  |
|                                      | sier Dogwood. 7'-8' Spreading, red bark, white srows vigorously, very adaptable.                    |
| 2 to 3                               | ft  |
| 3 to 4                               | ft  |
| 4 to 5                               | ft 1.00 8.50  |
| — <b>lutea.</b> Golden E<br>A useful | Bark Dogwood. $6'-7'$ Has distinct yellow bark. shrub for winter effect.                            |
| $1\frac{1}{2}$ to 2                  | ft  |
| 2 to 3                               | ft  |
| 3 to 4<br>4 to 5                     | ft  |
|                                      | ft  |
|                                      | •   |

| *CRAT    | TAEGUS   | coco   | cinea.  |  | Thicket                                   | Hawthorn.   | 15'-20'                   | Each<br>Scarlet  | Per 10<br>fruits,  |
|----------|--|--|---|--|---|---|---------------------------|--|--|
|          |  | shiny  |   |  |   |   |                           |  |  |
|          | 2  | to   | 3   |  |   |   |                           | \$1.00   | \$9.00   |
|          | 3  | to   | 4   |  |   |   |                           | 1.25   | 11.00  |
|          | 4  | to   | 5   |  |   |   |                           | 1.50   | 14.00  |
|          | 5  | to   | 6   |  |   |   |                           | 2.00   | 18.00  |
| *c       | ordata.  | Wasi<br>red an   | ringte<br>1d pei  | on<br>rsis   | Hawtho<br>t nearly a                      | rn. 12'–15'<br>all winter. Br   | Berries a<br>illiant au   | re small,<br>tumn fol  | bright<br>iage.  |
|          | 2  | to   | 3   |  |   |   |                           | 1.25   | 11.00  |
|          | 3  | to   | 4   | ft   |   |   |                           | 1.50   | 13.50  |
| *c1      |  | Cocl<br>hawti  | norn (  | dist   | inctive.                                  | 15' Deep gree<br>Conspicuous  | white flo                 | wers.  | ike this   |
|          | 2  | to   | 3   |  |   |   |                           | 1.00   |  |
|          | 3  | to   | 4   |  |   |   |                           | 1.25   |  |
|          | 4  | to   | 5   |  |   |   |                           | 1.50   |  |
|          | 5  | to   | 6   |  |   |   |                           | 2.00   |  |
|          | 6  |  |   |  |   |   |                           | 2.50   |  |
| *0       | xycantha<br>2  | (Mor   | nogyr<br>3  | 1a.)   | Englis                                    | sh Hawthorn.  | 12'-15'                   | Single   | white.   |
|          | 3  | to   | 4   |  |   |   |                           | 1.25   |  |
|          | 4  | to   | 5   |  |   |   |                           | 1.50   |  |
| *D       | ouble Pi   |  | -   |  |   |   |                           | 1130   |  |
| D        | 2  | to   | 3   |  |   |   |                           | 2.00   |  |
|          | 3  | to   | 4   |  |   |   |                           | 2.50   |  |
| *P       | aul's Sca  | rlet.  | 12'-  |  |   | le scarlet flowe  |                           |  |  |
| -        | 2  | to   | 3   |  |   |   |                           | 2.00   |  |
|          | 3  | to   | 4   |  |   |   |                           | 2.50   |  |
|          | 4  | to   | 5   | ft   |   |   |                           | 3.00   |  |
|          | 2<br>2½  | ½ to<br>to<br>½ to   | 3   | ft.  |   | ••••••  |                           | .75<br>1.00<br>1.25  | 7.00<br>9.00<br>10.00  |
| _        | maulei.  | 3'-4   |   |  |   |   |                           |  |  |
|          | 15   |  |   |  |   |   |                           | .75  |  |
|          | ODIUM.   | See  | LES   | PE   | DEZA.                                     | 3' Profuse bl   | oomer n                   | ura white  | . May  |
| DECI     | 10   |  |   |  |   | o Trorase or  |                           | .50  |  |
|          | 12   |  |   |  |   | · · · · · · · · · · · · · · · · · · ·   |                           |  | 4.50   |
|          | 15   |  |   |  |   |   |                           | .60  |  |
|          |  | to   | 18  |  |   |   |                           | .60<br>. <b>7</b> 5  | 4.50   |
|          |  | to to  |   | in   |   |   |                           | .60<br>. <b>7</b> 5<br>1.00  | 4.50<br>5.50   |
|          | 1 ½<br>2   | ∕2 to  | 18<br>2   | in<br>ft.  |   |   |                           | .60<br>. <b>7</b> 5  | 4.50<br>5.50<br>6.50   |
| ler      | 2<br>noinei. I   | ½ to<br>ft<br>Lemoi  | 18<br>2<br>ine D  | in<br>ft.<br>eut   | zia. 4'-                                  | 5' Large white  | <br><br>                  | .60<br>.75<br>1.00<br>1.25<br>June, gr   | 4.50<br>5.50<br>6.50<br>9.00<br>11.00<br>raceful.  |
| ler      | 2<br>noinei. I<br>1 ½  | ½ to<br>ft<br>Lemoi<br>½ to                                      | 18<br>2<br>ine D<br>2   | in<br>ft.<br>eut   | tzia. 4'                                  | 5' Large white  |                           | .60<br>.75<br>1.00<br>1.25<br>June, gr<br>.75  | 4.50<br>5.50<br>6.50<br>9.00<br>11.00<br>raceful.<br>6.50  |
| ler      | 2<br>noinei. <i>I</i><br>1   | ½ to ft  Lemoi ½ to to   | 18<br>2<br>ine D<br>2<br>2½   | in<br>ft<br>eut<br>ft<br>ft.                             | zia. 4'-                                  | 5' Large white  | ::<br>:: :<br>:: flowers, | .60<br>.75<br>1.00<br>1.25<br>June, gr<br>.75<br>1.00  | 4.50<br>5.50<br>6.50<br>9.00<br>11.00<br>raceful.<br>6.50<br>9.00  |
| ler      | 2<br>noinei. I<br>1 ½<br>2<br>2 ½                                      | ½ to ft Lemoi ½ to to ½ to                                       | 18<br>2<br>ine D<br>2<br>2½<br>3  | in<br>ft<br>eut<br>ft<br>ft.                             | tzia. 4'-                                 | 5' Large white  | flowers,                  | .60<br>.75<br>1.00<br>1.25<br>June, gr<br>.75<br>1.00<br>1.25  | 4.50<br>5.50<br>6.50<br>9.00<br>11.00<br>raceful.<br>6.50<br>9.00<br>11.00   |
|          | 2<br>noinei. I<br>1<br>1<br>2<br>2<br>2<br>2<br>3                      | ½ to ft  Lemoi to to to to to                                    | 18<br>2<br>ine D<br>2<br>2½<br>3  | in<br>ft<br>eut<br>ft<br>ft.<br>ft.                      | zia. 4'-                                  | 5' Large white  | flowers,                  | .60<br>.75<br>1.00<br>1.25<br>June, gr<br>.75<br>1.00<br>1.25  | 4.50<br>5.50<br>6.50<br>9.00<br>11.00<br>raceful.<br>6.50<br>9.00<br>11.00   |
|          | noinei. I<br>11<br>2<br>2<br>21<br>3<br>agnifica.                      | ½ to ft  Lemoi ½ to to to to 6′−8′                               | 18<br>2<br>ine D<br>2<br>2½<br>3<br>3½, La  | in<br>ft.<br>eut<br>ft.<br>ft.<br>ft.<br>arge            | tzia. 4'-;                                | 5' Large white  | e flowers,                | .60<br>.75<br>1.00<br>1.25<br>June, gr<br>.75<br>1.00<br>1.25<br>1.50<br>rous gro  | 4.50<br>5.50<br>6.50<br>9.00<br>11.00<br>raceful.<br>6.50<br>9.00<br>11.00<br>12.50<br>wer.                                  |
|          | noinei. I<br>1 1<br>2<br>2 2 1<br>3<br>agnifica. 2                     | ½ to ft  Lemoi ½ to to to to to to to 6′−8′ to                   | 18<br>2<br>ine D<br>2<br>2½<br>3<br>3½<br>7 La  | in<br>ft<br>eut<br>ft<br>ft<br>ft<br>ft<br>ft            | tzia. 4'                                  | 5' Large white  | e flowers,                | .60<br>.75<br>1.00<br>1.25<br>June, gr<br>.75<br>1.00<br>1.25<br>1.50<br>rous grov<br>.75  | 4.50<br>5.50<br>6.50<br>9.00<br>11.00<br>raceful.<br>6.50<br>9.00<br>11.00<br>12.50<br>wer.<br>6.50                          |
| ma       | noinei. I<br>11<br>2<br>21<br>3<br>agnifica.<br>2<br>3<br>rviflora.    | ½ to ft Lemoi ½ to to ½ to to 6'-8 to to Mon                     | 18 2  | in<br>ft<br>ft<br>ft<br>ft<br>ft<br>ft<br>arge           | tzia. 4'-: tassel·lik                     | 5' Large white  | e. Vigo                   | .60<br>.75<br>1.00<br>1.25<br>June, gr<br>.75<br>1.00<br>1.25<br>1.50<br>rous gro  | 4.50<br>5.50<br>6.50<br>9.00<br>11.00<br>raceful.<br>6.50<br>9.00<br>11.00<br>12.50<br>wer.<br>6.50<br>9.00                  |
| ma       | noinei. I<br>11<br>2<br>21<br>3<br>agnifica.<br>2<br>3<br>rviflora.    | ½ to ft<br>Lemoi   ½ to to   ½ to   to   6'-8   to   Mon   marki | 18 2  | in ft  ft ft ft ft ft ft ft ft ft ft                     | tzia. 4'-: tassel-lik Deutzia.            | 5' Large white  se flowers, Jun  3' Erect h                                       | e. Vigo                   | .60<br>.75<br>1.00<br>1.25<br>, June, gr<br>.75<br>1.00<br>1.25<br>1.50<br>rous grov<br>.75<br>1.00<br>hite with   | 4.50<br>5.50<br>6.50<br>9.00<br>11.00<br>raceful.<br>6.50<br>9.00<br>11.00<br>12.50<br>wer.<br>6.50<br>9.00<br>h pink        |
| ma       | noinei. I<br>11<br>2<br>21<br>3<br>agnifica.<br>2<br>3<br>rviflora.    | ½ to ft Lemoi ½ to to ½ to to 6'-8 to to Mon                     | 18 2  | in ft  Deut ft | tzia. 4'-;<br>tassel-lik<br>Deutzia.      | 5' Large white see flowers, Jun 3' Erect h flowering—Jur                          | e. Vigo                   | .60<br>.75<br>1.00<br>1.25<br>. June, gr<br>.75<br>1.00<br>1.25<br>1.50<br>rous grov<br>.75<br>1.00<br>hite with   | 4.50<br>5.50<br>6.50<br>9.00<br>11.00<br>raceful.<br>6.50<br>9.00<br>11.00<br>12.50<br>wer.<br>6.50<br>9.00<br>h pink        |
| ma       | 2<br>noinei. I<br>1<br>2<br>2<br>3<br>agnifica.<br>2<br>3<br>rviflora. | ½ to ft  Lemoi ½ to to to 6'-8 to to Mon marki ½ to              | 18 2ine D 2 2½ 3  | in ft  Deut ft       | zia. 4'-;<br>tassel-lik<br>Deutzia.       | 5' Large white se flowers, Jun 3' Erect h flowering—Jur                           | e. Vigo                   | .60<br>.75<br>1.00<br>1.25<br>, June, gr<br>.75<br>1.00<br>1.25<br>1.50<br>rous grov<br>.75<br>1.00<br>hite with   | 4.50<br>5.50<br>6.50<br>9.00<br>11.00<br>raceful.<br>6.50<br>9.00<br>12.50<br>wer.<br>6.50<br>9.00<br>h pink<br>4.50<br>6.50 |
| ma<br>pa | noinei. I<br>1<br>2<br>2<br>3<br>agnifica.<br>2<br>3<br>rviflora.      | ½ to ft Lemoid ½ to to ½ to to 6'-8 to Mon marki ½ to to         | 18<br>2<br>ine D<br>2<br>2½<br>3<br>3½<br>, La<br>3<br>4<br>ugolio<br>ngs.<br>2<br>2½<br>3½ | in ft  | tassel-lik<br>Deutzia.                    | 5' Large white te flowers, Jun 3' Erect h flowering—Jur                           | e. Vigo                   | .60<br>.75<br>1.00<br>1.25<br>June, gr<br>.75<br>1.00<br>1.25<br>1.50<br>rous grov<br>.75<br>1.00<br>hite with   | 4.50<br>5.50<br>6.50<br>9.00<br>11.00<br>12.50<br>wer.<br>6.50<br>9.00<br>h pink<br>4.50<br>9.00                             |
| ma<br>pa | noinei. I<br>1<br>2<br>2<br>3<br>agnifica.<br>2<br>3<br>rviflora.      | ½ to ft Lemoi ½ to to ½ to to 6'-8 to Mon marki ½ to to          | 18 2 2 2 ½ 3 3 ½ 4 agoliongs. 2 2 ½ 3 ½ sima.   | in ft  Deut ft ft ft ft ft ft ft ft V ft ft ft           | tassel-lik Deutzia. ery free l            | 5' Large white see flowers, Jun 3' Erect h flowering—Jur                          | e. Vigo                   | .60<br>.75<br>1.00<br>1.25<br>. June, gr<br>.75<br>1.00<br>1.25<br>1.50<br>rous grov<br>.75<br>1.00<br>hite with   | 4.50<br>5.50<br>6.50<br>9.00<br>11.00<br>11.00<br>12.50<br>wer.<br>6.50<br>9.00<br>h pink<br>4.50<br>6.50<br>9.00<br>habit,  |
| ma<br>pa | noinei. I 1 2 2 1 3 agnifica. 2 3 rviflora. 1 2 3 abra can             | ½ to ft Lemoi ½ to to ½ to to 6'-8 to Mon marki ½ to to          | 18 2 2 2 ½ 3 3 ½ 4 agoliongs. 2 2 ½ 3 ½ sima.   | in ft  | zia. 4'-: tassel-lik  Deutzia. ery free t | 5' Large white te flowers, Jun 3' Erect h flowering—Jur                           | e. Vigo                   | .60<br>.75<br>1.00<br>1.25<br>. June, gr<br>.75<br>1.00<br>1.25<br>1.50<br>rous grov<br>.75<br>1.00<br>hite with   | 4.50<br>5.50<br>6.50<br>9.00<br>11.00<br>11.00<br>12.50<br>wer.<br>6.50<br>9.00<br>h pink<br>4.50<br>6.50<br>9.00<br>habit,  |
| ma<br>pa | noinei. I 1 2 2 1 3 agnifica. 2 3 rviflora. 1 2 3 abra can             | ½ to ft  | 18 2 2 2 ½ 3 1½ , La 3 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4                                  | ft   | zia. 4' tassel·lik  Deutzia. ery free t   | 5' Large white se flowers, Jun 3' Erect h flowering—Jur se Deutzia. Grows vigorou | e. Vigo                   | .60<br>.75<br>. June, gr<br>.75<br>1.00<br>1.25<br>1.50<br>rous grov<br>.75<br>1.00<br>hite with<br>.50<br>.50<br>.50<br>.50<br>.50<br>.50<br>.50<br>.50<br>.50<br>.50 | 4.50<br>5.50<br>6.50<br>9.00<br>11.00<br>11.00<br>12.50<br>wer.<br>6.50<br>9.00<br>h pink<br>4.50<br>6.50<br>9.00<br>habit,  |

|            |                          |              |                   | I   | Each             | Per 10                |
|------------|--------------------------|--------------|-------------------|---|------------------|-----------------------|
| DEUTZIA s  | scabr                    | a cr         | enata             | a, fl. pl. Double Pink Deutzia.   | 6'-8'            | White,                |
|            | ti                       | ngeo         | d pinl            | c on outside. Slightly fragrant—Jut                                     | ne.              |                       |
|            | 2                        | to<br>to     | 3<br>4            | ft S  | .50              | \$4.50<br>6.50        |
| Deid       | -                        |              | _                 | r. 9'-10' Vigorous, large flower ting                                   |                  |                       |
| - I nac    | 2                        | to           | 3                 | ft  | .50              | 4.50                  |
|            | 3                        | to           | 4                 | ft  | .75              | 6.50                  |
|            | 4                        | to           | 5                 | ft  | 1.00             | 9.00                  |
| vilmorin   |                          | Vil<br>hite  | lmori<br>flow     | n Deutzia. 4'-5' Graceful sprea<br>ers in loose clusters—May-June.      | ıding            | habit—                |
|            | $\frac{1}{2}$            | to           | 2                 | ft  | .50<br>.75       |                       |
| DIERVILLA  |                          | to<br>ecilif |                   | ft  |                  | . 4'-5'               |
| DIEKVILLA  | Y                        | 'ello        | w, m              | ore vigorous than following variety-                                    |                  |                       |
|            | $1\frac{1}{2}$           | to           | 2                 | ft  | .50              |                       |
|            | 2                        | to           | 3                 | ft  | .75              |                       |
| trifida.   | Dw                       | arf          | Bush<br>brub      | Honeysuckle. 3' Yellow, June-<br>for shady places.                      | uly.             | A food                |
|            |                          | to           | 2                 | ft  | .75              | 7.00                  |
|            | 2                        | to           |                   | ft  | 1.00             | 9.00                  |
| DIOSPYRO   | S vir                    | gini         |                   |   | folia            | ge.                   |
|            | 3                        | to           | 4                 | ft  | 1.00             |                       |
|            | 4                        | to           | 5                 | ft  | 1.25             |                       |
| ELAEAGNU   | S ar                     | igus<br>ranc | tifoli:<br>hlets. | a. Russian Olive. 15'-18' Silver-g<br>orange berries. Good for massing  | ray lea<br>—pref | eves and<br>fers sun. |
|            | 2                        | to           | 3                 | ft  | .50              | 4.50                  |
|            | 3                        | to           | 4                 | ft  | .75              | 6 50                  |
|            | 4                        | to           | 5                 | ft  | 1.00             | 9.00                  |
| longipes   |                          |              |                   | leagnus. 6'–8' Silvery leaves, fra<br>ay. Large red berries, July. Good |                  |                       |
|            |                          | to           | 2                 | ft  | .75              | 6.50                  |
|            | 2                        | to<br>to     | 3<br>4            | ft ft   | 1.00             | 9.00<br>11.00         |
| FUONVMIIS  | -                        |              | _                 | inged Euonymus. 9'–10' Interestit                                       |                  |                       |
| LUCIVITATO | W                        | Zarm         | crim              | nson autumn coloring, makes fine sp                                     | ecimer           | n shrub.              |
|            |                          | to           | 2                 | ft  | .75              | 6.50                  |
|            | 2                        | to           | $\frac{21}{2}$    |   | 1.00             | 9.00                  |
|            | $\frac{2\frac{1}{2}}{3}$ | to<br>to     | 3<br>4            |   | 1.25<br>1.50     | 11.00<br>13.50        |
| america    | _                        |              |                   | Euonymus. 7'-8' Pink fruits, prefers                                    |                  |                       |
|            |                          | to           |                   | ft  | .50              |                       |
|            | 2                        | to           | 3                 | ft  | .75              |                       |
|            | 3                        | to           | 4                 | ft  | 1.00             | 753                   |
| bungean    | 0                        | rang         | e and             | Euonymus. 12'-14' Good autum white seed pods persist for a long         | time.            |                       |
|            | 2                        | to<br>to     | 3<br>4            | ftft  | .50<br>.75       | 4.50<br>6.50          |
|            | 4                        | to           | 5                 |   | 1.00             | 0.30                  |
| europae    | us.                      | Eur          |                   | n Burning Bush. 12'-14' Showy   |                  | fruits.               |
|            | 2                        | to           |                   | ft  |                  |                       |
| For France | 3<br>. FI                | to<br>ION    | 4<br>VMI          | ft  | 1.00             |                       |
|            |                          |              |                   | os see page 36.<br>a. Pearl Bush. 6'-9' Dazzling v                      | white            | flowers               |
| LACCHORE   | N                        | lay.         | Is ir             | nproved by annual pruning—prefer  | s a mo           | oist soil.            |
|            | 2                        | to           |                   | ft  | .75<br>1.00      | 6.50<br>9.00          |
|            | 3<br>4                   | to<br>to     | 5                 |   | 1.25             | 11.00                 |

| *FACUS amo   | riannn           | A        | nerican Beech. 80'-90'  | Each         | Per 10       |
|--------------|------------------|----------|---|--------------|--------------|
|              | ricana.<br>I½ to | 2        | ft  | \$2.00       | \$17.50      |
|              | $\frac{1}{2}$ to | 3        | ft  | 3.00         | 25.00        |
|              | 3 to             | 4        | ft  | 4.00         |              |
| 4            | to to            | 5        | ft  | 5.00         |              |
| *sylvatica   |                  |          | Fern or Cutleaf Beech. 40'-<br>wn tree, fern-like foliage. Clean  | gray barl    | splendid<br> |
| 3            |                  | 4        | ft  | 5.00         |              |
| 4            |                  | 5        | ft  | 7.50         |              |
| *—pendula    |                  |          | g Beech. 25'-30'  |              |              |
| ·            |                  |          |   | 10.00        |              |
| FORSYTHIA    | flowe            | rs in    | April before leaves unfold-profu  | se and b     |              |
| 2            |                  | 3<br>4   | ftft  | .60<br>.75   | 5.50<br>7.00 |
| -            |                  | -        |   | Most pro     |              |
| Special      | all, w           | ith la   | rge rich golden yellow flowers.   | wost pr      | orașe or     |
| 2            |                  | 3        | ft  | .75          |              |
| 3            |                  | 4        | ft  | 1.00         |              |
| suspensa.    | excell           | ent fo   | Golden Bell. $4'-6'$ Graceful or massing, banks, or hanging ove   | r retainir   | ig walls.    |
|              | 2 to 3           | 3<br>4   | ft  | .60<br>.75   | 5.50<br>7.00 |
|              |                  | •        | ft  |              |              |
|              | vigor            | ous g    | Golden Bell. $7'-8'$ Good habit, a rowth.   |              |              |
|              | 2 to 3 to        | 3<br>4   | ftft  | .50<br>.75   | 4.50<br>6.50 |
|              | 4 to             | 5        | ft  | 1.00         | 9.00         |
| viridissim   |                  | een      |   | vigorou      |              |
| VIIIuissiiii |                  |          | —thick, dark green leaves. Last t   | to flower    | . 1145       |
| 2            | 2 to             | 3        | ft  | .50          | 4.50         |
| 3            | 3 to             | 4        | ft  | .75          | 6.50         |
| FRAXINUS a   |                  | ing go   | White Ash. 70'-80' Fairly rapid ;<br>olden tones in autumn. Good in<br>kes a splendid street tree with a clea | moist a      | nd lime      |
| (            | 6 to             | 8        | ft  | 1.25         | 11.00        |
| 8            | 8 to             | 10       | ft  | 2.00         | 17.50        |
|              | 8 to             | 10       | ft., $1\frac{1}{4}$ to $1\frac{1}{2}$ in  | 2.50         | 22.50        |
|              | 10 to            | 12       | ft., 1½ to 1¾ in<br>ft., 1¾ to 2 in   | 3.00         | 27.50        |
|              | 10 to<br>13 to   | 12<br>14 | ft., $1\frac{3}{4}$ to 2 in   | 4.00<br>7.50 | 37.50        |
|              | ba (SA           | LISE     | BURIA). Maidenhair Tree. 50'-, quite distinct. Leaves shaped like   | -75' Pict    | uresque,     |
|              |                  |          | om insects—thrives under city con   |              | an iciti.    |
|              | 6 to             | 8        | ft  | 2.50         |              |
|              | 8 to             | 10       | ft  | 3.00         |              |
|              | 8 to             | 10<br>12 | ft., 1¼ to 1½ in.<br>ft., 1½ to 1¾ in.  | 4.00         |              |
|              | 10 to<br>10 to   | 12       | ft., $1\frac{1}{2}$ to $1\frac{3}{4}$ in  | 5.00<br>6.00 |              |
|              | 12 to            | 14       | ft., 2 to 2½ in   | 7.50         |              |
| GLEDITSIA    |                  |          |   |              | ith frag-    |
|              | 3 to             | 4        | ft  | .75          | 7.00         |
|              | 4 to             | 5        | ft  | 1.00         | 9.00         |
|              | 5 to             | 6        | ft  | 1.50         | 13.50        |
|              | 6 to             | 8        | ft  | 2.00         |              |

| 14         | DECI                                    | DUU                       | US                   | I REES, SHRU                               | DR2 AND A                     | INES                                |  |
|------------|---|---------------------------|----------------------|--|-------------------------------|-------------------------------------|--|
| HALESIA to | flow                                    | ers in                    | May                  | Silver Bell. 12<br>profusely born          | 2′-15′ Snow-<br>e on branchle | Each<br>white bell-<br>s—can be     | Per 10<br>shaped<br>grown                    |
| HAMAMEL    | 2 to<br>3 to<br>4 to<br>5 to<br>IS virg | 3<br>4<br>5<br>6<br>inian | ft<br>ft<br>ft<br>ft | nen or massed.  Witch Hazel.  Nov. Good fo | 10'–12' Ye                    | 1.00<br>1.50<br>2.00<br>ellow, ribl | \$7.00<br>9.00<br>13.50<br>17.50<br>pon-like |
|            | $1\frac{1}{2}$ to                       | 2                         | ft.                  |  |                               | .75<br>1.25                         | -straue.                                     |
| HEDERA.    | 2 to<br>See Eve                         | _                         |                      | age 36.                                    |                               | 1.23                                |  |
| HIBISCUS s |   |                           |                      | A). Rose of Si                             |                               |                                     | formal                                       |
|            |   |                           |                      | vering in Augus                            |                               |                                     |  |
|            | 2 to 3                                  | -                         |                      |  |                               | .75<br>1.00                         |  |
|            | 4 to                                    |                           |                      |  |                               | 1.25                                |  |
| variegat   |   | -                         |                      | ose of Sharon.                             |                               |                                     | vellow.                                      |
| vari-gat   | $1\frac{1}{2}$ to                       |                           |                      |  |                               | .75                                 | 6.50   |
|            | $\frac{1}{2}$ to                        | 21/3                      |                      |  |                               | 1.00                                | 9.00   |
|            | $2\frac{1}{2}$ to                       | 3                         | ft                   |  |                               | 1.25                                | 11.00  |
|            | 3 · ft.                                 |                           |                      |  |                               | 1.50                                | 13.50  |
| HYDRANG    | EA arbo                                 | resce                     | ns.                  | Smooth Hydro                               | angea. $4'$ – $5'$            |                                     | ne-July.                                     |
|            | 2 to                                    | -                         |                      |  |                               | .50                                 | 4.50   |
|            | 3 to                                    |                           |                      |  |                               | .75                                 | 6.50   |
| — grand    | diflora.                                | Sno                       | w I                  | Hill Hydrange                              | ea. $4'-5'$ L:                | arge head                           | s, pure                                      |
|            | Wnit                                    | o ilow                    | ers,                 | June-July. Bes                             | st when prune                 | a every sp<br>75                    | 6.50   |
|            | $1\frac{1}{2}$ to 2 to                  | 3                         | ft                   |  |                               | 1.00                                | 9.00   |
|            | 3 to                                    |                           |                      |  |                               | 1.25                                | 11.00  |
| radiata    |   | Silv<br>n, fres           | er L                 | eaf Hydranged<br>en above. Flo             | ı. 4'-5' Lea                  | ives white<br>une–July.             | under-                                       |
|            | $1\frac{1}{2}$ to                       |                           |                      |  |                               | .50                                 |  |
|            | 2 to 3                                  |                           |                      |  |                               | .75<br>1.00                         |  |
| maniaula   |   |                           |                      | rangea. 8'–9'                              |                               |                                     | fh:+-  |
| panicula   | flow<br>2 to                            | ers, A                    | ugus                 | t. A graceful                              | desirable shrul               | 1.00                                | 9.00   |
|            | 3 to                                    | _                         |                      | ·····                                      |                               | 1.25                                | 11.00  |
| — grane    |   |                           |                      | 8'-9' Very sl                              |                               |                                     |  |
| 3          | 1½ to                                   |                           |                      |  |                               | .60                                 | 5.50   |
|            | $2^{\prime}$ to                         |                           |                      |  |                               | .75                                 | 6.50   |
|            | $2\frac{1}{2}$ to                       |                           |                      |  |                               | 1.00                                | 9.00   |
|            | 3 to                                    |                           |                      |  |                               | 1.25                                | 11.00  |
| — gran     | diflora.                                |                           |                      |  | FORM.                         | 1.05                                |  |
|            | Mediur<br>First-cl                      |                           |                      |  |                               | 1.25<br>1.50                        |  |
|            | Extra,                                  | 4                         |                      |  |                               | 2.00                                |  |
| quercifo   |   | ık Led<br>leaf.           | af H<br>Sple         | ydrangea. 3'<br>ndid autumn co             | 4' Large leav                 | es shaped<br>eds in sha             | like an<br>de.                               |
|            | 15 to                                   |                           |                      |  |                               | 1.00                                |  |
|            | $1\frac{1}{2}$ to                       |                           |                      |  |                               | 1.25                                |  |
| HADEDIOL   | 2 to                                    |                           |                      | C4 . I = 1                                 |                               | 1.50                                |  |
| HYPERICU   |   |                           |                      | len St. Johnsw<br>ige, dense habit,        |                               |                                     |  |
|            | 15 to                                   | 18                        | in                   |  |                               | .35                                 | 3.00   |
|            | $1\frac{1}{2}$ to                       |                           |                      | · · · · · · · · · · · · · · · · · · ·      |                               | .50                                 | 4.50   |
|            | 2 to 3                                  |                           |                      |  |                               | .75<br>1.00                         | 6.50<br>9.00                                 |
|            | 5 10                                    |                           | 1                    | •••••                                      |                               | 1.00                                | 2.00   |

|               |                 |            |                    | Each  | Per 10            |
|---------------|-----------------|------------|--------------------|---|-------------------|
| HYPERICUI     | M de            | nsif       | lorun              | 1. $3'-4'$ Yellow, July-Aug.  |                   |
|               | 15              | to         |                    | in  |                   |
|               | 1 1/2           |            | 2                  | ft  |                   |
|               | 2               | to         | 3                  | ft  | 6.50              |
| kalmian       | um.<br>u<br>11/ | nder<br>to | um S<br>side.<br>2 | t. Johnswort. 4'-5' Blue-green leaves<br>Withstands drought. July-Sept.<br>ft50 | giaucous          |
|               | 2               | to         | 3                  | ft  |                   |
| moseria       | num.<br>D       | . G        | old<br>y, ha       | Flower. 2' Large yellow flowers, I herbaceous splendid mass plant.              | uly-Aug.          |
|               |                 | yr.<br>yr. | 15<br>1½           | in  |                   |
| ILEX verticil | llata           | (PR        | INO                | 5). Winterberry. 6'-8' Bright red berri   | es persist-       |
|               |                 | g to       |                    | winter. Not eaten by birds—prefers mo   |                   |
|               | 15              | to         | 18                 | in  |                   |
|               | 2 2             | to<br>to   | 21/                | ft  |                   |
|               |                 | to         | $\frac{2}{3}^{2}$  |   |                   |
|               | 3               | to         | 4                  | ft  | 12.50             |
| ITEA virgini  | ca.             | Swe        | etspi<br>for l     | re. 3'-4' Spikes of fragrant white flow places—brilliant autumn coloring.       | vers, July.       |
|               | 11/2            |            | 2                  | ft  |                   |
| LACMINITIM    | 2               | to         |                    | ft  |                   |
| JASMINUM      |                 |            |                    | Winter Jasmine. 3' Yellow, April-1  |                   |
|               | 2               | to<br>to   |                    | ft  |                   |
|               | 3               | to         | 4                  | ft  |                   |
| IUNIPERUS     |                 |            | lvergr             | eens, pages 37–40.  |                   |
| KALMIA.       |                 |            | _                  |   |                   |
|               |                 |            |                    | nese Kerria. 4'-5' Golden yellow,   | June-Sept         |
| , .           | C               | ireer      | brar               | ches useful for winter effects-graceful   | nabit.            |
|               |                 | to         |                    | ft  |                   |
|               | 2               | to         |                    | ft  |                   |
| Aoro          | _               |            |                    |   |                   |
| — nore        | fl              | owe        | ring f             | orm. Stronger growth and blooms more  | profusely.        |
|               |                 | to         | _                  | ft  |                   |
|               | 2               | to         |                    | ft  |                   |
|               | 3               |            | 4                  | ft 1.25   |                   |
| KOELREUT      | ERI             | Αp         | anicu              | lata. Varnish Tree. 25'-30' Has brig  | ht yellow         |
|               | 3 fl            | owe<br>to  | rs in              | July—a valuable small tree of irregular of ft                                   | utline.<br>) 9.00 |
|               | 4               | to         | 6                  | ft  |                   |
| LABURNUN      | 1 vu            | lgar       | e. (               | Golden Chain. 20'–25' Golden yellov<br>useful small tree—best in protected plac | v flowers         |
|               | 2               | to         |                    | ft75  |                   |
| LARIX euro    |                 |            |                    | pean Larch. 50'-60' Especially good   |                   |
| Entern curo   | e               | ffect      | s Gi               | ows rapidly into a symmetrical pyramic  | dal tree.         |
|               | 2               | to         | 3                  | ft. B. & B  | i                 |
|               | 3               | to         | 4                  | ft. B. & B 1.50   | )                 |
| laricina.     | A:              |            |                    | Larch. 40'-50'  |                   |
|               | 3               | to<br>to   |                    | ft. B. & B 1.25<br>ft. B. & B 1.50  |                   |
| leptolep      | is (k           | aem        | pferi              | Japanese Larch. 50'-60' Has long ght yellow in autumn. A handsome la            | soft leaves       |
|               | 2               | to         | 3                  | ft. B. & B 1.50   |                   |
|               | 3               | to         | 4                  | ft. B. & B  |                   |
|               | 4               | to         | 5                  | ft. B. & B 2.50   |                   |
|               | 5               | to         | 6                  | ft. B. & B 3.00   | )                 |

| LESPEDEZA bicolor.   Bush Clover.   5'-6'   Rose and white flower, July— Aug.   Slender graceful shrub—attractive clover-like foliage.   2 to 3 ft   |            |            |      |              |              |                |                 |                        |                            |                        |
|--|------------|------------|------|--------------|--------------|----------------|-----------------|------------------------|----------------------------|------------------------|
| Aug. Slender graceful shrub—attractive clover-like foliage. 2 to 3 ft  | LEIOPHYLI  | LUM        | i. S | ee E         | Ever         | greens, pag    | ge 40.          |                        | Each                       | Per 10                 |
| 2 to 3 ft  | LESPEDEZA  | A bic<br>A | oloi | r. B<br>Sler | Bush<br>nder | Clover.        | 5'-6'<br>shrub- | Rose and -attractive o | white flow<br>lover-like f | ver, July-<br>foliage. |
| formosa (Desmodium penduliflorum). Purple Bush Clover. 3'-4' Rosy purple flower conspicuous in Sept. Attractive shrub.  2 yr   |            | 2          |      |              |              |                |                 |                        |                            | Ü                      |
| formosa (Desmodium penduliflorum). Purple Bush Clover. 3'-4' Rosy purple flower conspicuous in Sept. Attractive shrub.  2 yr   |            |            |      | -            |              |                |                 |                        |                            |                        |
| Rosy purple flower conspicuous in Sept. Attractive shrub. 2 yr   | formosa    | •          |      | -            |              |                |                 |                        |                            | 3'_1'                  |
| Test   | lormosa    |            |      |              |              |                |                 |                        |                            |                        |
| LEUCOTHOE. See Evergreens, page 40.  LIGUSTRUM amurense. Amur Privet. 14'-15' Half-evergreen, very hardy.  1½ to 2 ft  |            | _          |      |              |              |                |                 |                        |                            |                        |
| LIGUSTRUM amurense. Amur Privet. 14'-15' Half-evergreen, very hardy.  1½ to 2 ft   | , pugomuo  | _          |      |              |              |                |                 |                        | 75                         |                        |
| 1½ to 2 ft   |            |            |      | Eve          | rgre         | ens, page      | 40.             | 1 <i>5</i> ′ LI_16     |                            | 1- auder               |
| 2 to 5 ft  | LIGUSTKU   |            |      |              |              |                |                 |                        |                            |                        |
| 4  |            | 2          |      | 3            |              |                |                 |                        |                            | 3.00                   |
| ibota.   Ibota   Privet.   9'-10'   Good   dense   habit,   flowers   and   fruits   freely.   |            |            |      | -            |              |                |                 |                        |                            |                        |
| Decorative black berries—very hardy.   2 to 3 ft   | ibota II   | -          |      |              |              |                |                 |                        | -                          |                        |
| 2 to 3 ft  | ibota. 10  | D          | ecor | ative        | e bla        | ick berries    | -very           | hardy.                 | is and mu.                 | its freely.            |
| True Spreading Regal Privet. 5'-6' Makes a splendid low dense hedge—also good in shrubbery or evergreen plantings. Practically an evergreen in sheltered places.    Each Per 10 Per 100  |            | 2          | to   | 3            | ft           |                |                 |                        |                            | 4.00                   |
| — regelianum. True Spreading Regal Privet. 5'-6' Makes a splendid low dense hedge—also good in shrubbery or evergreen plantings. Practically an evergreen in sheltered places.    Each Per 10 Per 100  |            |            |      |              |              |                |                 |                        |                            |                        |
| low dense hedge—also good in shrubbery or evergreen plantings. Practically an evergreen in sheltered places.    Each   Per 10   Per 100  | — regeli   |            |      |              |              |                |                 |                        |                            |                        |
| Each   Per 10   Per 100  | regen      | lo         | w d  | ense         | hec          | lge—also g     | good ir         | ı shrubbery            | or evergre                 | en plant-              |
| 1½ to 2 ft   |            | in         | gs.  | Pra          | actic        | ally an eve    | ergreen         | in sheltered           | l places.                  | Dor 100                |
| 2 to 2½ ft   |            | 1 1/2      | to   | 2            | ft           |                |                 | 50                     |                            | 25.00                  |
| Lodense.   Dwarf Privet.   2½'   Compact dwarf form for hedgings.   Each   Per 10  |            |            |      | 21/9         | √ ft         |                |                 | 75                     |                            | 40.00                  |
| Each   Per 10  | T . 1      |            |      | 3<br>.r.n.   | : ft         | 01//           |                 | 1.00                   |                            |                        |
| 2 yr   | Lodense    | . п        | rvar | † Pr         | rivei        | $2\frac{1}{2}$ | Compa           | ict dwarf fo           |                            |                        |
| 18 in. Sheared Globes 1.00 9.00  ovalifolium. California Privet. 9'-10' Most popular hedge plant.  Per 10 Per 100  1½ to 2 ft. 1.50 8.00  2 to 3 ft. 2.00 10.00  3 to 4 ft. 3.00 15.00  4 to 5 ft 4.00 25.00  — GLOBE FORM—Sheared. Each Per 10  10 in. diam 1.50 13.50  12 in. diam 2.00 17.50  15 in. diam 2.00 17.50  18 in. diam 2.50 22.50  — PYRAMIDAL FORM—Sheared.  2 ft. 2.00 17.50  2½ ft. 2.50 22.50  — STANDARD, TREE FORM—Sheared heads.  1 yr. 1.50 13.50  2 yr 12 in. head, first class 2.00 17.50  3 yr., 15 in. head, extra 3.00 27.50  — aureum. Golden Privet. 8'-9' Grows rather slowly.  12 to 15 in. 35  15 to 18 in. 50  1½ to 2 ft. 75  vulgare. European Privet. 10'-12' Creamy-white flowers, June-July.  2 to 3 ft35  |            | 2 v        | r    |              |              |                |                 |                        | 35                         | 2.50                   |
| ovalifolium.         California Privet.         9'-10'         Most popular hedge plant.           Per 10         Per 10         Per 10         Per 10           1½ to 2 ft.         1.50         8.00           2 to 3 ft.         2.00         10.00           3 to 4 ft.         3.00         15.00           4 to 5 ft.         4.00         25.00           — GLOBE FORM—Sheared.         Each Per 10           10 in. diam         1.50         13.50           12 in. diam         2.00         17.50           15 in. diam         2.00         17.50           18 in. diam         2.50         22.50           — PYRAMIDAL FORM—Sheared.         2         2         2         2.50         22.50           2½ ft.         2.50         22.50         25.50         22.50         25.50         25.50         25.50         25.50         25.50         25.50         27.50         25.50         27.50< |            |            |      |              |              |                |                 |                        |                            | 6.50                   |
| Per 10   Per 100   |            |            |      |              |              |                |                 |                        |                            |                        |
| 1½ to 2 ft.       1.50 8.00         2 to 3 ft.       2.00 10.00         3 to 4 ft.       3.00 15.00         4 to 5 ft.       4.00 25.00         — GLOBE FORM—Sheared.       Each Per 10         10 in. diam       1.50 13.50         12 in. diam       1.75 16.00         15 in. diam       2.00 17.50         18 in. diam       2.50 22.50         — PYRAMIDAL FORM—Sheared.       2         2 ft.       2.50 22.50         3 ft.       3.00 27.50         —STANDARD, TREE FORM—Sheared heads.       1         1 yr.       1.50 13.50         2 yr. 12 in. head, first class.       2.00 17.50         3 yr., 15 in. head, extra       3.00 27.50         — aureum. Golden Privet. 8'-9' Grows rather slowly.         12 to 15 in.       .35         15 to 18 in.       .50         1½ to 2 ft.       .75         vulgare. European Privet. 10'-12' Creamy-white flowers, June-July.         2 to 3 ft.       .35   | ovalifolit | um.        | Ca   | lifoi        | rnic         | Privet.        | 9'-10'          | Most pop               |                            |                        |
| 3 to 4 ft  |            | 1 ½        | to   |              | ft.          |                |                 |                        |                            | 8.00                   |
| 4 to 5 ft  |            |            |      |              |              |                |                 |                        |                            | 10.00                  |
| — GLOBE FORM—Sheared.       Each Per 10         10 in. diam       1.50       13.50         12 in. diam       1.75       16.00         15 in. diam       2.00       17.50         18 in. diam       2.50       22.50         — PYRAMIDAL FORM—Sheared.       2       2.00       17.50         2½ ft       2.50       22.50       3 oo       27.50         —STANDARD, TREE FORM—Sheared heads.       1       yr       1.50       13.50         2 yr 12 in. head, first class       2.00       17.50         3 yr., 15 in. head, extra       3.00       27.50         — aureum. Golden Privet. 8'-9' Grows rather slowly.         12 to 15 in       .35         15 to 18 in       .50         1½ to 2 ft       .75         vulgare. European Privet. 10'-12' Creamy-white flowers, June-July.         2 to 3 ft       .35   |            |            |      |              |              |                |                 |                        |                            |                        |
| 10 in. diam  | — GLO      | BE I       |      |              |              |                |                 |                        |                            |                        |
| 12 in. diam       1.75       16.00         15 in. diam       2.00       17.50         18 in. diam       2.50       22.50         — PYRAMIDAL FORM—Sheared.       2       2.00       17.50         2½ ft       2.50       22.50         3 ft       3.00       27.50         —STANDARD, TREE FORM—Sheared heads.       1       yr       1.50       13.50         2 yr.       12 in. head, first class       2.00       17.50         3 yr.       15 in. head, extra       3.00       27.50         — aureum. Golden Privet. 8'-9' Grows rather slowly.         12 to 15 in       .35         15 to 18 in       .50         1½ to 2 ft       .75         vulgare. European Privet. 10'-12' Creamy-white flowers, June-July.         2 to 3 ft       .35   | 020.       |            |      |              |              |                |                 |                        |                            | 13.50                  |
| 18 in. diam 2.50 22.50  — PYRAMIDAL FORM—Sheared.  2 ft 2.00 17.50 2½ ft 2.50 22.50 3 ft 3.00 27.50  —STANDARD, TREE FORM—Sheared heads.  1 yr 1.50 13.50 2 yr 12 in. head, first class 2.00 17.50 3 yr., 15 in. head, extra 3.00 27.50  — aureum. Golden Privet. 8'-9' Grows rather slowly.  12 to 15 in 35 15 to 18 in 50 1½ to 2 ft .75  vulgare. European Privet. 10'-12' Creamy-white flowers, June-July. 2 to 3 ft35   |            | 12         | in.  | dian         | n            |                |                 |                        | . 1.75                     | 16.00                  |
| — PYRAMIDAL FORM—Sheared.  2 ft  |            |            |      |              |              |                |                 |                        |                            |                        |
| 2 ft 2.00 17.50 2½ ft 2.50 22.50 3 ft 3.00 27.50  —STANDARD, TREE FORM—Sheared heads.  1 yr. 1.50 13.50 2 yr. 12 in. head, first class 2.00 17.50 3 yr., 15 in. head, extra 3.00 27.50  — aureum. Golden Privet. 8'-9' Grows rather slowly.  12 to 15 in 35 15 to 18 in 50 1½ to 2 ft 50 vulgare. European Privet. 10'-12' Creamy-white flowers, June-July. 2 to 3 ft 3.50   | - PYR/     |            |      |              |              |                |                 |                        | 2.50                       | 22.50                  |
| 3 ft   |            |            |      |              |              |                |                 |                        | . 2.00                     | 17.50                  |
| —STANDARD, TREE FORM—Sheared heads.  1 yr  |            |            |      |              |              |                |                 |                        |                            | 22.50                  |
| 1       yr.       1.50       13.50         2       yr.       12       in. head, first class.       2.00       17.50         3       yr.       15       in. head, extra.       3.00       27.50         — aureum.       Golden Privet.       8'-9' Grows rather slowly.         12       to 15       in.       .35         15       to 18       in.       .50         1½       to 2       ft.       .75         vulgare.       European Privet.       10'-12' Creamy-white flowers, June-July.         2       to 3       ft.       .35   | CTAN       | -          |      |              |              |                |                 |                        | 3.00                       | 27.50                  |
| 2 yr., 12 in. head, first class  | —51 AN     |            |      |              |              |                |                 |                        | 1.50                       | 13.50                  |
| 3 yr., 15 in. head, extra  |            | _          | -    |              |              |                |                 |                        |                            | 17.50                  |
| $\begin{array}{cccccccccccccccccccccccccccccccccccc$   |            | 3          |      |              | in.          | head, ex       | xtra            |                        | . 3.00                     | 27.50                  |
| 15 to 18 in  | — aureu    |            |      |              |              |                |                 |                        | -                          |                        |
| 1½ to 2 ft   |            |            |      |              |              |                |                 |                        |                            |                        |
| vulgare. European Privet. 10'-12' Creamy-white flowers, June-July.  2 to 3 ft  |            |            |      |              |              |                |                 |                        |                            |                        |
| 2 to 3 ft  | vulgare.   |            |      |              |              |                |                 |                        |                            | une–July.              |
| 3 to 4 ft  |            | 2          | to   | 3            | ft.          |                |                 |                        | 35                         |                        |
|  |            | 5          | to   | 4            | ft.          |                |                 |                        | 50                         |                        |

| DECIDUOUS TREES, SHRUBS AND VINES 17   |
|--|
| Each Per 10  |
| *LIQUIDAMBER styraciflua. Sweet Gum. 50'-60' One of best trees for autumn color. Grows well in moist places. Has corky bark          |
| and star-shaped leaves—transplants best in early spring.   |
| 4 to 5 ft\$2.50  |
| 5 to 6 ft  |
| 6 to 8 ft 4.00<br>8 to 10 ft 5.00  |
| *LIRIODENDRON tulipifera. Tulip Tree. 60'-80' A quick grower.  |
| The yellow tulip-like flowers are produced in June-peculiar  |
| flat topped leaves clear yellow in autumn. Prefers moist place.  8 to 10 ft., 1½ to 1½ in  |
| 8 to 10 ft., $1\frac{1}{4}$ to $1\frac{1}{2}$ in   |
| LONICERA alberti. Albert Honeysuckle. 2' Rose-pink fragrant flowers,   |
| May-June. Bluish-green leaves, red berries.  |
| 1½ to 2 ft   |
| 2 to 2½ ft 1.00 9.00   |
| bella albida. White Bell Honeysuckle. 8'-9' Grows vigorously.  |
| 2 to 3 ft  |
| 3 to 4 ft  |
| fragrantissima. Winter Honeysuckle. 6'-8' Fragrant white flower,   |
| April-May. Half-evergreen—graceful semi-drooping habit.  |
| 2 to 3 ft  |
| 4 to 5 ft  |
| japonica (brachypoda). Japanese Honeysuckle. 15'-20' Rapid grower  |
| and blooms freely from June to Sept. Useful vine for cover-  |
| ing steep banks. Almost evergreen.   |
| 2 yr50 4.50 — halliana. Hall Japanese Honeysuckle. 15'–25' A quick growing   |
| vine. Blooms freely, deliciously fragrant. Almost evergreen  |
| Each Per 10 Per 100  |
| 2 yr   |
| heckrotti. Everblooming Honeysuckle. 15'-20' Flowers purple-rose   |
| outside, yellow inside, July-Sept. A useful vine for lattice.<br>Each Per 10   |
| 2 yr   |
| maacki. Amur Honeysuckle. 8'-9' Large white flowers—June. Small  |
| scarlet berries persisting until mid-winter. Rather loose habit.   |
| 3 to 4 ft  |
| 4 to 5 ft 1.00 9.00  |
| <ul> <li>podocarpa. Late Honeyuckle. 8'-9' Smaller pinkish flowers,<br/>better fruit than preceding, holds leaves longer.</li> </ul> |
| 2 to 3 ft  |
| 3 to 4 ft  |
| June. Red fruits, good bluish-green foliage. Most desirable. We also have an upright form of this—same price.                        |
| 2 to 3 ft  |
| 3 to 4 ft  |
| veined golden yellow. A rampant growing vine.  |
| 2 yr   |
| June. Berries red, sometimes orange—narrow leaves.   |
| 3 to 4 ft  |
| 4 to 5 ft 1.00 9.00  |

| 18 DECIDUOUS TREES, SHRUBS AND VINES   |
|--|
| LONICERA sempervirens. Trumpet Honeysuckle. 15'-20' Bright scarlet showy flowers, July-Sept. A quick growing vine.  2 yr |
| standishi. Standish Honeysuckle. 4'-5' Blush flowers, fragrant—<br>April. Scarlet fruits, holds foliage well.            |
| $1\frac{1}{2}$ to 2 ft   |
| 2 to 3 ft  |
| 3 to 4 ft  |
| tatarica. Tatarian Honeysuckle. (Pink, red and white.) 9'-10 Flowers and fruit freely produced. A most adaptable shrub.  |
| Please state color wanted.  2 to 3 ft  |
| 2 to 3 ft  |
| 4 to 5 ft  |
| thibetica. Thibetan Honeysuckle. 3'-4' Small gray-green foliage.   |
| $1\frac{1}{2}$ to 2 ft   |
| $2^{1/2}$ to $2\frac{1}{2}$ ft 1.00 9.00   |
| LYCIUM barbarum. Matrimony Vine. 10'-12' Violet flowers in June,   |
| followed by bright red fruits. For banks or retaining walls.   |
| 2 to 3 ft  |
| 3 to 4 ft  |
| chinensis. Chinese Matrimony Vine. 12'-15' More vigorous and fruitful than preceding, otherwise similar in habit.        |
| $1\frac{1}{2}$ to 2 ft   |
| 2 to 3 ft  |
| 3 to 4 ft  |
| MAGNOLIA glauca. Sweet Bay. 15'-20' Delightfully fragrant creamy   |
| flowers in May, leaves nearly evergreen, prefers moist location.   |
| 1½ to 2 ft. B. & B   |
| 2 to 3 ft. B. & B  |
|  |
| Caulandonae Carram Madriella 15/ 10/ I am multiplicate and   |
| Soulangeana. Saucer Magnolia. 15'-18' Large purplish pink and  |
| white flowers—May. Best transplanted in early spring.  |
| white flowers—May. Best transplanted in early spring.  3 to 4 ft   |
| white flowers—May. Best transplanted in early spring. 3 to 4 ft  |
| white flowers—May. Best transplanted in early spring.  3 to 4 ft   |
| white flowers—May. Best transplanted in early spring.  3 to 4 ft   |
| white flowers—May. Best transplanted in early spring.  3 to 4 ft   |
| white flowers—May. Best transplanted in early spring.  3 to 4 ft   |
| white flowers—May. Best transplanted in early spring.  3 to 4 ft   |
| white flowers—May. Best transplanted in early spring.  3 to 4 ft   |
| white flowers—May. Best transplanted in early spring.  3 to 4 ft   |
| white flowers—May. Best transplanted in early spring.  3 to 4 ft   |
| white flowers—May. Best transplanted in early spring.  3 to 4 ft   |
| white flowers—May. Best transplanted in early spring.  3 to 4 ft   |
| white flowers—May. Best transplanted in early spring.  3 to 4 ft   |
| white flowers—May. Best transplanted in early spring.  3 to 4 ft   |
| white flowers—May. Best transplanted in early spring.  3 to 4 ft   |
| white flowers—May. Best transplanted in early spring.  3 to 4 ft   |
| white flowers—May. Best transplanted in early spring.  3 to 4 ft   |
| white flowers—May. Best transplanted in early spring.  3 to 4 ft   |
| white flowers—May. Best transplanted in early spring.  3 to 4 ft   |
| white flowers—May. Best transplanted in early spring.  3 to 4 ft   |
| white flowers—May. Best transplanted in early spring.  3 to 4 ft   |
| white flowers—May. Best transplanted in early spring.  3 to 4 ft   |
| white flowers—May. Best transplanted in early spring.  3 to 4 ft   |
| white flowers—May. Best transplanted in early spring.  3 to 4 ft   |
| white flowers—May. Best transplanted in early spring.  3 to 4 ft   |

| MALUS niedzwetzkyana. Redvein Crab. 15'-18' Leav bark deep red.  |  | er 10<br>and  |
|--|--|---|
| The state of the s | \$1.25<br>1.50   |   |
| parkmanni. Parkman Crab. 12'-15' Delicate pink.  | Requesiful   |   |
|  | 1.50   |   |
| 2 to 3 ft  | 2.00   |   |
|  | 2.00   |   |
| purpurea. $12'-15'$ Reddish purple flowers.  |  |   |
| 2 to 3 ft  | 1.00   |   |
| 3 to 4 ft  | 1.25   |   |
| sargenti. Sargent Crab. 5'-6' Pure white, very com   | pact. Shru   | ıbby.   |
| 3 to 4 ft  | 2.00   | -   |
| 4 to 5 ft  | 2.50   |   |
| scheideckeri. Scheidecker Crab. 10'-15' Double pink  | lasting flo  |   |
| Large yellow fruits—branches form narrow p   | yraınidal  |   |
| 2 to 3 ft  | 1.25   |   |
| 3 to 4 ft  | 1.50   |   |
|  | 2.00   |   |
| sieboldi. Siebold Crab. 15'-20' Pale pink. Vigoro  | us.  |   |
| 3 to 4 ft  | 1.25   |   |
| 4 to 5 ft  | 1.50   |   |
| spectabilis. Showy Crab. 15'-18' Large bright pink   | flowers.   |   |
| 2 to 3 ft  | 1.25   |   |
| 3 to 4 ft  | 1.50   |   |
| MORUS acidosa. Mulberry. 15'-20'   |  |   |
| 2 to 3 ft  | .50  |   |
|  |  |   |
| alba pendula. Tea's Weeping Mulberry. 8'-10' As  |  | tree.   |
| Medium Grade   | 3.00   |   |
| First Class Heads  | 4.00   |   |
| Extra  | 5.00   |   |
|  | 6.00   |   |
| Double Extra   | 6.00   |   |
| MYRICA cerifera. Southern Wax Myrtle. 4'-5' Does well soil. Has decorative gray berries persisting al  | in poor gra  | ivelly  |
| MYRICA cerifera. Southern Wax Myrtle. 4'-5' Does well soil. Has decorative gray berries persisting al $1\frac{1}{2}$ to 2 ft   | in poor gra<br>l winter.   | 6.50  |
| MYRICA cerifera. Southern $Wax$ Myrtle. 4'-5' Does well soil. Has decorative gray berries persisting at $\frac{11}{2}$ to 2 ft   | in poor gra<br>l winter.<br>.75  | 86.50<br>8.50   |
| $\begin{array}{cccccccccccccccccccccccccccccccccccc$   | in poor gra<br>l winter.<br>.75 \$<br>1.00   | 86.50<br>8.50<br>1.00   |
| MYRICA cerifera. Southern $Wax$ Myrtle. 4'-5' Does well soil. Has decorative gray berries persisting at $\frac{11}{2}$ to 2 ft   | in poor gral winter75 \$1.00 1.25 1  | 86.50<br>8.50<br>1.00   |
| MYRICA cerifera. Southern $Wax$ Myrtle. $4'-5'$ Does well soil. Has decorative gray berries persisting at $1\frac{1}{2}$ to $2$ ft   | in poor gral winter75 \$1.00 1.25 Iful cluster e autumn of   | 86.50<br>8.50<br>1.00   |
| MYRICA cerifera. Southern Wax Myrtle. 4'-5' Does well soil. Has decorative gray berries persisting al 1½ to 2 ft   | in poor gra<br>l winter.<br>.75 \$<br>1.00<br>1.25 \$<br>ful cluster<br>e autumn 6   | 86.50<br>8.50<br>1.00   |
| MYRICA cerifera. Southern Wax Myrtle. 4'-5' Does well soil. Has decorative gray berries persisting al $1\frac{1}{2}$ to $2$ ft   | in poor gral winter75 \$1.00 1.25 Iful cluster e autumn of   | 86.50<br>8.50<br>1.00   |
| MYRICA cerifera. Southern Wax Myrtle. 4'-5' Does well soil. Has decorative gray berries persisting al 1½ to 2 ft   | in poor grall winter.  .75 \$1.00 1.25 1 ful cluster e autumn 6 1.25 1.50 2.00 Grows ra  | 86.50<br>8.50<br>1.00<br>rs of color.   |
| MYRICA cerifera. Southern Wax Myrtle. 4'-5' Does well soil. Has decorative gray berries persisting al 1½ to 2 ft   | in poor grall winter.  .75 \$1.00 1.25 \$1.00 1.25 \$1.00 1.25 \$1.50 2.00 Grows rahardy in range in the state of | 86.50<br>8.50<br>1.00<br>rs of color.   |
| MYRICA cerifera. Southern Wax Myrtle. 4'-5' Does well soil. Has decorative gray berries persisting al 1½ to 2 ft   | in poor gral winter.  .75 \$1.00 1.25 \$1.00 1.25 \$1.50 2.00 Grows ral hardy in range.  | 86.50<br>8.50<br>1.00<br>rs of color.   |
| MYRICA cerifera. Southern Wax Myrtle. 4'-5' Does well soil. Has decorative gray berries persisting al 1½ to 2 ft   | in poor gra<br>I winter.<br>.75 \$1.00<br>1.25 \$1<br>ful cluster<br>e autumn of<br>1.25<br>1.50<br>2.00<br>Grows ra<br>hardy in ra<br>2.00<br>2.50  | 86.50<br>8.50<br>1.00<br>rs of color.   |
| MYRICA cerifera. Southern Wax Myrtle. 4'-5' Does well soil. Has decorative gray berries persisting al 1½ to 2 ft   | in poor gral winter.  .75 \$\frac{1}{1.00}\$ 1.25 \$\frac{1}{1.00}\$ 1.25 \$\frac{1}{1.00}\$ 1.25 \$\frac{1}{1.00}\$ 2.00 \$\frac{1}{2.00}\$ Grows rahardy in range 2.00 2.50 3.00   | 66.50<br>8.50<br>1.00<br>rs of<br>color.<br>pidly,  |
| MYRICA cerifera. Southern Wax Myrtle. 4'-5' Does well soil. Has decorative gray berries persisting al 1½ to 2 ft   | in poor gral winter.  .75 \$\frac{1}{1.00}\$ 1.25 \$\frac{1}{1.00}\$ 1.25 \$\frac{1}{1.00}\$ 2.00 \$\frac{1.25}{2.00}\$ Grows rahardy in range 2.50 \$\frac{2.50}{3.00}\$ 3'-4' \$\frac{1}{2.00}\$   | 66.50<br>8.50<br>11.00<br>rs of<br>color.<br>pidly,<br>north.   |
| MYRICA cerifera. Southern Wax Myrtle. 4'-5' Does well soil. Has decorative gray berries persisting al 1½ to 2 ft   | in poor gral winter.  .75 \$1.00 1.25 \$1.00 1.25 \$1.50 2.00 Grows ra hardy in r 2.00 2.50 3.00 3'-4' Gra .50   | 66.50<br>8.50<br>1.00 rs of color.<br>pidly, north.   |
| MYRICA cerifera. Southern Wax Myrtle. 4'-5' Does well soil. Has decorative gray berries persisting al 1½ to 2 ft   | in poor gral winter.  .75  | 66.50<br>8.50<br>1.00<br>rs of color.<br>pidly, north.  |
| MYRICA cerifera. Southern Wax Myrtle. 4'-5' Does well soil. Has decorative gray berries persisting al 1½ to 2 ft   | in poor gral winter.  .75  | 66.50<br>8.50<br>1.00<br>rs of color.<br>pidly,<br>north.<br>4.50<br>6.50<br>9.00   |
| MYRICA cerifera. Southern Wax Myrtle. 4'-5' Does well soil. Has decorative gray berries persisting al 1½ to 2 ft   | in poor gral winter.  .75  | 66.50<br>8.50<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>10.00<br>10.00<br>10.00<br>10.00<br>10.00<br>10.00<br>10.00<br>10.00<br>10.00<br>10.00<br>10.00<br>10.00<br>10.00<br>10.00<br>10.00<br>10.00<br>10.00<br>10.00<br>10.00<br>10.00<br>10.00<br>10.00<br>10.00<br>10.00<br>10.00<br>10.00<br>10.00<br>10.00<br>10.00<br>10.00<br>10.00<br>10.00<br>10.00<br>10.00<br>10.00<br>10.00<br>10.00<br>10.00<br>10.00<br>10.00<br>10.00<br>10.00<br>10.00<br>10.00<br>10.00<br>10.00<br>10.00<br>10.00<br>10.00<br>10.00<br>10.00<br>10.00<br>10.00<br>10.00<br>10.00<br>10.00<br>10.00<br>10.00<br>10.00<br>10.00<br>10.00<br>10.00<br>10.00<br>10.00<br>10.00<br>10.00<br>10.00<br>10.00<br>10.00<br>10.00<br>10.00<br>10.00<br>10.00<br>10.00<br>1 |
| MYRICA cerifera. Southern Wax Myrtle. 4'-5' Does well soil. Has decorative gray berries persisting al 1½ to 2 ft   | in poor gral winter.  .75 \$1.00 1.25 \$1.00 1.25 \$1.50 2.00 Grows rahardy in range 2.00 2.50 3.00 3'-4' Grange 3.00 3'-4' Grange 3.00 0.75 1.00 0.00 dense   | 66.50<br>8.50<br>1.00<br>s of color.<br>pidly, north.<br>4.50<br>6.50<br>9.00<br>habit.   |
| MYRICA cerifera. Southern Wax Myrtle. 4'-5' Does well soil. Has decorative gray berries persisting al 1½ to 2 ft   | in poor gral winter.  .75  | 66.50<br>8.50<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>11.00<br>10.00<br>10.00<br>10.00<br>10.00<br>10.00<br>10.00<br>10.00<br>10.00<br>10.00<br>10.00<br>10.00<br>10.00<br>10.00<br>10.00<br>10.00<br>10.00<br>10.00<br>10.00<br>10.00<br>10.00<br>10.00<br>10.00<br>10.00<br>10.00<br>10.00<br>10.00<br>10.00<br>10.00<br>10.00<br>10.00<br>10.00<br>10.00<br>10.00<br>10.00<br>10.00<br>10.00<br>10.00<br>10.00<br>10.00<br>10.00<br>10.00<br>10.00<br>10.00<br>10.00<br>10.00<br>10.00<br>10.00<br>10.00<br>10.00<br>10.00<br>10.00<br>10.00<br>10.00<br>10.00<br>10.00<br>10.00<br>10.00<br>10.00<br>10.00<br>10.00<br>10.00<br>10.00<br>10.00<br>10.00<br>10.00<br>10.00<br>10.00<br>10.00<br>10.00<br>10.00<br>10.00<br>10.00<br>10.00<br>10.00<br>1 |

| PHILADELPHUS coronarius. Mock Orange. 9'-10'   | Each Per 10<br>White fragrant |
|--|-------------------------------|
| flowers, May-June.<br>2 to 3 ft  | \$ .50 \$4.50                 |
| 3 to 4 ft  |                               |
| 4 to 5 ft  | 1.00 9.00                     |
| — aureus. Golden Leaf Mock Orange. 4'-5' Dw  | arf compact form.             |
| 15 to 18 in  |                               |
| 1½ to 2 ft<br>2 to 2½ ft   |                               |
| 2 to 2½ ft   |                               |
| — grandiflora. Large Flowering Mock Orange. 7  |                               |
| 2 to 3 ft  | .50 4.50                      |
| 3 to 4 ft  |                               |
| 4 to 5 ft  |                               |
| gordonianus. Gordon Mock Orange. 10'-12' Flo<br>Slightly fragrant—blooms freely. Grows       | wers in June-July.            |
| 2 to 3 ft  |                               |
| 3 to 4 ft  |                               |
| 4 to 5 ft  |                               |
| lemoinei. Lemoine Mock Orange. 4'-5' Good co   |                               |
| rant semi-double flowers produced along sl   |                               |
| 1½ to 2 ft<br>2 to 2½ ft   |                               |
| 2 to 2½ ft   | .75 6.50                      |
| 3 to 4 ft  | 1.00 9.00                     |
| nivalis. Snowbank Mock Orange. 4'-5' Very fre  | ee flowering.                 |
| 3 to 4 ft  | .50                           |
| 4 to 5 ft  | .75                           |
| virginalis. Virginal Mock Orange. 7'-8' Beau flowers produced intermittently all summer      | utiful semi-double            |
| 2 to 3 ft  |                               |
| PHOTINIA villosa. Red Berried Photinia. 8'-9' Flowe  |                               |
| scarlet berries profusely borne in autumn.   | Splendid foliage.             |
| 2 to 3 ft  |                               |
| 3 to 4 ft  | 1.00 9.00                     |
| 4 to 5 ft  |                               |
| PHYSOCARPUS opulifolius (SPIREA). Ninebark. 9'–<br>June—good for shade. Good vigorous shr    | ub—easily grown.              |
| 2 to 3 ft  |                               |
| 4 to 5 ft  |                               |
| - aureus. Goldleaf Ninebark. 9'-10' Yellowish  |                               |
| 2 to 3 ft  | .50 4.50                      |
| 3 to 4 ft  | .75 6.50                      |
| 4 to 5 ft  | 1.00 9.00                     |
| PICEA. See Evergreens, pages 40–41.  |                               |
| PIERIS mariana. Stagger Bush. 5'-6' Waxy white fl  | owers, May-June.              |
| 1½ to 2 ft   |                               |
| floribunda. See Evergreens, page 41.   | 1.00                          |
| japonica. See Evergreens, page 41.   |                               |
| PINUS. See Evergreens, pages 41–42.  |                               |
| PLATANUS orientalis. European Plane Tree. 70'-80 park and street use—quick grower, stands of | ' A good tree for             |
| 6 to 8 ft  | 2.50 22.50                    |
| 8 to 10 ft   | 3.25 30.00                    |
| 8 to 10 ft., 1½ to 1½ in.  | 4.00 37.50                    |
| 10 to 11 ft., 1½ to 1½ in  | 5.00 45.00                    |
| 11 to 12 ft., $1\frac{3}{4}$ to 2 in   | 6.00                          |

Each Per 10 POPULUS bolleana. Bolleana Poplar. 50'-60' Leaves white underneath. similar character to Lombardy poplar-gray bark. \$1.25 ft.... \$11.00 6 1.50 8 ft ...... 13.50 to ft. ft. ft., 1½ to 1½ in. ft., 1½ to 1¾ in. ft., 1½ to 2 in. ft., 2 to 2¼ in. 8 17.50 to 10 2.00 8 10 2.50 22.50 3.00 12 10 to to 12 11 4.00 5.00 13 to 14 ft., 2½ to 2½ in. ft., 2½ to 3 in. 12 to 6.00 14 12 to 14 7.50 canescens. Grav Poplar. 30'-40' Hardy—useful for exposed places. 4.00 5.00 6.00 eugenei. (monolifera) Carolina Poplar. 75'-90' A rapid grower, succeeding on dry places and near seashore. Spreading roots. 10 1.00 9.00 ft., 1¼ to 1½ in. ft., 1½ to 1¾ in. ft., 1¾ to 2 in. 8 10 1.25 11.00 to 1.75 10 to 12 16.00 2.50 22.50 nigra italica. Lombardy Poplar. 60'-80' Tall spire-like characteris valued for screens and architectural effects. ft 1.00 9.00 to 10 ft to 11 ft., 1½ to 1½ in. to 12 ft., 1½ to 1¾ in. ft., 1¾ to 2 in. 1.50 8 13.50 2.00 17.50 2.50 22.50 ft., 12 3.00 simoni. Simon Poplar. 25'-30' A very hardy small tree. ft..... 17.50 Volga Poplar. Has similar upright growth to Lombardy poplar. to 8 ft ..... 6 1.00 9.00 8 10 ft..... 1.50 13.50 10 ft., 1½ to 1½ in... 10 ft., 1½ to 1¾ in... 12 ft., 1¾ to 2 in... 17.50 8 2.00 8 to 2.50 22.50 10 to 3.00 Shrubby Cinquefoil. 3'-4' Blooms profusely, POTENTILLA fruticosa. yellow, June-Sept. A very adaptable and useful shrub. 1½ to 2 ft..... .75 6.50 to 2½ ft..... 1.00 9.00 to ft..... 1.25 11.00 Double Flowering Cherry. 20'-25' White. PRUNUS avium plena. ft ..... to 5 6.00 5 6 ft\_\_\_\_\_ 7.50 to 6 to Double Pink Japan Cherry. 18'-20' Bushy upright habit. ft..... 3 to 5.00 4 ft..... 7.50 to maritima. Beach Plum. 9'-10' Small white flowers, April-purple fruits. Splendid subject for sandy soil or near seashore. 3 to to ft..... cerasifera pissardi. Purple Leaf Plum. 12'-15' Valued chiefly because of purplish foliage. Prune every year for best color effect. 3 2 to ft 4 1.25 to ft.....

ft.....

1.50

to 5

| 22                          | וט                                | ـــالــ                  |                                    | DO INCES, SHINUDO AIND VIINES   |   |
|-----------------------------|-----------------------------------|--------------------------|------------------------------------|---|---|
| PRUNUS gla                  |                                   |                          |                                    | Each owering Almond. 5'-6' Flowers double lease specify color wanted.)  | Per 10<br>2, May.   |
| ı mı un                     | 1½<br>2<br>2½<br>3                | to<br>to                 | 2<br>2½<br>3                       | ft     \$ .75       ft     1.00       ft     1.25       ft     1.50   | \$6.00<br>9.00<br>11.00<br>13.50                            |
| serrulata                   | ı. (                              | )riei                    | ntal (                             | Cherry. 25'-30' White, semi-double—M  | ay.   |
|                             | 2<br>3<br>4                       | to<br>to<br>to           | 3<br>4<br>5                        | ft     1.00       ft     1.25       ft     1.50   | 9.00<br>11.00<br>13.50                                      |
| *subhirte                   |                                   |                          | ula.<br>racef                      | Weeping Japan Cherry. 12'-15' Most bal tree covered with pink blossoms in early                                     | eautiful<br>spring.   |
| P                           | YRA                               | MII                      |                                    | FORM (budded low)   |   |
|                             | 3<br>4<br>5<br>6                  | to<br>to<br>to           | 4<br>5<br>6<br>7                   | ft. B. & B.       5.00         ft. B & B.       6.00         ft. B. & B.       7.50         ft. B. & B.       10.00 |   |
| S                           | ΓΑΝ                               | JDA                      |                                    | FORM  |   |
|                             | 2                                 | yr.<br>yr.<br>yr.        | head<br>head<br>head               | , B. & B 7.50   |   |
| tomento                     | sa.                               | Na                       | nking                              | Cherry. 6'-7' A splendid shrub, has pir<br>to white flowers—small red fruits relished by                            | ık buds   |
|                             | 1½<br>2<br>3<br>4                 | to<br>to<br>to           | 2<br>3<br>4<br>5                   | ft     .50       ft     .75       ft     1.00   | 4.50<br>6.50<br>9.00  |
| triloba p                   |                                   | to                       | -                                  | ft  | 11.00   |
| tinoba p                    |                                   | efore                    | the                                | eaves, April-May. Handsome and useful.  | HOWEIS  |
|                             | 2                                 | to<br>to                 | 3<br>4                             | ft  | 9.00<br>11.00   |
| serotina.                   | _                                 | -                        |                                    | Cherry. 25'-30' Lustrous deep green   |   |
| 3 <b>61</b> 3 <b>1111 a</b> | 6<br>8                            | to<br>to                 | 8<br>10                            | ft  | . C.i.a.gev   |
| QUERCUS I                   | oicol                             | or.                      | Swan                               | p White Oak. 75'-90' Best in low damp   | places.   |
|                             | 4<br>6<br>8<br>10<br>11           | to<br>to<br>to<br>to     | 6<br>8<br>10<br>12<br>12           | $\begin{array}{cccccccccccccccccccccccccccccccccccc$  |   |
| coccinea                    | st<br>4                           |                          | grov<br>6                          | ak. 75'-90' Most striking autumn colver, deeply cut leaves—succeeds in dry placeft                                  |   |
| palustris                   | n                                 |                          | soil b                             | ft  |   |
|                             | 6<br>8<br>8<br>8<br>9<br>10<br>12 | to ft., ft., to to to to | 1 1/4<br>9<br>10<br>12<br>13<br>14 | $\begin{array}{cccccccccccccccccccccccccccccccccccc$  | 22.50<br>32.50<br>45.00<br>55.00<br>70.00<br>80.00<br>90.00 |

| ,          | DEC                         | JDL            | JOU         | S TREES, SHRUBS AND VINES   | 23                   |
|------------|-----------------------------|----------------|-------------|---|----------------------|
|            |                             |                |             | Each  | Per 10               |
| QUERCUS    | rubra<br>aı                 | ı. I           | in co       | Oak. 75'-90' Comparatively quick grow ploring in greens and reds—unfolding leav   | th, rich<br>es pink. |
|            | 6<br>8                      | to<br>to       | 8           | ft., 1½ to 1½ in. 5.00  |                      |
|            | 9                           | to             | 10          | ft., $1\frac{1}{2}$ to $1\frac{3}{4}$ in  |                      |
|            | 9<br>10                     | to<br>to       | 11          | ft., 1 3/4 to 2 in  |                      |
|            | 12                          | to             | 14          | ft., $2\frac{1}{4}$ to $2\frac{1}{2}$ in. 10.00                                   |                      |
|            |                             |                |             | vergreens, pages 44–45.   |                      |
| RHAMNUS    |                             |                |             | Common Buckthorn. 9'-10' Dark greer es. Valuable background shrub—very har        |                      |
|            | 2                           | to             | _           | ft50  | 4.50                 |
|            | 3                           | to             | 4           | ft  | 6.50                 |
| frangula   |                             |                |             | ckthorn. 8'-9' Berries red changing to  | black.               |
|            | 2                           | to<br>to       | 3<br>4      | ft  |                      |
|            | 4                           | to             | 5           | ft  |                      |
|            |                             |                |             | e Evergreens, pages 44-46.<br>es. Jetbead. 4'-5' Fresh green foliage, pu          |                      |
| KHODOTTI   | flo                         | swei<br>19wc   | s, M        | lay-June—shining black bead-like berries al                                       | l winter             |
|            | 1 1/2                       |                | 2           | ft  | 7.00                 |
|            | 2                           | to<br>to       | 3<br>4      | ft  | 9.00<br>11.00        |
|            | 4                           | to             | 5           | ft 1.50   | 13.50                |
| RHUS canad | lensi:                      | s (ar<br>ellow | oma<br>oflo | tica.) Fragrant Sumach. $4'-5'$ Clusters wers, April-May. Attractive in June when | of small             |
|            | w                           | ith c          | oral        | red fruits. Withstands drought. Aromatic  | foliage.             |
|            | $\frac{1}{2}^{\frac{1}{2}}$ | to<br>to       | 2           | ft  |                      |
|            | 3                           | to             | 4           | ft 1.25   |                      |
| copallin   | a. S                        | hin            | ing .       | Sumach. 12'-13' Showy crimson fruit bloring. Succeeds in poor, arid situations.   | s, good              |
|            | 1 1/2                       |                | 2           | ft  | 3.00                 |
|            | 2                           | to<br>to       | 3<br>4      | ft  | 4.50<br>6.50         |
| *cotinus.  | -                           |                | Tre         |   |                      |
|            |                             |                |             | ne–July. Good foliage, brilliant autumn c   | oloring.             |
|            | 2                           | to<br>to       | 3<br>4      | ft  |                      |
|            | 4                           | to             | 5           | ft  |                      |
| glabra.    |                             |                |             | mach. 10'-12' Crimson fruits in bunch   | es—rich              |
|            | 3                           | to to          | n cc<br>4   | oloring. Thrives in poor soils.   |                      |
|            | 4                           | to             | 6           | ft  |                      |
| — lacin    |                             |                |             | f Smooth Sumach. 4'-5' Delicately colowly. Striking crimson autumn coloring.      | ıt leaves            |
|            | 1 1/2                       | _              | 2           | ft  | 4.50                 |
|            | 2 3                         | to             | 3           | ft  | 6.50                 |
| typhina    | -                           | to<br>tash     | 4           | ft  | 9.00<br>brilliant    |
| c) piiiidi | aı                          |                |             | fect. Useful for park and general landscape p                                     | olanting.            |
|            | 3<br>4                      | to<br>to       | 4<br>5      | ft  | 4.50<br>6.50         |
| — lacin    | -                           |                | -           | ft  |                      |
|            | gi                          |                | attr        | active feathery appearance. Brilliant in au                                       | umn.                 |
|            | 2                           | to<br>to       | 3           | ft  | 3.00<br>4.50         |
|            | 4                           | to             | 5           | ft  | 6.50                 |

| 24         | DEC              | اللا               |                    | OS TREES, STINUES AIND VINES  |
|------------|------------------|--------------------|--------------------|---|
| RIBES odor | ratun<br>fl<br>2 | n (a<br>lowe<br>to | ureu<br>rs in<br>3 | Each Per 10  1m.) Golden Currant. 6'-7' Fragrant yellow May. Useful for planting under "leggy" shrubs.  ft                                  |
|            | 3<br>4           | to<br>to           | 4 5                | ft  |
| gordoni    | ana.             | Ge                 | ordo               | n Currant. 5'-6' Purplish rose flowers, May.  |
| gor a o    | 2                | to                 | 3                  | ft  |
|            | 3                | to                 | 4                  | ft  |
| ROBINIA h  | Jı               | une.               | Soc                | Acacia. 5'-6' Attractive rosy pink flowers, May-<br>on develops into a mass. Good for dry banks.  |
|            | 2                | to<br>to           | 3<br>4             | ft  |
|            | 4                | to                 | 5                  | ft  |
| pseudac    | acia.            | I.                 | ocus               |   |
| pseddde    | 4                | to                 | 6                  | ft 1.00 9.00  |
|            | 6                | to                 | 8                  | ft 1.25 11.00   |
| ROSA blanc | la. M            | Iead               | low I              | Rose. 4'-5' Pink, May. Almost thornless red bark.   |
|            | $1\frac{1}{2}$   | to                 | 2                  | ft50 4 00   |
|            | 2                | to                 | 3<br>4             | ft  |
|            | -                | to                 |                    |   |
| hugonis    | $F_{i}$          | athe               | r H                | lugo's Rose. 6'-7' Clear yellow single flowers duced—June. Small decorative foliage.  |
|            | 2                |                    |                    | 2.00  |
| lucida (ı  |                  |                    |                    | Virginia Rose. 5'-6' Pink, June. Red decorative   |
| iuciua (   | fı               | ruits.             | . Tl               | hick shiny leaves. Useful for seashore.   |
|            | 2                | to                 | 3                  | ft  |
|            | 3                | to                 | 4                  | ft  |
|            | 4                | to                 | 5                  | ft  |
| multiflo   |                  |                    |                    | Japanese Rose. 9'-10' White, June. Vigorous, ring and fragrant. Small red fruits.   |
|            |                  | to                 |                    | ft  |
|            | 2                | to<br>to           | 3<br>4             | ft  |
| nitida.    |                  |                    | т<br>Rose          |   |
|            | aı               | nd g               | enera              | al mass planting—good autumn coloring.  |
|            | $1\frac{1}{2}$   | to                 | 2                  | ft  |
|            | 2                | to<br>to           | 3<br>4             | ft  |
| المعادية   |                  |                    |                    |   |
| palustris  | ,                | to                 | 2                  | ft  |
|            | 2                | to                 | 3                  | ft  |
|            | 3                | to                 | 4                  | ft 1.00 9.00  |
| rubigino   | sa.              | Swe                | eet B              | Briar. 5'-6' Pink, June. Aromatic foliage.  |
|            | $1\frac{1}{2}$   |                    | 2                  | ft50  |
|            | 2                | to<br>to           | 3<br>4             | ft  |
| rubrifoli  | a (fe            | rrug               | inea.              | .) Redleaf Rose. 5'-6' Has distinct purplish-red  |
|            |                  | aves               |                    | bark—good winter subject. Pink flowers, June.   |
|            | 3<br>4           | to<br>to           | 4<br>5             | ft  |
| rugosa.    |                  |                    |                    | a Rose 4'-5' Handsome shruh large deep pink   |
| rugosa.    | fl               | owe<br>Isefu       | rs, Ju<br>11 eith  | a Rose. 4'-5' Handsome shrub, large deep pink<br>ane-Sept. Rich green foliage and large red fruits.<br>her in shrubbery border or as hedge. |
|            | 2                | to                 | 3                  | ft  |
|            | 3                | to                 | 4                  | ft  |
|            | 4                | to                 | 5                  | ft  |

| DECIDUOUS TREES, SHRUBS AND VINES, HYBRID ROSES 25  |   |
|---|---|
| Each Per 10   |   |
| ROSA rugosa alba. White Rugosa Rose. 4'-5' Large pure white flowers.  |   |
| 2 to 3 ft   |   |
| 3 to 4 ft   |   |
| setigera. Prairie Rose. 5'-6' Tall arching branches, vigorous growth.   |   |
| Handsome foliage, deep rose flowers in clusters, June-July.   |   |
| 1½ to 2 ft  |   |
| 2 to 3 ft75 6.50  |   |
| 3 to 4 ft 1.00 9.00   |   |
| spinosissima. Scotch Rose. 3'-4' A dainty grower but compact—branches covered with soft thorns. Has attractive small foliage. |   |
| 12 to 15 in50   |   |
| 15 to 18 in   |   |
| 15 to 18 in   |   |
| wichuraiana. Memorial Rose. White.—particularly useful for covering banks or boulders. Thick small shining green foliage.     | : |
| 2 to 3 ft   |   |
| 3 to 4 ft   |   |

## Roses

The following roses have been selected as being a really representative collection. All vigorous growers and free bloomers, hardy and dependable.

### HYBRID TEA or MONTHLY BLOOMING ROSES 1.00 each: 9.00 ten

Lady Ursula, light pink. Betty, yellow shaded pink. Columbia, dark pink. Los Angeles, yellow shaded pink. Duchess of Wellington, yellow. Mad. Butterfly, light pink. Edel, pure white. Mad. C. Testout, dark pink. Gen. McArthur, red. Mad. E. Herriot, yellow, sh. pink. Golden Ophelia, yellow. Mad. Jules Bouche, white. Gruss an Teplitz, red. Mrs. Aaron Ward, yellow. Hoosier Beauty, red. Radiance, dark pink. Kaiserine A. Victoria, white. Red Radiance, red. Killarney Queen, dark pink. White Killarney, white.

## HYBRID PERPETUAL or JUNE ROSES

1.00 each; 9.00 per 10

Frau Karl Druschki, pure white. J. B. Clark, crimson. General Jacquiminot, red. George Ahrends, light pink.

Mrs. John Lang, clear pink. Paul Neyron, rose pink.

### POLYANTHA ROSES or BABY RAMBLERS

75c. each

Edith Cavell, crimson. Geo. Elgar, yellow. Greta Kluis, pink. Mrs. Cutbush, pink.

Lafavette, red. Mrs. Wm. Koning, white. Yvonne Rabier, white.

#### CLIMBING ROSES or RAMBLERS

75c. each

Bess Lovett, crimson red. Christine Wright, clear pink. Crimson Rambler, crimson. Dorothy Perkins, pink. Dr. Van Vliet, flesh pink. Excelsa, crimson.

Gardenia, yellow. Hiawatha, single red. Mary Wallace, bright pink. Paul's Scarlet Climber. Purity, pure white. White Dorothy Perkins.

| 20         | DECIL           | ,000            | J3 TREES, STRUBS AND V   | IINES                 |           |
|------------|-----------------|-----------------|--|-----------------------|-----------|
|            |                 |                 |  | Each                  | Per 10    |
| RUBUS odor | atus.           | Flow            |  | colored               |           |
|            |                 |                 | duced all summer—good for cove                                     |                       |           |
|            | 2 to            | 3               | ft   | \$ .50                | \$4.50    |
|            | 3 to 4          | 4<br>5          | ft   | .75<br>1.00           | 6.50      |
|            |                 |                 | ft   |                       | 9.00      |
| SALIX baby |                 | Bab<br>priate   | ylon Weeping Willow. 50'<br>for waterside planting—long pe         | -60′ Par<br>ndulous b |           |
|            | 4 to            | 6               | ft   | 1.00                  | 9.00      |
|            | 6 to            | 8               | ft   | 1.50                  | 13.50     |
|            | 8 to            | 10              | ft   | 2.25                  | 20.00     |
| — aurea.   | . Russ<br>yello | ian (<br>w barl | Folden Weeping Willow. $40'$ -k—similar habit to preceding.        | -50' Has              | golden-   |
|            | 4 to            | 6               | ft   | 1.25                  | 11.00     |
|            | 6 to            | 8               | ft   | 1.50                  | 13.50     |
|            | 8 to            | 10              | ft   | 2.00                  | 17.50     |
|            | 10 to           | 12              | ft   | 2.50                  | 22.50     |
| blanda (d  |                 |                 | isconsin Weeping Willow. 40  |                       | y hardy.  |
|            | 4 to            | 6               | ft   | 1.00                  |           |
|            | 6 to            | 8               | ft   | 1.25                  |           |
|            | 8 to            | 10              | ft   | 1.50                  |           |
| caprea.    | Pussy spring    |                 | w. BUSH FORM $15'-20'$ ets—will succeed in dry as well a           |                       |           |
|            | 4 to            | 6               | ft   | .75                   | 6.50      |
|            | 6 to            | 8               | ft   | 1.00                  | 9.00      |
|            | 8 to            | 10              | ft   | 1.25                  | 11.00     |
| elegantis  | sima. 7         | hurle           | ow Weeping Willow. 60'-70' V                                       | igorous sp            | reading.  |
|            | 4 to            | 6               | ft   | 1.25                  | 11.00     |
|            | 6 to            | 8               | ft   | 1.75                  | 16.50     |
|            | 8 to            | 10              | ft   | 2.50                  | 22.50     |
| incana (r  | osmarii         | nifolia         | a.) Rosemary Willow. 12'–15' age effects—narrow leaves silve       | Good for              | fine tex- |
|            | 2 to            | 3               | ft   | .35                   | 3.00      |
|            | 3 to            | 4               | ft   | .50                   | 4.50      |
|            | 4 to            | 5               | ft   | .75                   | 6.50      |
|            |                 | -               |  |                       |           |
| pentandr   | make            | this a          | eaf Willow. 20'-30' Shining worthwhile background—good             | for seash             | ore.      |
|            | 3 to            | 4               | ft   | .75                   | 6.50      |
|            | 4 to            | 6               | ft   | 1.00                  | 9.00      |
|            | 6 to            | 8               | ft   | 1.25                  | 11.00     |
| vitellina. |                 |                 | illow. 25'-30' Valuable for t<br>t golden. Silky leaves are silver |                       |           |
|            | 3 to            | 4               | ft   | .50                   | 4.50      |
|            | 4 to            | 5               | ft   | .75                   | 6.50      |
|            | 5 to            | 6               | ft   | 1.00                  | 9.00      |
|            | 6 to            | . 8             | ft   | 1.25                  | 11.00     |
| — britze   |                 |                 | e Willow. 20'-25' Particularly<br>ling variety—has reddish bronze  | good wh               | ien used  |
|            | 3 to            | 4               | ft   | .50                   | 4.50      |
|            | 4 to            | 6               | ft   | .75                   | 6.50      |
|            | 6 to            | 8               | ft   | 1.00                  | 9.00      |
| SAMBUCUS   | canade          | nsis.           | American Elder. 8'-9' Fine followers, June-July. Black fruits      | or swampy             | places.   |
|            | 2 to            | 3               | ft   | .50                   | 4.50      |
|            | 3 to            | 4               | ft   | .75                   | 6.50      |
|            | 4 to            | 5               | ft   | 1.00                  | 9.00      |
|            | 5 to            | 6               | ft   | 1.25                  | 11.00     |
|            | _               | -               |  | _                     | _         |



|            |                | יעוג            | 000                      | 3 TREES, STIROBS AND VINES  |              | - 41           |
|------------|----------------|-----------------|--------------------------|---|--------------|----------------|
| SAMBUCUS   |                |                 |                          | E<br>acutiloba. Cutleaf American Elder.<br>Similar flowers and fruit to precedi | . 8′−9′ L    | er 10<br>eaves |
|            | 2              | to<br>to        | 3<br>4                   | ft\$  | .50 \$       | 6.50           |
| — aurea    |                |                 |                          | lder. 10'-12' Conspicuous yellow  |              | 0,00           |
|            | $1\frac{1}{2}$ | to              | 2                        | ft  | .35          | 3.00           |
|            | 2              | to              | 3                        | ft  | .50          | 4.50           |
|            | 3              | to              | 4                        | ft  | .75          | 6.50           |
| racemosa   | а (рі          | uben            | s.)                      | Red Elder. 8'-10' Bright red ber  | ies in Ju    | ne.            |
|            | 3<br>4         | to<br>to        | 4                        | ft ft   | .75<br>1.00  |                |
| SOPHORA i  |                |                 |                          | goda Tree. 30'-40' White flowers in   |              | ım <i>e</i> r. |
| SOI HORAL, | 3              | to              | 4                        |   | 2.00         | mirci.         |
|            | 4              | to              | 6                        |   | 2.50         |                |
|            | 6              | to              | 8                        | ft  | 3.00         |                |
| SORBARIA   |                |                 |                          | Kashmir False Spirea. 4'–5' Gracef<br>owers creamy white, July–Sept.            | ul comp      | ound           |
|            | 2              | to              | 3                        | ft  | .75          | 6.50           |
|            | 3              | to              | 4                        |   | 1.00         | 9.00           |
|            | 4              | to              | 5                        |   |              | 1.00           |
|            | 5              | to              | 6                        |   |              | 3.50           |
| arborea    | SĮ             | rata<br>oikes   | . Sr<br>, July           | nooth Tree Spirea. 10'–12' Har<br>v–Aug.  |              | ower           |
|            | 2              | to              | 3                        | ft  | .75          |                |
|            | 3<br>4         | to              | 4<br>5                   |   | 1.00<br>1.25 |                |
| 1 16 11    | -              | to              |                          |   |              | Α.             |
| sorbifolia |                |                 |                          | te Spirea. $4'-5'$ Fluffy white flower  |              |                |
|            | 2              | to              | 3<br>4                   | ft  | .75          | 6.50<br>9.00   |
| CODDIIC    | -              | to              | -                        |   | 1.00         | 9.00           |
| SORBUS am  |                |                 |                          | nerican Mountain Ash. 20'–25'   |              | 7.50           |
|            | 4              | to              | 5                        |   |              | 7.50           |
| aucupari   |                |                 |                          | n Mountain Ash. 25'-30' A valu  |              |                |
|            |                |                 |                          | n—the orange scarlet berries are quit<br>rite food of robins.                   | e strikinį   | gand           |
|            | 4              | to              | 5                        |   | 1.50         |                |
|            | 5              | to              | 6                        | ft  | 2.00         |                |
|            | 6              | to              | 8                        | ft  | 2.50         |                |
|            | 8              | to              | 10                       |   | 3.00         |                |
| SPIRAEA la | tifol          | ia (s           | alicif                   | olia.) Meadow Spirea. 5'-6' Pi  | nk, July.    |                |
|            |                | to              |                          | ft  | .35          | 3.00           |
|            | 2              | to              | 3                        | ft  | .50          | 4.50           |
|            | 3              | to              | 4                        | ft  | .75          | 6.50           |
| arguta.    |                |                 |                          | irea. 5'–6' Small light green lea<br>May.                                       | ves—very     | y free         |
|            | $1\frac{1}{2}$ | to              | 2                        | ft  | .75          |                |
| billiardi. | Bi<br>Ju       | illia:<br>aly=0 | rd Si<br>Oct.            | pirea. 5'-6' Bright pink fluffy<br>Valuable for dry places.                     | flower s     | pikes,         |
|            |                | to              | 2                        | , ft  | .35          | 3.00           |
|            | 2              | to              | 3                        | ft  | .50          | 4.50           |
|            | 3              | to              | 4                        | ft  | .75          | 6.50           |
| bumalda    |                |                 |                          | Spirea. 3' Light pink flowers, Ju-  |              |                |
|            |                | to              |                          | ft  | .75          | 6.50           |
|            | 2              | to              |                          | ft  | 1.00         | 9.00           |
| — Anth     |                |                 |                          | . Waterer Spirea. 3' Deeper ro-<br>very free flowering all summer.              | se pink      | than           |
|            | 12             | to              | 18                       | in  | .50          | 4.50           |
|            |                | to              |                          | ft  | .60          | 5.50           |
|            | 2              | to              | $\frac{2\frac{1}{2}}{3}$ | ft  | .80          | 7.50           |
|            |                |                 | ١.                       | ft  | 1.00         | 9.00           |

|                                       |   | Each                   | Per 10         |
|---------------------------------------|---|------------------------|----------------|
| SPIRAEA fortunei (callos              | a rosea). Fortune Spirea. 3' form—young growth red.                 | Pink flo               |                |
| 2 to 3<br>3 to 4                      | form—young growth red.<br>ftft                                      | \$ .50<br>.75          | \$4.50<br>6.50 |
| froebeli. Froebel Spi                 | rea. 4' Similar to Anthony Wa<br>ad the flowers are a lighter shade | aterer, bu             |                |
| $1\frac{1}{2}$ to 2                   | ft  | .50                    | 4.50           |
| $2$ to $2\frac{1}{2}$                 | ft  | .75                    | 6.50           |
| $2\frac{1}{2}$ to 3                   | ft  | 1.00                   | 9.00           |
| japonica (callosa all<br>Purplish-gre | oa). Japanese Spirea. 3' Ween foliage when young. Bloom             | hite, Jun<br>s freely. | ie-July.       |
| 12 to 15                              | in  | .50                    | 4.50           |
| 15 to 18                              | in  | .75                    | 6.50           |
| $.1\frac{1}{2}$ to 2                  | ft  | 1.00                   | 9.00           |
|                                       | ft  |                        | 11.00          |
| good dark g                           | . Big Nippon Spirea. 8'-9' green leaves persisting till late fall.  |                        |                |
|                                       | ft  | .50                    | 4.50           |
|                                       | ft  | .75                    | 6.50           |
|                                       | OCARPUS. Page 20.   |                        |                |
| prunifolia. Bridal W                  | Treath. 7'-8' White, May. Fi  | ee flowe               | ering—         |
| handsome o                            | lark green foliage turning orange                                   | in autum               | n.             |
|                                       | ft  | .50                    | 4.50           |
|                                       | ft  | .75                    | 6.50           |
| 3 to 4                                | ft  | 1.00                   | 9.00           |
|                                       | pirea. 7'-8' Pure white, dou  |                        | /-June.        |
| Graceful ard                          | thing habit—retains leaves till late                                |                        |                |
| $1\frac{1}{2}$ to 2                   | ft  | .50                    | 4.50           |
|                                       | ft  | .75                    | 6.50           |
| thunbergi. Thunberg                   | Spirea. 4'-5' Slender arching b                                     | ranches                | clothed        |
|                                       | white flowers, April-May. Small                                     | reatnery               | / light        |
|                                       | . Valuable for seaside planting.                                    | 50                     | 4.50           |
|                                       | in<br>ft  | .50<br>.75             | 4.50<br>6.50   |
|                                       | ft  | 1.00                   | 9.00           |
| tomentees Hardhan                     | k. $3'-4'$ Woolly rose-pink flow                                    | vere Inh               | Sant           |
| Leaves brov                           | vnish underside—good in masses                                      | for low g              | round.         |
| - / 2                                 | ft<br>ft  | .75                    | 6.50           |
|                                       | ft  | 1.00                   | 9.00           |
| - ·-                                  | utte Spirea. 8'-9' White, May-                                      |                        |                |
| habit—extre                           | mely free flowering and very ada                                    | ptable.                |                |
|                                       | ftft  | .50<br>.75             | 4.50<br>6.50   |
|                                       | Colchis Bladder Nut. 10'–12'  |                        |                |
| May-June.                             | Fragrant—decorative seed pods.                                      |                        | ,              |
| $1\frac{1}{2}$ to 2                   | ft  | .75                    | 6.50           |
| 2 to 3                                | ft  | 1.00                   | 9.00           |
|                                       | osa. Cutleaf Stephanandra.<br>oit—handsome foliage, similar to s    | 5'-6' Gr<br>mall map   |                |
| $1\frac{1}{2}$ to 2                   | ft  | .50                    | 4.50           |
| $2^{-1}$ to $2\frac{1}{2}$            | ft  | .75                    | 6.50           |
| $2\frac{1}{2}$ to 3                   | ft  | 1.00                   | 9.00           |
| 3 to 4                                | ft  | 1.25                   | 11.00          |
| STYRAX japonica. Japan dant flowers   | nese Storax. 12'-15' White b<br>s, June-July. Makes a handsome      | ell-shaped<br>specimen | d pen-         |
|                                       | ft  | .75                    | 6.50           |
|                                       | ft  | 1.00                   | 9.00           |
|                                       | ft  | 1.25                   | 11.00          |
| 5 to 6 i                              | n   | 1.50                   | 13.50          |

| -   |  |                                  |  | E                                    | ach   | Per 10  |
|---|--|----------------------------------|--|--------------------------------------|---|---|
| SYMPHORI  |  |                                  |  |                                      | Vhite   | berries   |
|   | 1 1/2  |                                  | 2  |                                      | .50   | \$4.50  |
|   | 2  | to                               | 3  | ft                                   | .75   | 6.50  |
|   | 3  | to                               | 4  |                                      | 1.00  | 9.00  |
|   | 4  | to                               | 5  | ft                                   | .25   | 11.00   |
| vulgaris  | . Co   | ral                              | berry  | a. $4'-5'$ More compact than prec    | eding.  | Cora  |
| J   |  |                                  |  | persisting throughout winter—for sha |   | spots.  |
|   | 1 ½  |                                  | 2  | <u>f</u> t                           | .50   | 4.50  |
|   | 2  | to                               | 3  | ft                                   | .75   | 6.50  |
| SYRINGA   |  |                                  | (ro  |                                      |   | Slende  |
|   | bra<br>2   |                                  |  | graceful. Violet flowers in May—fi   |   |   |
|   | 3  | to<br>to                         | 3  | ft                                   | .75<br>1.00   | 6.50<br>9.00  |
|   | 4  | to                               | 5  |                                      | 1.50  | 9.00  |
| — sauge   | •  |                                  | -  | Chinese Lilac. 8'-9' Deep purpl      |   | arc   |
| — sauge   | 11/6   |                                  | 2  |                                      | .75   | 6.50  |
|   |  | to                               | 3  |                                      | 1.00  | 9.00  |
|   | 3  | to                               | 4  |                                      | 1.25  | 11.00   |
| iaponica  | ı. Ja  | ban                              | ese T  | Tree Lilac. 25′–30′ Loose bunches    | creamy  | white   |
| ,   |  |                                  |  | ne-July. Handsome foliage. Smoot     |   |   |
|   | 2  | to                               | 3  | ft                                   | .75   | 6.50  |
|   | 3  | to                               | 4  |                                      | 1.00  | 9.00  |
|   | 4  | to                               | 5  |                                      | 1.25  | 11.00   |
| josikaea  |  |                                  |  | Lilac. 9'-10' Light purple flowe     | rs, June  | z. Ha:  |
|   |  |                                  |  | green rough foliage. Rather loose of | pen ha  | .bit.   |
|   | 2  | to                               | 3  | ft                                   | .75   | 6.50  |
|   | 3<br>4   | to                               | 4  |                                      | 1.00<br>1.25  | 9.00  |
|   | -  | to<br>·                          | 5  |                                      |   | 11.00   |
| persica.  | 1 ½  |                                  | ı Lile<br>2                                      | ac. 9'-10' Blooms freely—lilac, M    | .75   | ne.<br>6.50   |
|   | $\frac{1}{2}^{72}$   | to                               | 3  |                                      | 1.00  | 9.00  |
| — alba.   | _  |                                  |  | ian Lilac. 9'-10' Flowers pure w     |   | ٠.٠٠  |
| anda.   | 2 " '  | to                               | 3  |                                      | 1.00  | 9.00  |
|   | 3  | to                               | 4  |                                      | 1.25  | 11.00   |
| villosa.  | Late   |                                  |  | 7'-8' Pale rosy-lilac, June. Good    |   |   |
| vinosa.   | 11/2   |                                  | 2  | ft                                   | .75   | 6.50  |
|   | 2  | to                               | 3  |                                      | 1.00  | 9.00  |
|   | 3  | to.                              | 4  | ft                                   | 1.25  | 11.00   |
| vulgaris  | . Cc   | mn                               | ion l  | Lilac. 12′–15′                       |   |   |
|   |  |                                  | 2  | ft                                   | .50   | 4.50  |
|   | $1\frac{1}{2}$   | to                               |  |                                      |   |   |
|   | 2  | to                               | 3  | ft                                   | .75   |   |
|   |  |                                  |  | ft                                   |   |   |
| — alba.   | 3  | to<br>to                         | 3<br>4   | ft                                   | .75   |   |
| — alba.   | 3  | to<br>to<br>mm                   | 3<br>4   | ft                                   | .75<br>1.00   | 9.00  |
| — alba.   | 2<br>3<br>Co:  | to<br>to<br>mm                   | 3<br>4<br>on W<br>2<br>3                         | ft                                   | .75<br>1.00<br>.75<br>1.00  | 9.00<br>6.50<br>9.00  |
|   | 2<br>3<br>Co:<br>1½<br>2<br>3  | to<br>to<br>mm<br>to<br>to<br>to | 3<br>4<br>on W<br>2<br>3<br>4                    | ft                                   | .75<br>1.00<br>.75<br>1.00<br>1.25  | 9.00<br>6.50<br>9.00<br>11.00   |
| Alphonse La   | $ \begin{array}{c} 2 \\ 3 \\ Cos \\ 1\frac{1}{2} \\ 2 \\ 3 \\ avalle \end{array} $         | to to mm to to to                | 3<br>4<br>on W<br>2<br>3<br>4                    | ft                                   | .75<br>1.00<br>.75<br>1.00<br>1.25<br>Dbl.  | 9.00<br>6.50<br>9.00<br>11.00<br>white                                  |
| Alphonse La   | $ \begin{array}{c} 2 \\ 3 \\ Cos \\ 1\frac{1}{2} \\ 2 \\ 3 \\ avalle \end{array} $         | to to mm to to to                | 3<br>4<br>on W<br>2<br>3<br>4                    | ft                                   | .75<br>1.00<br>.75<br>1.00<br>1.25<br>Dbl.  | 9.00<br>6.50<br>9.00<br>11.00<br>white                                  |
| Alphonse La<br>Charles the  | $ \begin{array}{c} 2 \\ 3 \\ Cos \\ 1\frac{1}{2} \\ 2 \\ 3 \\ avalle  Tentl $              | to to mm to to to to h. F        | 3<br>4<br>on W<br>2<br>3<br>4<br>ouble           | ft                                   | .75<br>1.00<br>.75<br>1.00<br>1.25<br>Dbl.<br>2 doub                                    | 9.00<br>9.00<br>9.00<br>11.00<br>white                                  |
| Alphonse La<br>Charles the<br>Michel Buch                             | $ \begin{array}{c} 2 \\ 3 \\ Con \\ 1\frac{1}{2} \\ 2 \\ 3 \\ avalle \\ Tentloner. $       | to to mm to to to h. F           | 3<br>4<br>on W<br>2<br>3<br>4<br>ouble<br>Rosy   | ft                                   | .75<br>1.00<br>.75<br>1.00<br>1.25<br>Dbl.<br>2 doub<br>, light                         | 9.00<br>9.00<br>11.00<br>white<br>le blue<br>blue.                      |
| Alphonse La<br>Charles the<br>Michel Buch<br>Marie LeGra              | $ \begin{array}{c} 2 \\ 3 \\ Cor \\ 1\frac{1}{2} \\ 2 \\ 3 \end{array} $ avalle Tentlaner. | to to to to to to h. F           | 3 4 on W 2 3 4 ouble Rosy ouble gle w            | ft                                   | .75<br>1.00<br>.75<br>1.00<br>1.25<br>Dbl.<br>2 doub<br>, light<br>dk. rd.              | 9.00<br>9.00<br>11.00<br>white<br>le blue.<br>blue.                     |
| Alphonse La<br>Charles the<br>Michel Buch<br>Marie LeGra<br>Mme. Lemo | $2$ $3$ $Co$ $1\frac{1}{2}$ $2$ $3$ avalle Tentlaner. aye.                                 | to to mm to to to to Sin Do      | 3 4 on W 2 3 4 ouble Rosy ouble gle w            | ft                                   | .75<br>1.00<br>.75<br>1.00<br>1.25<br>Dbl.<br>2 doub<br>, light<br>dk. rd.              | 9.00<br>9.00<br>11.00<br>white<br>le blue<br>blue.<br>purple            |
| Alphonse La<br>Charles the<br>Michel Buch<br>Marie LeGra<br>Mme. Lemo | $2$ $3$ $Co$ $1\frac{1}{2}$ $2$ $3$ avalle Tentliner. aye. ine. $LACS$                     | to to mm to to to b. Do Sin Do   | 3 4 on W 2 3 4 ouble Rosy ouble gle w uble re al | ft                                   | .75<br>1.00<br>.75<br>1.00<br>1.25<br>Dbl.<br>2 doub<br>, light<br>dk. rd.<br>le, viole | 9.00<br>9.00<br>11.00<br>white<br>le blue<br>blue.<br>purple<br>et pink |
| Alphonse La<br>Charles the<br>Michel Buch<br>Marie LeGra<br>Mme. Lemo | $2$ $3$ $Co$ $1\frac{1}{2}$ $2$ $3$ avalle Tentlaner. aye.                                 | to to mm to to to b. Do Sin Do   | 3 4 on W 2 3 4 ouble Rosy ouble gle w            | ft                                   | .75<br>1.00<br>.75<br>1.00<br>1.25<br>Dbl.<br>2 doub<br>, light<br>dk. rd.              | blue.<br>purple   |

These lilacs are grown on their own roots and so will develop into better specimens, flower more freely, will not sucker and will live longer.

| 30         | DECIL  | DŪOU                               | US TREES, SHRUBS AND VINES  |
|------------|--|------------------------------------|---|
| TAMARIX :  |  | -green<br>3<br>4                   | Each         Per 10           ican Tamarix. 12'-14'         Pink, April-May.         Feathery           foliage.         Effective near water—thrives at seashore.           ft.         \$.50         \$4.50           ft.         .75         6.50           ft.         1.00         9.00  |
| gallica.   | French 2 to 3 to 4 to                              | 3                                  | arix. 8'-9'     Lt. pink, May-July; blue-green foliage.       ft     .50     4.50       ft     .75     6.50       ft     1.00     9.00  |
| TAXUS. S   | ee Everg   | greens                             | , page 46.  |
| THUJA. Se  | ee Everg   | reens,                             | pages 46-49.  |
| TILIA tome |  | comp<br>11<br>12<br>13<br>14       | ea.) Silver Leaf Linden. $60'-70'$ Symmetrical act—leaves silvery gray underneath. ft., 2 to $2\frac{1}{2}$ in  |
| platyph    | yllos. E   | arope                              | an Large Leaf Linden. 60'–75' Light green leaves.   |
|            | 8 to<br>9 to<br>10 to<br>11 to<br>11 to<br>12 to   | 10<br>11<br>12<br>12               | $\begin{array}{cccccccccccccccccccccccccccccccccccc$  |
| vulgaris   | late ]<br>8 to<br>10 to<br>10 to<br>11 to<br>12 to | 10<br>12<br>12<br>12<br>12         | European Liuden. $60'-70'$ Fragrant flowers in grows vigorously forming compact symmetrical tree. ft., $1\frac{1}{4}$ to $1\frac{1}{2}$ in. 4.00 ft., $1\frac{1}{2}$ to $1\frac{1}{4}$ in. 5.00 ft., $1\frac{1}{4}$ to $2\frac{1}{2}$ in. 6.00 ft., $2\frac{1}{4}$ to $2\frac{1}{2}$ in. 10.00 ft., $2\frac{1}{2}$ to $3$ in. 12.50 |
| TSUGA. S   | 13 to<br>ee Evers                                  |                                    | ft., 3 to $3\frac{1}{2}$ in   |
| ULMUS am   | ericana.<br>here                                   | An<br>exem<br>tree so<br>1. V<br>8 | nerican Elm. 80'-100' Stateliness and dignity are plified. Fairly rapid in growth, this typical American assumes regal proportions and commands respect ery adaptable but best in moist places.  ft. 2.00 ft 2.75   |
|            | 9 to<br>10 to<br>11 to<br>12 to                    | 12<br>12<br>13                     | $\begin{array}{cccccccccccccccccccccccccccccccccccc$  |
| VACCINIUN  |  |                                    | m. Highbush Blueberry. 5'-6' White bell-shaped beautiful fruit, good habit, brilliant autumn coloring. ft   |
|            | 2 to   | $2\frac{1}{2}$                     | ft 1.00 9.00  |
| VIBURNUM   | June.  | Blac                               | . Maple Leaved Viburnum. 4'-5' White, May-k fruits, maple-like leaves turning purple in autumn dry shady places and under planting.   |
|            | $1\frac{1}{2}$ to 2 to                             | 2 3                                | ft  |

|     |                                       | DE     | CIDU        | JOU    | JS T        | REES, SH                               | RUBS      | and vii                | NES            | 31             |
|-----|---------------------------------------|--------|-------------|--------|-------------|--|-----------|------------------------|----------------|----------------|
|     |                                       |        |             |        |             |  |           |                        | Each           | Per 10         |
| VIE | BURNUM                                | lan    | nerica      | num    | ı (ox       | ycoccos). A                            | America   | ın Cranb               | erry Busl      | ı. 9'-10'      |
|     |                                       |        | -           |        |             | erries, large                          |           | -                      |                |                |
|     |                                       |        | 2 to        | 2      |             |  |           |                        | \$ .75<br>1.00 | \$6.50         |
|     |                                       | 2      | to<br>to    | 3<br>4 |             |  |           |                        | 1.25           | 9.00<br>11.00  |
|     |                                       | 4      | to          | 5      |             |  |           |                        | 1.50           | 13.50          |
|     | cassinoi                              | des.   | Wi          | ther   | od.         | 5'-6' Whit                             | e. June-  | July. Berr             | ies pink c     | hanging        |
|     | cubonion                              |        |             |        |             | Rich autun                             |           |                        |                |                |
|     |                                       | 11/    | 2 to        | 2      | ft          |  |           |                        | .75            | 6.50           |
|     |                                       | 2      | to          | 3      |             |  |           |                        | 1.00<br>1.25   | 9.00           |
|     | 3 4 4                                 | 3      | to<br>Arre  | 4      |             | 1 10' 19'                              |           |                        |                | 11.00          |
|     | dentatui                              |        |             |        |             | coloring pu                            |           | e, May-Ju<br>1 red—thr |                |                |
|     |                                       | 2      | to          | 3      |             |  |           |                        | .75            | 6.50           |
|     |                                       | 3      | to          | 4      | _           |  |           |                        | 1.00           | 9.00           |
|     |                                       | 4      | to          | 5      | ft          |  |           |                        | 1.25           | 11.00          |
|     | dilatatu                              |        |             |        |             |  |           | Creamy v               |                |                |
|     |                                       |        |             |        | -           | erries persis                          |           |                        |                |                |
|     |                                       |        | ∑ to        | 2      |             |  |           |                        | .75            | 6.50           |
|     |                                       | 2      | to<br>to    | 3<br>4 |             |  |           |                        | 1.00<br>1.25   | 9.00<br>11.00  |
|     | lantana.                              |        |             |        |             | e. 15'–18'                             |           |                        |                |                |
|     | · · · · · · · · · · · · · · · · · · · |        | green       | wrin   | kled        | leaves. B                              | erries re | d, changin             | g to black     | ۲.             |
|     |                                       |        | 2 to        | 2      |             |  |           |                        | .75            | 6.50           |
|     |                                       | 2      | to          | 3      |             |  |           |                        | 1.00           | 9.00           |
|     |                                       | 3<br>4 | to<br>to    | 4<br>5 |             |  |           |                        | 1.25<br>1.50   | 11.00<br>13.50 |
|     | — rugo:                               | -      |             |        |             | eaf Wayfo                              |           |                        |                |                |
|     | - rugo                                |        |             |        |             | leaves than                            |           |                        | o mas la       | inger and      |
|     |                                       | 1 1/   | 2 to        | 2      | ft.         |  |           |                        | .75            | 6.50           |
|     |                                       | 2      | to          | 3      | _           |  |           |                        | 1.00           | 9.00           |
|     |                                       | 3<br>4 | to<br>to    | 4<br>5 |             |  |           |                        | 1.25<br>1.50   | 11.00<br>13.50 |
|     | lentago.                              |        |             |        |             | 18'-20' W                              |           |                        |                |                |
|     | ientago.                              | 1      | leaves      | . B    | y.<br>lue-t | lack fruits-                           | –splendi  | id for ma              | sing.          | Simming        |
|     |                                       | 2      | to          | 3      | ft          |  |           |                        | .75            | 6.50           |
|     |                                       | 3<br>4 | to          | 4<br>5 | _           |  |           |                        | 1.00<br>1.25   | 9.00<br>11.00  |
|     | molle.                                |        | to<br>ntuck |        |             | <br>num. 16                            |           | Larger, da             |                |                |
|     | mone.                                 | 110    | but of      | herv   | vise        | similar to "                           | dentatu   | m". God                | d compa        | ct habit.      |
|     |                                       | 1 1/   | 2 to        | 2      |             |  |           |                        | .50            | 4.50           |
|     |                                       | 2      | to          | 3      |             |  |           |                        | .75            | 6.50           |
|     |                                       | 3<br>4 | to<br>to    | 4<br>5 |             |  |           |                        | 1.00<br>1.25   | 9.00<br>11.00  |
|     | opulus.                               |        |             |        |             |  |           | nilar to At            |                |                |
|     | орилио                                |        |             |        |             | r leaves an                            | d more    | compact h              | abit.          |                |
|     |                                       |        | 2 to        | 2      |             |  |           |                        | .75            | 6.50           |
|     |                                       | 2      | to<br>to    | 3<br>4 |             |  |           |                        | 1.00<br>1.25   | 9.00<br>11.00  |
|     | — steri                               | -      |             |        |             | owball.                                |           |                        |                |                |
|     | Stern                                 |        | white       | flov   | vers,       | May-June                               | . No f    | ruits are p            | roduced.       | iicaus Ul      |
|     |                                       | 2      | to          | 3      | ft.         | ······································ |           |                        | 1.00           | 9.00           |
|     |                                       | 3<br>4 | to          | 4<br>5 |             |  |           |                        | 1.25           | 11.00          |
|     |                                       |        | to          |        |             | ıberry. 1½                             |           |                        |                | 13.50          |
|     | — nanu                                |        | Rarel       |        |             |  |           | erur eagin             | g or racir     | ig stirub.     |
|     |                                       | 6      | to          | 8      |             |  |           |                        | .35            | 3.00           |
|     |                                       | 8      | to          | 10     |             |  |           |                        | .50            | 4.50           |
|     |                                       | 10     |             | 12     |             |  |           |                        | .75            | 6.50<br>9.00   |
|     |                                       | 1 2    | to.         | 13     | 111.        |  |           |                        | 1.00           | 9.00           |

| VIBURNUM pubescens. Downy Viburnum. 5'-6' Likes limestone soils.   |
|--|
| 1½ to 2 ft   |
| prunifolium. Black Haw. 15'-20' Pure white flowers, April-June.<br>Blue-black glaucous berries. Sturdy habit. Handsome shrub.      |
| 1½ to 2 ft   |
| 2 to 2½ ft   |
| rhytidophyllum. See Evergreens, page 50.   |
| sieboldi. Siebold Viburnum. 9'-10' White, May-June. Berries pink, changing to black. Handsome large dark green leaves.             |
| 1½ to 2 ft   |
| 3 to 4 ft  |
| 4 to 5 ft  |
| flowers, June. Berries red to black. Good autumn coloring.   |
| 1½ to 2 ft   |
| 3 to 4 ft 1.25 11.00   |
| <ul> <li>plicatum. Japanese Snowball. 7'-8' Showy white flowers in<br/>balls, June, Handsome foliage, purple in autumn.</li> </ul> |
| 1½ to 2 ft   |
| $2\frac{1}{2}$ to 3 ft 1.25 11.00  |
| 3 to 4 ft  |
| Aug.—Sept. Gray-green star-shaped leaves—prefers sun.  |
| $1\frac{1}{2}$ to 2 ft   |
| 2 to 3 ft  |
| WEIGELA amabilis. Rose Weigela. 7'-8' Light pink.  |
| 2 to 3 ft  |
| 3 to 4 ft  |
| 2 to 3 ft  |
| 3 to 4 ft 1.00 9.00  |
| 4 to 5 ft  |
| Desbois. Desbois Weigela. 6'-7' Deep rose—flowers profusely.  2 to 3 ft  |
| 3 to 4 ft  |
| Eva Rathke. Red Flowering Weigela. 4'-5' Carmine, June-Aug.  |
| 1½ to 2 ft   |
| $2\frac{1}{2}$ to $3$ ft   |
| 3 to 4 ft  |
| horibunda. Crimson weigeta. 7–8 Chinson, june. Free howering. $1\frac{1}{2}$ to 2 ft   |
| 2 to 3 ft  |
| Lavalle. Lavalle Weigela. 7'-8' Bright crimson.  |
| 2 to 3 ft  |
| nana variegata. Variegated Leaf Weigela. 4'-5' Pale pink flower,   |
| variegated leaves—dwarf compact growth.  |
| 2 to 3 ft 1.00 9.00  |
| 3 to 4 ft  |

.35

3.00

| Each Per 10  |
|--|
| WEIGELA rosea. Pink Weigela. 7'-8' Showy pink flowers, June.   |
| 2 to 3 ft \$ .50 \$4.50<br>3 to 4 ft   |
| Van Houtte. Van Houtte Weigela. 7'-8' Carmine.   |
| 2 to 3 ft  |
| WISTERIA frutescens. American Wisteria. 20'-25' Lilac purple fragrant flowers in short clusters in June. A beautiful slender vine.                           |
| 2 to 3 ft  |
| 3 to 4 ft 1.00   |
| multijuga. Long Cluster Wisteria. 40'-50' Fragrant purple flowers in long clusters, May. Seen to best advantage when trained on old trees or open trellises. |
| 2 to 3 ft  |
| sinensis. Chinese Wisteria. 40'-50' Purple-blue flowers about a week before preceding variety.  2 to 3 ft  |
| 3 to 4 ft  |
| — alba. White Chinese Wisteria. 40'-50'  |
| 2 to 3 ft  |
| 3 to 4 ft 1.00   |
| YUCCA. See Evergreens, page 50.  |
| ZANTHORHIZA apiifolia. Yellowroot. 2'-3' Good ground cover—will succeed on dry, sandy soil, but not in limestone.  |

### Landscape Suggestions

12 to 15 in.....

Ü



While we cannot undertake to do any planting or landscape designing directly with our staff, we are always in close touch with competent landscape men and will gladly co-operate with you in arranging appointments.

## **Evergreens and Conifers**

These have all been transplanted, most of them several times, giving ample room for full development, and frequently sheared to produce compact,

|              | specimens  |                                     | pment, and frequently sheared to<br>Il balled and burlapped at the pri   |  |                                   |
|--------------|--|-------------------------------------|--|--|-----------------------------------|
| where market |  |                                     |  | Each                                       | Per 10                            |
| ABIES doug   | glasi (pse<br>bluish<br>2 to<br>$2\frac{1}{2}$ to<br>3 to<br>$3\frac{1}{2}$ to | 2½<br>3<br>3½                       | suga). Douglas Fir. 70'-80'<br>n coloring. Prefers well-drained<br>ft<br>ft<br>ft  | Very hard situation. \$3.50 5.00 6.50 8.00 | y, dark                           |
| fraseri.     | Fraser   | Fir.                                | 40'-50' Soft dark green folia  | ge, pleasan                                | t odor.                           |
|              | $1\frac{1}{2}$ to 2 to $2\frac{1}{2}$ to 3 to $3\frac{1}{2}$ to                | 3                                   | ft f   | 2.50<br>3.50<br>5.00<br>6.50<br>8.00       |                                   |
| nordmai      |  | Nor                                 | dmann Fir. 60'-70' Grows slo   | wly when                                   | young.                            |
|              | 1½ to 2½ to 3 to   | 2<br>3                              | s, rich shining green above, silve<br>ft   | 5.00<br>7.50<br>10.00                      | eneatn.                           |
| pectinat     | a. Silve   | er Fi                               | r. 60'-70'   |  |                                   |
|              | $1\frac{1}{2}$ to $2$ to $3$ to  | $\frac{2\frac{1}{2}}{3\frac{1}{2}}$ | ft   | 3.00<br>5.00<br>7.50                       |                                   |
| ANDROME      | DA. Se   | e Leu                               | cothoe and Pieris, pages 40-4  | l.   |                                   |
| AZALEA a     | moena.   | Japa                                | anese Azalea. 2½'-3' Consp   | icuous pu                                  | rple-red                          |
|              | 6 to<br>8 to<br>10 to<br>12 to   | 8                                   | pril-May. Leaves turn rich bron: in** in** in in   |  | \$9.00<br>13.50<br>17.50<br>22.50 |
| hinodeg      | habit  | than                                | panese Azalea. 3'-4' Larger above, flowers very bright carm or with Rhododendrons.   | leaves and<br>ine-pink—                    | d better<br>effective             |
|              | 6 to<br>8 to<br>10 to<br>12 to   | 8<br>10<br>12<br>15                 | in**<br>in**<br>inin   | 1.25<br>1.75<br>2.50<br>3.00               | 11.00<br>16.50<br>22.50           |
| Akebon       |  |                                     | jimayo, Yayegiri, Macrantha.   | 1.50                                       |                                   |
| Ean ath      | 8 to 10 to   |                                     | in | 1.50<br>2.00<br>2.50                       |                                   |
|              |  |                                     | see pages 5 and 6.   | 1 10 1                                     |                                   |
| DEKBEKIS     | sisting  | . H<br>g till                       | ollyleaf Barberry. 5′–6′ Hol<br>new foliage appears—flowers ye   | iy-iike leav<br>llow.                      | es per-                           |
| BIOTA. Se    | 15 to<br>1½ to<br>2 to   | 18<br>2<br>2½                       | in   | 1.00                                       | 9.00<br>11.00<br>13.50            |
|              |  |                                     | ox. (Bush form) 12'-15' Useful   | for formal                                 | hedges                            |
| DOMOG Sen    | 10 to<br>12 to   | 12                                  | in., bushy**<br>in., " **  |  | 9.00<br>13.50                     |

18

ft.....

in., 2

to

15

13.50 17.50 22.50

2.00

2.50

Each Per 10 Per 100 BUXUS japonica. Japanese Box. A good hardy species, round leaves. CLIPPED GLOBES 18 to 20 in .... 10.00 20 to 22 in ..... 12.50 suffruticosa. True Dwarf Box. 3'-4' Extensively used for edging. 2.50 3 20.00 30.00 4 4.00 6 6.00 45.0C 8 13.50 100.00 22.50 CALLUNA vulgaris alba. White Heather. 1'-2' A splendid evergreen ground cover. Best in large masses on well-drained slopes. Each Per 10 6 to 8 in.\*\* 8 to 10 in.\*\* 10 to 12 in\*\* .50 4.50 .75 6.50 1.00 9.00 vulgaris alporti. Alport Heather. Deep rose. Same prices as above. CHAMAECYPARIS. See Retinospora, pages 44-45. CHAMAEDAPHNE calyculata. Leatherleaf. 3'-4' White flowers in April. Leaves persist throughout winter. Attractive, useful. 12 to 15 in., ........ 1.50 15 to 18 in., ..... 2.00 17.50 2 ft..... 2.50 1 1/2 to 22.50 COTONEASTER acutifolia. 5'-6' Red flowers—black fruit. 3 to 3½ ft..... 1.50 13.50 9.00 1.00 13.50 1.50 franchetti. Franchet Cotoneaster. 6'-8' Large leaves. 1½ to 2 ft..... 1.00 5 in. pots..... 1.50 horizontalis (davidiana). Rock Cotoneaster. 1'-11%' Small box-like 5 in. pots 1.50 13.50 microphylla. Rockspray. 2'-21/2' Very small leaves, very deep green. Rather more bushy than preceding. 12 to 15 in ..... 15 to 18 in ..... 1.50 13.50 3 in. pots..... 1.00 9.00 5 in. pots..... 1.50  $2^{\frac{1}{2}}$  to  $2\frac{1}{2}$  ft..... 1.50 CRYPTOMERIA lobbi compacta. Cave Cryptomeria. 15'-20' Forms narrow irregular column-compact and picturesque. Rich bronze winter color. Prefers moist, but well-drained location. 5.00 6.00 3½ to 4 ft..... 7.50 4 ft ..... 10.00 DAPHNE cneorum. Rose Daphne. 1' Gray-green foliage, low spreading. Pretty pink flowers in April-May. Delightful fragrance. 8 to 10 in ...... 1.50 13.50 10 to 12 in ..... 2.00 17.50 3 in. pots..... 1.00 9.00

| EUONYMU                           | JS <b>japonica</b> . Japanese Euonymus. 5'–6' Lu<br>leaves. Upright bushy habit. Needs winte   | strous dee<br>er protectio  | Per 10<br>p green   |
|-----------------------------------|--|---|---|
|                                   | 9 to 12 in.**  | \$ .75  |   |
|                                   | 12 to 15 in  | 1.25  | \$11.00<br>13.50  |
| patens                            | (sieboldianus.) Spreading Euonymus. 6'-8' forming broad, rather loose shrub, leaves pe winter. Ornamental fruits. Effective amon 12 to 15 in.** 15 to 18 in.** 1½ to 2 ft  | rsisting ur<br>g denser c   | grower,<br>ntil late  |
| radican                           | is. Wintercreeper. Climbing to 15 ft. Self-clim<br>for covering low walls. Also useful for un  | ging vine.  | Good  |
|                                   | 9 to 12 in.** 2 vr., bushy   | .35   | 3.00  |
|                                   | 9 to 12 in.** 2 yr., bushy<br>12 to 15 in.** " " "   | .50   | 4.50  |
| acut                              | narrow leaves, white veins, purplish underna   | eath.   |   |
|                                   | 1 yr**   | .50   | 4.50  |
| — carri                           | ierei. Glossy Wintercreeper. Large, shiny po   | ointed leav   |   |
|                                   | 9 to 12 in. **   | .35   | 3.00  |
|                                   | 9 to 12 in. **<br>12 to 15 in., 2 yr**<br>15 to 18 in., 3 yr**   | .50<br>75   | 4.50<br>6.50  |
| mini                              | imus Rahy Wintercraetar 2' 2' Has time   | .,,,  |   |
| 1111111                           | imus. Baby Wintercreeper. 2'-3' Has tiny and a dainty trailing habit Charming rock   | subject.  | ieaves  |
|                                   | 6 to 9 in.**<br>9 to 12 in.**  | .50<br>.75  |   |
|                                   | 3 in. pots   |   | 4.50  |
| — varie                           | egatus. Variegated Wintercreeper. Leaves ve  |   |   |
|                                   | yellowish white and pink. Clinging vine.   |   |   |
|                                   | 9 to 12 in.** 2 yr., bushy   | .35   | 3.00  |
| — vege                            | Leaves round, dull green, bright scarlet fruits<br>Handsome among evergreens. Self-clinging  | s freely pro  | growth.<br>oduced.  |
|                                   |  |   |   |
|                                   | 9 to 12 in.**  | .50   |   |
|                                   | 12 to 15 in.** 2 yr  | <b>.</b> 75   | 6.50  |
| For oth                           | 12 to 15 in.** 2 yr  | <b>.</b> 75   | 4.50<br>6.50<br>9.00  |
|                                   | 12 to 15 in.** 2 yrher EUONYMUS see page 12.  nelix. English Ivy. 20'-50' Evergreen—good   | .75<br>1.00   | 6.50<br>9.00  |
|                                   | 12 to 15 in.** 2 yr  | .75<br>1.00<br>d ground   | 6.50<br>9.00<br>cover.  |
| HEDERA h                          | 12 to 15 in.** 2 yr  | .75<br>1.00<br>d ground<br>.50<br>. 6'-8'   | 6.50<br>9.00<br>cover.<br>4.50<br>Smaller                                   |
| HEDERA h                          | 12 to 15 in.** 2 yr  | .75<br>1.00<br>d ground<br>.50<br>. 6'-8'<br>e compac   | 6.50<br>9.00<br>cover.<br>4.50<br>Smaller                                   |
| HEDERA h                          | 12 to 15 in.** 2 yr  15 to 18 in.** 3 yr., bushy   | .75<br>1.00<br>d ground<br>.50<br>. 6'-8'<br>e compac<br>2.00   | 6.50<br>9.00<br>cover.<br>4.50<br>Smaller                                   |
| HEDERA h                          | 12 to 15 in.** 2 yr. 15 to 18 in.** 3 yr., bushy   | .75<br>1.00<br>d ground<br>.50<br>. 6'-8'<br>e compac<br>2.00<br>3.00   | 6.50<br>9.00<br>cover.<br>4.50<br>Smaller                                   |
| HEDERA h                          | 12 to 15 in.** 2 yr  15 to 18 in.** 3 yr., bushy   | .75<br>1.00<br>d ground<br>.50<br>. 6'-8'<br>e compac<br>2.00<br>3.00<br>5.00   | 6.50<br>9.00<br>cover.<br>4.50<br>Smaller                                   |
| HEDERA h                          | 12 to 15 in.** 2 yr  15 to 18 in.** 3 yr., bushy   | .75<br>1.00<br>d ground<br>.50<br>. 6'-8'<br>e compac<br>2.00<br>3.00<br>5.00<br>7.50<br>10.00  | 6.50<br>9.00<br>cover.<br>4.50<br>Smaller<br>t habit.                       |
| HEDERA h                          | 12 to 15 in.** 2 yr. 15 to 18 in.** 3 yr., bushy   | .75 1.00  d ground .50 . 6'-8' e compac 2.00 3.00 5.00 7.50 10.00  urplish in o succeeds  | 6.50<br>9.00<br>cover.<br>4.50<br>Smaller<br>t habit.<br>winter.<br>in sun. |
| HEDERA h<br>ILEX crena<br>glabra. | 12 to 15 in.** 2 yr  15 to 18 in.** 3 yr., bushy   | .75<br>1.00<br>d ground<br>.50<br>. 6'-8'<br>e compac<br>2.00<br>3.00<br>5.00<br>7.50<br>10.00<br>urplish in<br>o succeeds<br>1.25              | 6.50 9.00  cover. 4.50  Smaller thabit.  winter. in sun. 11.00              |
| HEDERA h                          | 12 to 15 in.** 2 yr  15 to 18 in.** 3 yr., bushy   | .75<br>1.00<br>d ground<br>.50<br>. 6'-8'<br>e compac<br>2.00<br>3.00<br>5.00<br>7.50<br>10.00<br>urplish in<br>o succeeds<br>1.25              | 6.50 9.00  cover. 4.50  Smaller thabit.  winter. in sun. 11.00              |
| HEDERA h<br>ILEX crena<br>glabra. | 12 to 15 in.** 2 yr  15 to 18 in.** 3 yr., bushy   | .75<br>1.00<br>d ground<br>.50<br>. 6'-8'<br>e compac<br>2.00<br>3.00<br>5.00<br>7.50<br>10.00<br>urplish in a succeeds<br>1.25<br>et partially | 6.50 9.00  cover. 4.50  Smaller thabit.  winter. in sun. 11.00              |
| HEDERA h ILEX crena glabra.       | 12 to 15 in.** 2 yr. 15 to 18 in.** 3 yr., bushy her EUONYMUS see page 12. helix. English Ivy. 20'-50' Evergreen—good A self-clinging vine. Best on north side. 2 yr**  hat microphylla. Small Leaf Japanese Holly leaves and more hardy than the type. Mor 15 to 18 in 1½ to 2 ft | .75 1.00  d ground .50 . 6'-8' e compac 2.00 3.00 5.00 7.50 10.00 urplish in o succeeds 1.25 at partially 4.00 5.00                             | 6.50 9.00  cover. 4.50  Smaller thabit.  winter. in sun. 11.00              |
| HEDERA h ILEX crena glabra.       | 12 to 15 in.** 2 yr  15 to 18 in.** 3 yr., bushy   | .75<br>1.00<br>d ground<br>.50<br>. 6'-8'<br>e compac<br>2.00<br>3.00<br>5.00<br>7.50<br>10.00<br>urplish in a succeeds<br>1.25<br>et partially | 6.50 9.00  cover. 4.50  Smaller thabit.  winter. in sun. 11.00              |

| NIPERUS   | canade              | nsis.            | See Comm                 | nunis.          | F1                                    | Each                       |                   |
|-----------|---------------------|------------------|--------------------------|-----------------|---------------------------------------|----------------------------|-------------------|
| chinensis | green               | iese J<br>foliag | uniper. I<br>ge of two t | 5'-20'<br>ypes. | A splendid                            | lumnar outli<br>evergreen. | ne, gray          |
|           | 2 to                | $2\frac{1}{2}$   | ft                       | . <b></b>       |                                       | \$3.50                     |                   |
|           | $2\frac{1}{2}$ to   | 3                | ft                       |                 |                                       | 5.00                       |                   |
|           | 3 to                | $3\frac{1}{2}$   | ft                       |                 |                                       | 6.50                       |                   |
|           | $3\frac{1}{2}$ to   |                  |                          |                 |                                       |                            |                   |
| — albo v  | foliag              | e with           | n creamy b               | ranches         | Juniper.<br>intersperse               | 6'-7' Light d. Formal      | glaucou<br>pyrami |
|           |                     | _                | in low plan              | _               |                                       |                            |                   |
|           | 15 to               | 18               | in                       |                 |                                       | 2.50                       |                   |
|           | $1\frac{1}{2}$ to   | 2                | ft                       |                 |                                       | 3.50                       |                   |
|           | $\frac{2}{2}$ to    | 2½               | ft                       |                 |                                       | 5.00                       |                   |
|           | $2\frac{1}{2}$ to 3 | 3                | ft                       |                 |                                       | 6.00<br>7.50               |                   |
| — colum   |                     |                  |                          |                 |                                       | -20' Grows                 | ropidle           |
| Colum     |                     | ng tall          | l, narrow c              | olumn           | of gray-gre<br>een plantin            | en foliage. :              | Spire-lik         |
|           | 2 to                |                  |                          |                 |                                       |                            |                   |
| :         | $2\frac{1}{2}$ to   |                  |                          |                 |                                       |                            |                   |
|           | 3 to                |                  |                          |                 |                                       |                            |                   |
|           | $3\frac{1}{2}$ to   | 4                |                          |                 |                                       |                            |                   |
|           | 4 to                | $4\frac{1}{2}$   |                          |                 |                                       |                            |                   |
| •         | $4\frac{1}{2}$ to   | 5                | ft                       |                 |                                       | 12.00                      |                   |
| — neabo   |                     |                  |                          |                 | per. 7′–8′<br>seful accen             | Very forma<br>it plant.    | l narro           |
|           | 1½ to               | 2                | ft                       |                 |                                       | 2.50                       |                   |
|           | 2 to                |                  |                          |                 |                                       |                            |                   |
| 4         | $2\frac{1}{2}$ to   |                  |                          |                 |                                       |                            |                   |
| (         | 3 to                |                  |                          |                 |                                       |                            |                   |
| — oblon   | ga. 7'<br>brancl    |                  |                          |                 |                                       | amid with                  | feather           |
|           | $1\frac{1}{2}$ to   |                  | -                        |                 |                                       |                            |                   |
|           | $\frac{1}{2}$ to    | 21/              | ft                       |                 |                                       | 3.50                       |                   |
|           | $2\frac{1}{2}$ to   | 3                | ft                       |                 |                                       | 5.00                       |                   |
|           | $\frac{2}{3}$ to    |                  |                          |                 |                                       |                            |                   |
| — pfitzer |                     | Pfitze           | r Juniper                | . 5'-6          | Broad l                               | oushy habit.<br>. A most a |                   |
|           |                     |                  | green, highl             |                 |                                       |                            | •                 |
|           | 15 to               | 18 i             | in                       |                 |                                       | 2.50                       | 22.5              |
| 1         | $1\frac{1}{2}$ to   | 2                | ft                       |                 |                                       | 3.00                       | 27.5              |
|           | 2 to                | 21/2             | ft                       |                 |                                       | 4.50                       | 42.5              |
| 2         | $2\frac{1}{2}$ to   | 3                | ft                       |                 |                                       | 6.50                       | 60.0              |
| 3         | 3 to                | $3\frac{1}{2}$   | ft                       |                 |                                       | 9.00                       |                   |
| — sargen  | ti. San             | gent<br>. A      | Juniper.<br>valuable gi  | 1½′<br>round o  | Prostrate<br>over and re              | habit. Gra<br>ock plant.   | iss-gree          |
| 1         | 12 to               | 15 i             | n                        |                 |                                       | 3.00                       |                   |
| i         | 5 to                |                  |                          |                 | · · · · · · · · · · · · · · · · · · · |                            |                   |
|           | $\frac{1}{2}$ to    | _                | _                        |                 |                                       |                            |                   |
| communis  | s. Con              | ımon             | Juniper.                 | 2'-21/          | ' Forms                               | a vase-shape               | d bush            |
| 1         | 2 to                |                  |                          |                 |                                       |                            | 13.50             |
| _         | 5 to                |                  |                          |                 |                                       |                            | 17.50             |
|           | ½ to                |                  |                          |                 |                                       |                            | 25.00             |
| 2         |                     |                  |                          |                 |                                       |                            | 32.50             |
| — aurea.  | Golde               | n Co             | mmon Jur                 | iper.           | 1'-1½' L                              | ow spreadir                | ng habit          |
|           | Golde               | n folia          | age, particu             | larly br        | ight in spri                          | ng.                        |                   |
| _         | 2 to                |                  |                          |                 |                                       |                            |                   |
| _         | .5 to               |                  |                          |                 |                                       |                            |                   |
| 1         | ½ ft                |                  |                          |                 |                                       | 4.00                       |                   |

| 38        | E                           | VER             | greens and conifei  | RS                |                              |                       |
|-----------|-----------------------------|-----------------|---|-------------------|------------------------------|-----------------------|
|           |                             |                 |   |                   | Each                         | Per 10                |
| JUNIPERUS |                             |                 | anadensis. Canada Junipe                                      |                   |                              |                       |
|           |                             |                 | l bush. Leaves dark green                                     |                   |                              |                       |
|           | 15 to                       |                 | in  |                   | \$2.00                       | \$18.50               |
|           | $1\frac{1}{2}$ to 2 to      |                 | ft  |                   | 3.00<br>4.00                 | 27.50<br>35.00        |
|           |                             |                 |   |                   | 5.00                         | 33.00                 |
| — craco   | vica. P                     | olish           | Juniper. $4'-5'$ Upright, bry narrow column.                  |                   |                              | ground,               |
|           | 12 to                       |                 | in  |                   | 2.00                         | 17.50                 |
|           | 15 to                       |                 | in  |                   | 2.50                         | 22.50                 |
|           | $1\frac{1}{2}$ to           | 2               | ft  |                   | 3.00                         | 27.50                 |
|           | 2 to                        |                 | ft  |                   | 4.00                         |                       |
| — hiber   |                             |                 | uniper. 7'-8' A very na                                       |                   | yramid.                      | Useful                |
|           | 15 to                       |                 | like effect. Grows quickly                                    |                   | 1.50                         | 13.50                 |
|           | 1½ to                       | 2               | ft  |                   | 2.00                         | 17.50                 |
|           | $2^{2}$ to                  |                 | ft  |                   | 2.50                         | 22.50                 |
|           | $2\frac{1}{2}$ to           | 3 ~             | ft  |                   | 3.50                         | 32.50                 |
|           | 3 to                        |                 | ft  |                   | 5.00                         |                       |
| — prost   |                             |                 | ate Common Juniper.   1'-                                     |                   | Branche                      |                       |
|           | almos                       |                 | ng ground—a useful ground                                     | cove              |                              |                       |
|           | 12 to                       |                 | in  |                   | 1.50                         | 13.50                 |
|           | 15 to                       |                 | in  |                   | 2.00                         | 17.50                 |
|           | $1\frac{3}{4}$ to           | 21/             | ft  |                   | 2.50                         | 22.50                 |
|           | $\frac{2}{2\frac{1}{2}}$ to | 3               | ftft  |                   | 3.50<br>5.00                 |                       |
|           |                             |                 |   |                   | 7.50                         |                       |
| — sueci   | -                           |                 | Juniper. Quick growing,                                       |                   |                              | at form.              |
| ouec.     | 15 to                       |                 | in  |                   | 1.50                         |                       |
|           | 1½ to                       | 2               | ft  |                   | 2.00                         |                       |
|           | 2 to                        |                 | ft  |                   | 2.50                         |                       |
| — — na    | ana. Di<br>colun            | varf            | Sweedish Juniper. 3'-3½ slow growth. Good found               | (' A              | narrow<br>plant.             | compact               |
|           | 12 to                       |                 | in  |                   | 2.00                         | 17.50                 |
|           | 15 to                       |                 | in  |                   | 2.50                         | 22.50                 |
|           | l ½ to                      | 2               | ft  |                   | 3.00                         | 27.50                 |
|           | 2 to                        | $2\frac{1}{2}$  | ft  |                   | 4.00                         | 37.50                 |
| conferta  | (litorali                   | s.)             | Shore Juniper. $1'-1\frac{1}{2}'$ blaces or seaside planting. | Prostr            | ate habi                     | it, useful            |
|           |                             |                 |   |                   |                              |                       |
|           | 15 to                       |                 | in  |                   | 2.50                         |                       |
|           | $1\frac{1}{2}$ to 2 to      | 21/             | ft  |                   | 3.50<br>5.00                 |                       |
| excelsa   |                             |                 | ft<br>y Greek Juniper. 4'–5'                                  |                   |                              | II abanad             |
| exceisa   |                             | nid.            | Foliage gray-green—most us                                    | eful fo           | or forma                     | l effects.            |
|           | 10 to                       | 12              | in  |                   | 2.00                         |                       |
|           | 12 to                       |                 | in  |                   | 2.50                         |                       |
|           | 15 to                       |                 | in  |                   | 3.00                         |                       |
|           | $1\frac{1}{2}$ to           | 2               | ft  |                   | 4.50                         |                       |
|           | 2 to                        |                 | ft  |                   | 6.00                         |                       |
| horizon   | talis (sat<br>trail a       | oina j<br>llong | prostrata.) Creeping Savi<br>ground. Good for rock wor        | in. I'<br>k and į | $-l\frac{1}{2}'$ :ground $a$ | Branches<br>covering. |
|           | 15 to                       |                 | in  |                   |                              |                       |
|           | $1\frac{1}{2}$ to           |                 | ft  |                   | 2.50                         |                       |
|           | 2 to                        |                 | ft  |                   | 3.50                         |                       |
|           |                             |                 | . T   |                   | 5.00                         |                       |
| — doug    |                             |                 | gan Juniper. 1'-1½' I   |                   |                              |                       |
|           | alco                        | grou            | nd. Steely-blue foliage. A<br>ve among rock. Distinct p       | spiena<br>urole 1 | iu groun                     | iu cover,<br>inter    |
|           | 12 to                       | 15              | in  |                   | 2.00                         |                       |
|           | 15 to                       | 18              | in  |                   | 3.00                         |                       |
|           | 1½ to                       | 2               | ft  |                   | 4.00                         |                       |

EVERGREENS AND CONIFERS 39 Each Per 10 JUNIPERUS japonica. Japanese Juniper. 3'-4' Low grower, spreading branches, dark green scaly leaves—adapted to rock planting. 15 to 18 in..... \$2.50  $1\frac{1}{2}$  to 2 ft..... 3.50 2 ft ...... 5.00 TRIMMED GLOBES. These are handsome plants. 10 in ..... 1.50 12 in ...... 2.00 to 2.50 to 15 in..... 15 18 in..... 3.50 to - aurea. Golden Japanese Juniper. 2'-3' Slow growing compact form with rich golden leaves. 15 to 18 in ...... 3.00 variegata. Golden Variegated Juniper. 2'-21/2' 15 to 18 in...... 3.00 1 1/2 to 2 ft ..... 4.00 5.00 ft.. ..... Savin. 6'-7' Dense dark green foliage. Spreading branches sabina. forming irregular vase-shaped bush. 15 to 18 in .... 2.50 1½ to 2 ft..... 3.50 2 to 2½ ft ..... 5.00 2½ ft..... 6.50 — tamariscifolia. Tamarix Juniper. 1'-11/2' Flat, spreading, making compact but soft texture in low evergreen planting. 15 to 18 in..... 3.00 2 ft..... 4.50 1½ to ft ...... 6.00 squamata meyeri. Meyer Juniper. 3'-4' Distinct blue glaucous foliage. 10 to 12 in..... 3.00 12 15 in ... 4.00 to virginiana. Redcedar. 25'-30' Forms a dense column, deep green foliage, purplish in winter. Useful in formal work or mixed plantings. ft... ..... 5.00 3 4 5 7.50 to ft..... 5 ft..... 6 10.00 to ft...... 12.50 to i. Cannart Cedar. 12'-15' Very deep rich green foliage. Dense growing columnar form. — cannarti. to  $2\frac{1}{2}$  ft...... 3.00  $2\frac{1}{2}$  to 3 ft ...... 4.50 3½ ft..... to 6.00  $3\frac{1}{2}$  to 4 ft..... 7.50 to 5 ft ..... 9.00 ft..... 12.00 to - elegantissima. Goldtip Redcedar, 10'-12' Bright vellow tips to branches, turning bronze in winter. Attractive variety. 2½ ft..... 4.00 3 ft..... 5.00 to  $3\frac{1}{2}$  ft ..... 6.50  $3\frac{1}{2}$  to 4 ft ..... 8.00 glauca. Silver Redcedar. 15'-20' Bluish-gray foliage. 2½ ft..... to 4.00  $2\frac{1}{2}$  to 3 ft ..... 5.00

3½ ft .....

4½ ft.....

5 ft .....

ft.....

 $\frac{3}{3}$  to

to

 $4\frac{1}{2}$  to

4

6.50

8.00

10.00

12.00

| 40         | EVERGREENS AND CONIFERS   |                                   |                   |
|------------|---|-----------------------------------|-------------------|
|            |   | Each                              |                   |
| JUNIPERUS  | S virginiana pendula. Weeping Redcedar. lengthen and droop over, giving a picturesque 3 to 3½ ft                                    | 8′-10′ Bi<br>ue effect.<br>\$6.00 | ranches           |
|            | 3½ to 4 ft 4 to 4½ ft   | 7.50                              |                   |
| — schot    | tti. Schott Redcedar. 12'-15' Has fresh greet pact formal columnar habit.   | n foliage.                        | Com-              |
|            | 2 to 2½ ft  | 3.00<br>4.50                      |                   |
|            | 2½ to 3 ft  | 6.00                              |                   |
|            | 3½ to 4 ft  | 7.50<br>10.00                     |                   |
| — tripa    | artita. Fountain Redcedar. 4'-5' A bushy hall with feathery branches.   | lf upright                        | grower            |
|            | 2 to 2½ ft  | 4.00                              |                   |
|            | 2½ to 3 ft  | 5.00<br>6.00                      |                   |
| waukeg     | an. See Horizontalis Douglasi.  | 0.00                              |                   |
| KALMIA la  | tifolia. Mountain Laurel. 5'-7' Most effect<br>the clusters of pink flowers open. Good fo<br>Nursery Grown Clumps.                  |                                   |                   |
|            | 12 to 15 in   | 2.00                              | 17.50             |
|            | 15 to 18 in   | 2.50                              | 22.50             |
|            | 1½ to 2 ft  | 3.00<br>4.00                      | 27.50<br>37.50    |
|            | 2½ to 3 ft  | 6.00                              |                   |
| LEIOPHYL   | LUM buxifolium. Sand Myrtle. 18" Small in June. Leaves are small—good ground co   |                                   |                   |
|            | 10 to 12 in   | 2.00<br>2.50                      |                   |
| LEUCOTHO   | OE catesbaei. Drooping Leucothe. 3'-4'<br>flowers, May. Handsome lustrous leaves, ri<br>Splendid for under planting in shade—prefer | ich autum:                        | n color.<br>lace. |
|            | 12 to 15 in   | 1.50<br>2.00                      | 13.50<br>17.50    |
|            | 1½ to 2 ft  | 3.00                              | 27.50             |
| LONICERA   | a pileata. Privet Honeysuckle. 2' Needs so<br>2 yr  |                                   |                   |
| MAHONIA    | aquifolium. Oregon Holly Grape. 4'-5' leaves turn rich scarlet in autumn—strikir yellow flowers appear—blue-black fruits. B         | ng in Ma                          | y when            |
|            | 12 to 15 in   | 1.75                              | snaue.            |
|            | 15 to 18 in   | 2.00<br>2.50                      |                   |
| PICEA cana | adensis (alba). White Spruce. 50'-60' Silvery   |                                   |                   |
|            | into shapely specimen of close texture. Adapte 12 to 15 in  | 1.50                              | gardens.          |
|            | 15 to 18 in   | 2.00                              |                   |
|            | 1½ to 2 ft  | 2.50<br>3.00                      |                   |
| — alber    | rtiana. Dwarf Alberta Spruce. 2½'-3' Exslow-growing variety, valuabe where small  | ctremely co<br>scale is de        | ompact,<br>sired. |
|            | 2 to 2½ ft  | 12.50<br>15.00                    |                   |
|            | -/2   | 13.00                             |                   |

| PICEA exce                          | lsa. No   | rway   | Spruce. 80'-100' A c  |  | Each Per 10<br>ng wind break.  |
|-------------------------------------|---|--|---|--|--|
|                                     | 12 to   |  | n   |  | \$1.25 \$10.00   |
|                                     | 15 to   |  | n   |  | 1.50 13.50   |
|                                     | 1½ to   |  | t   |  | 2.00 17.50   |
|                                     | 2 to  |  | t   |  | 3.00 27.50   |
|                                     | $2\frac{1}{2}$ to   | 3  | t   |  | 4.00 37.50   |
|                                     | 3 to  |  | t   |  | 5.00   |
|                                     | $3\frac{1}{2}$ to   |  | t   |  | 7.50   |
|                                     | 4 to  | $4\frac{1}{2}$   | t   |  | 10.00  |
| — conic                             | a. Arre   | whea   | l Norway Spruce. 6'-<br>nmetrical – good for fo   | -7' Grows  | slowly. Com-   |
|                                     | 15 to   | 18   | 1   | p  | 3.00   |
|                                     | $1\frac{1}{2}$ to   | 2  | t   |  | 4.00   |
| orientali                           | s. Orie   | ntal S   | pruce. 50'-60' Splen  | did symmet   | rical specimen.  |
| orientan                            | Deen  | green  | pruce. 50'–60' Splenglossy needles. Grace   | ful habit—s  | slow grower.   |
|                                     | $1\frac{1}{2}$ to   | 2  | t   |  | 3.50   |
|                                     | 2 to  | 21/2   | t   |  | 5.00   |
|                                     | $2\frac{1}{2}$ to   | 3  | t   |  | 6.00   |
|                                     | 3 to  | $3\frac{1}{2}$   | t   |  | 7.50   |
| pungens                             | . Colo  | rado   | Spruce. 60'-80' Bra   | nches in d   | istinct whorls.  |
|                                     | formi   | ing har  | dsome lawn specimen.  |  |  |
|                                     | 1 ½ to  | ž  | t   |  |  |
|                                     | $2\frac{1}{2}$ to   | 3  | t   |  | 6.00   |
|                                     | 3 to  | $3\frac{1}{2}$   | t   |  | 8.00   |
| PIERIS jap                          | onica.  | Japa   | iese Andromeda. 4'  | -5' Thick  | shiny leaves   |
| , 1                                 | turnir  | ng ĥro   | nze in winter. Droopi   | ng clusters  | of small white   |
|                                     | flowe   | rs one   | ı in Mav. Best in mo  | ist, partially   | shaded place.  |
|                                     | 12 to   | 15   | n   |  | 2.50   |
|                                     | 15 to   | 18 i   | n   |  | 3.50   |
| floribund                           | da. Mo  | untair   | Andromeda. 4' Wa  | xv white fl  | owers in May.  |
|                                     | Good  | deep s   | reen foliage, best in half  | f shady plac   | es, very hardy.  |
|                                     | 12 to   | 15   | n   |  | 4.00   |
|                                     | 15 to   |  | n   |  | 5.00   |
|                                     |   |  |   |  |  |
| mariana.                            |   | age 19   | _   |  |  |
| mariana.<br>PINUS nigra             | . See P   | _  |   | Rich dark a  | reen vigorous  |
|                                     | . See P   | ica). 🖟  | ustrian Pine. 60'–70'   | Rich dark g  | reen, vigorous,  |
|                                     | . See P<br>(austria<br>dense  | growe  | ustrian Pine. 60'–70'<br>r.   Good for backgrou   | nd—thrives   | at seashore.   |
|                                     | . See P<br>(austria<br>dense<br>2 to  | growe $2\frac{1}{2}$   | ustrian Pine. 60'–70'<br>r. Good for backgrou<br>t  | nd—thrives   | at seashore.<br>3.00   |
|                                     | See P (austria dense 2 to 2½ to   | growe 2½ 3   | ustrian Pine. 60'-70' r. Good for backgrou t  | nd—thrives   | at seashore.<br>3.00<br>4.00   |
| PINUS nigra                         | See P (austria dense 2 to 2½ to 3 to  | growe 2½ 3   | ustrian Pine. 60'–70'<br>r. Good for backgrou<br>t<br>t   | nd—thrives<br>   | at seashore.<br>3.00<br>4.00<br>6.00   |
|                                     | See P (austria dense 2 to 2½ to 3 to Swiss  | growe<br>2½<br>3<br>4  | ustrian Pine. 60'-70' r. Good for backgrou t  | nd—thrives   | at seashore.<br>3.00<br>4.00<br>6.00   |
| PINUS nigra                         | dense 2 to 2½ to 3 to Swiss close when  | growe<br>2½<br>3<br>4<br>Stone<br>growth<br>young  | ustrian Pine. 60'–70' r. Good for backgrou t. t. Pine. 20'–25' Thin give soft texture. Sy . Grows slowly—qui  | nd—thrives  bluish-gree mmetrical te hardy.  | at seashore. 3.00 4.00 6.00 en needles and blunt pyramid   |
| PINUS nigra                         | dense 2 to 2½ to 3 to Swiss close when 12 to  | grower 2½ 3 4 Stone growth youn 15 i   | ustrian Pine. 60'–70' r. Good for backgrou t. t t Pine. 20'–25' Thin give soft texture. Sy Grows slowly—qui   | bluish-greemmetrical   | at seashore. 3.00 4.00 6.00 en needles and blunt pyramid 3.00  |
| PINUS nigra                         | . See P<br>(austria<br>dense<br>2 to<br>2½ to<br>3 to<br>Swiss<br>close<br>when<br>12 to<br>15 to   | grower 2½ 3 4 Stone growth young 15 i 18 i   | ustrian Pine. 60'–70' r. Good for backgrou t t t Pine. 20'–25' Thin give soft texture. Sy . Grows slowly—qui  | bluish-greemmetrical te hardy.   | at seashore. 3.00 4.00 6.00 en needles and blunt pyramid 3.00 4.00   |
| PINUS nigra<br>cembra.              | Caustria dense 2 to 2½ to 3 to Swiss close when 12 to 1½ to 1½ to   | grower 2½ 3 4 Stone growth young 15 i 18 i 2   | ustrian Pine. 60'–70' r. Good for backgrou t. t t Pine. 20'–25' Thin give soft texture. Sy Grows slowly—qui   | bluish-greemmetrical   | at seashore. 3.00 4.00 6.00 en needles and blunt pyramid 3.00 4.00 5.00  |
| PINUS nigra                         | See P<br>(austria<br>dense<br>2 to<br>2½ to<br>3 to<br>Swiss<br>close<br>when<br>12 to<br>15 to<br>1½ to  | grower<br>2½<br>3<br>4<br>Stone<br>growth<br>youn<br>15 i<br>18 i<br>2   | ustrian Pine. 60'-70' r. Good for backgrou t. t. Pine. 20'-25' Thin give soft texture. Sy Grows slowly—qui  | bluish-gree<br>mmetrical te hardy.   | at seashore. 3.00 4.00 6.00 m needles and blunt pyramid 3.00 4.00 5.00 green needles   |
| PINUS nigra<br>cembra.              | See P<br>(austria<br>dense<br>2 to<br>2½ to<br>3 to<br>Swiss<br>close<br>when<br>12 to<br>15 to<br>1½ to  | grower<br>2½<br>3<br>4<br>Stone<br>growth<br>youn<br>15 i<br>18 i<br>2   | ustrian Pine. 60'-70' r. Good for backgrou t. t. Pine. 20'-25' Thin give soft texture. Sy Grows slowly—qui  | bluish-gree<br>mmetrical te hardy.   | at seashore. 3.00 4.00 6.00 m needles and blunt pyramid 3.00 4.00 5.00 green needles   |
| PINUS nigra<br>cembra.              | See P (austria dense 2 to 2½ to 3 to Swiss close when 12 to 1½ to a. Japu Succe 2 to  | grower 2½ 3 4 Stone growth young 15 i 18 i 2 anese eds we 2½   | ustrian Pine. 60'–70' r. Good for backgrou t  | nd—thrives  bluish-gree mmetrical ite hardy.  ong bright ather quickl  | at seashore. 3.00 4.00 6.00 en needles and blunt pyramid 3.00 4.00 5.00 green needles. y. 3.00   |
| PINUS nigra<br>cembra.              | See P (austria dense 2 to 2½ to 3 to Swiss close when 12 to 1½ to a. Japa Succe 2 to 2½ to 2½ to  | grower 2½ 3 4 Stone growth young 15 i 18 i 2 anese eds we 2½ 3   | ustrian Pine. 60'–70' r. Good for backgrou t t Pine. 20'–25' Thin give soft texture. Sy Grows slowly—qui t. Red Pine. 40'–50' L l at seashore—grows r t.  | nd—thrives  bluish-gree mmetrical   ite hardy.  ong bright ather quickl  | at seashore. 3.00 4.00 en needles and blunt pyramid 3.00 4.00 5.00 green needles. y. 3.00 4.00   |
| PINUS nigra<br>cembra.              | See P<br>(austria<br>dense<br>2 to<br>2½ to<br>3 to<br>Swiss<br>close<br>when<br>15 to<br>1½ to<br>a. Japa<br>Succe<br>2 to<br>2½ to<br>3 to<br>15 to<br>1½ to<br>15 to<br>1½ to<br>15 to<br>1½ to<br>15 to<br>1½ to<br>15 to<br>1½ to<br>15 to<br>15 to<br>1½ to<br>15 to<br>15 to<br>15 to<br>15 to<br>16 to | grower 2½ 3 4 Stone growth young 15 i 18 i 2 anese eds we 2½ 3 4   | ustrian Pine. 60'–70' r. Good for backgrou t. t t Pine. 20'–25' Thin give soft texture. Sy Grows slowly—qui h. t. Red Pine. 40'–50' L l at seashore—grows r t. t.   | nd—thrives  bluish-gree mmetrical te hardy.  ong bright ather quickl   | at seashore. 3.00 4.00 en needles and blunt pyramid 3.00 4.00 5.00 green needles. y. 3.00 4.00 5.00  |
| PINUS nigra<br>cembra.<br>densiflor | See P (austria dense 2 to 2½ to 3 to Swiss close when 12 to 15 to a. Japu Succe 2 to 2½ to 3 to 4 to  | grower 2½ 3 4 Stone growth young 15 i 18 i 2 anese eds we 2½ 3 4 5   | ustrian Pine. 60'-70' r. Good for backgrou t. t t Pine. 20'-25' Thin give soft texture. Sy Grows slowly—qui t. ct Red Pine. 40'-50' L l at seashore—grows r t. t.   | nd—thrives  bluish-gree mmetrical te hardy.  ong bright ather quickl   | at seashore. 3.00 4.00 6.00 en needles and blunt pyramid 3.00 4.00 5.00 green needles. y. 3.00 4.00 5.00 6.00  |
| PINUS nigra<br>cembra.<br>densiflor | See P (austria dense 2 to 21½ to 5 to 11½ to a. Jape Succe 2 to 21½ to 3 to 4 to aculifera  | grower 2½ 3 4 8 5 one growth young 15 is 18 is 2 anese eds we 2½ 3 4 5 14 5 15 15 15 15 15 15 15 15 15 15 15 15 1  | ustrian Pine. 60'-70' r. Good for backgrou t t t Pine. 20'-25' Thin give soft texture. Sy . Grows slowly—qui t Red Pine. 40'-50' L l at seashore—grows r t t t t t t  | nd—thrives  bluish-gree mmetrical ite hardy.  ong bright ather quickl  | at seashore. 3.00 4.00 6.00 en needles and blunt pyramid 3.00 4.00 5.00 green needles. y. 3.00 4.00 5.00 6.00 7ree. 3'-4' A  |
| PINUS nigra<br>cembra.<br>densiflor | See Pa (austria dense 2 to 2½ to 3 to Swiss close when 12 to 1½ to a. Jape Succe 2 to 2½ to 3 to 4 to 4 dwarf   | grower 2½ 3 4 Stone growth young 15 is 18 is 2 anese eds we 2½ 3 4 5 to 1 (Take a transfer of the stone of th | ustrian Pine. 60'-70' r. Good for backgrou t t t  | bluish-gree mmetrical te hardy.  ong bright ather quickl   | at seashore. 3.00 4.00 6.00 en needles and blunt pyramid 3.00 4.00 5.00 green needles. y. 3.00 4.00 5.00 6.00 6.00 6.01 Att-topped table-  |
| PINUS nigra<br>cembra.<br>densiflor | See Pa (austria dense 2 to 2½ to 3 to Swiss close when 12 to 15 to 1½ to a. Japa Succe. 2 to 2½ to 3 to 4 to aculifera dwarf like by  | grower 2½ 3 4 Stone growth youn 15 i 18 i 2 anese eds we 2½ 3 4 5 i. (Ta variet ush.   | ustrian Pine. 60'–70' r. Good for backgrou t t Pine. 20'–25' Thin give soft texture. Sy Grows slowly—qui t. Red Pine. 40'–50' L l at seashore—grows r t. t. t. unyosho). Japanese U y in which the branche handsome and useful  | nd—thrives  bluish-gree mmetrical lite hardy.  ong bright ather quickl   | at seashore. 3.00 4.00 en needles and blunt pyramid 3.00 4.00 5.00 green needles. y. 3.00 4.00 5.00 6.00 ree. 3'-4' A attopped table-green.  |
| PINUS nigra<br>cembra.<br>densiflor | See Pa (austria dense 2 to 2½ to 3 to Swiss close when 15 to 1½ to a. Japa Succe 2 to 5 to 4 to aculifera dwarf like bu 15 to to 5 to to 5 to 5 to 5 to 5 to 5  | grower  2½ 3 4 Stone growth youn 15 i 18 i 2 anese eds we 2½ 3 4 5 1. (Ta variet ush. 18 i   | ustrian Pine. 60'-70' r. Good for backgrou t. t. Pine. 20'-25' Thin give soft texture. Sy Grows slowly—qui h. t. Red Pine. 40'-50' L l at seashore—grows r t. t. nyosho). Japanese L y in which the branche h handsome and useful   | bluish-greemmetrical te hardy.  ong bright ather quicklather quicklather form a flet dwarf even                      | at seashore. 3.00 4.00 en needles and blunt pyramid 3.00 4.00 5.00 green needles. y. 3.00 4.00 5.00 6.00 'ree. 3'-4' A at-topped table-igreen. 6.00                                |
| cembra.  densiflor  — umbra         | See P (austria dense 2 to 2½ to 3 to Swiss close when 12 to 15 to a. Japu Succe 2 to 2½ to 3 to 4 to aculifera dwarf like bills to 1½ to 1  | grower 2½ 3 4 Stone growth young 15 i 18 i 2 anese eds we 2½ 3 4 5 ta. (Tavariet ush. 18 i 2   | ustrian Pine. 60'-70' r. Good for backgrou t. t. Pine. 20'-25' Thin give soft texture. Sy Grows slowly—qui t. Red Pine. 40'-50' L l at seashore—grows r t. t. t. nyosho). Japanese U y in which the branche A handsome and useful t.  | bluish-gree mmetrical ite hardy.  ong bright ather quickl  mbrella T s form a flat dwarf even                        | at seashore. 3.00 4.00 6.00 en needles and blunt pyramid 3.00 4.00 5.00 green needles. y. 3.00 4.00 5.00 6.00 Free. 3'-4' A at-topped table-green. 6.00 7.50                       |
| cembra.  densiflor  — umbra         | See Pa (austria dense 2 to 2½ to 3 to 1½ to 15 to 1½ to a. Jape Succe 2 to 2½ to 3 to 4 to 4 to 1½ to 4 to 1½ to 4 to 4 to 1½ to 4 to 4 to 1½ t  | grower 2½ 3 4 Stone growth youn 115 i 18 i 2 anese eds we 2½ 3 4 t . (Ta variet ush. 18 i 2 i variet ush. 18 i 10 i 11 i 11 i 12 i 13 i 14 i 15 i 16 i 17 i 18 i 18 i 18 i 18 i 19 i 10   | ustrian Pine. 60'-70' r. Good for backgrou t  | bluish-gree mmetrical ite hardy.  ong bright ather quickl  mbrella T s form a fla dwarf even  rms a roun lation work | at seashore. 3.00 4.00 6.00 en needles and blunt pyramid 3.00 4.00 5.00 green needles. y. 3.00 4.00 5.00 6.00 6.00 7.ree. 3'-4' A att-topped table-green. 6.00 7.50 d-topped bush. |
| cembra.  densiflor  — umbra         | See Paragrams (austria dense 2 to 2½ to 3 to 5 swiss close when 12 to 1½ to a. Japa Succe. 2 to 2½ to 3 to 4 to acculifera dwarf like bit 15 to 1½ to a mughu Useful 2 to 12 t  | grower 2½ 3 4 4 8 5 tone growth young 118 i i 2 annese eds we 2½ 3 4 5 5 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1   | ustrian Pine. 60'–70' r. Good for backgrou t. t. t. Pine. 20'–25' Thin give soft texture. Sy Grows slowly—qui t. Red Pine. 40'–50' L l at seashore—grows r t. t. t. nyosho). Japanese U y in which the branche A handsome and useful t. gho Pine. 2½'–3' Fo pock planting and found | bluish-gree mmetrical te hardy.  ong bright ather quickl  mbrella 1 s form a fla dwarf ever                          | at seashore. 3.00 4.00 6.00 en needles and blunt pyramid 3.00 4.00 5.00 green needles. y. 3.00 4.00 5.00 6.00 7.ee. 3'-4' A attopped table-green. 6.00 7.50 d-topped bush.         |
| cembra.  densiflor  — umbra         | See Paragrams of Survival Surv  | grower 2½ 3 4 Stone growth youn, 15 i 2 anese eds we 2½ 3 4 5   1. (Ta variet ush. 18 i 2 l 16 for r 15 i 18 i   | ustrian Pine. 60'-70' r. Good for backgrou t. t. Pine. 20'-25' Thin give soft texture. Sy Grows slowly—qui h. t. Red Pine. 40'-50' L l at seashore—grows r t. t. nyosho). Japanese L y in which the branche h handsome and useful t. gho Pine. 2½'-3' Fo pck planting and found h.  | bluish-greemmetrical lite hardy.  ong bright ather quickles form a flated dwarf even lation work.                    | at seashore. 3.00 4.00 en needles and blunt pyramid 3.00 4.00 5.00 green needles. y. 3.00 4.00 5.00 6.00 7.ee. 3'-4' A at-topped table-green. 6.00 7.50 d-topped bush. 3.00 4.00   |
| cembra.  densiflor  — umbra         | See Paragrams (austria dense 2 to 21½ to 3 to 11½ to 15 to 11½ to 21½ to 3 to 2½ to 3 to 4 to 3 to 4 to 4 to 4 to 11½ to 11½ to 1 mughu Useful 2 to 11½ to 1  | growe 22/3 3 4 Stone growth young 15 i 18 i 2 2 annese eds we 23/4 5 5 t (Tz variet ush. 18 i 2 s.s. Mu il for r 15 i 18 i 2 2   | ustrian Pine. 60'–70' r. Good for backgrou t. t. t. Pine. 20'–25' Thin give soft texture. Sy Grows slowly—qui t. Red Pine. 40'–50' L l at seashore—grows r t. t. t. nyosho). Japanese U y in which the branche A handsome and useful t. gho Pine. 2½'–3' Fo pock planting and found | bluish-gree mmetrical ite hardy.  ong bright ather quickl  mbrella 1 s form a fla dwarf even  rms a roun lation work | at seashore. 3.00 4.00 6.00 en needles and blunt pyramid 3.00 4.00 5.00 green needles. y. 3.00 4.00 5.00 6.00 7.ee. 3'-4' A attopped table-green. 6.00 7.50 d-topped bush.         |

| 42 EVERGREENS A  | ND CONIFERS   |
|--|---|
| $\frac{21}{2}$ to 3 ft   | 80' Vigorous. Each Per 10<br>\$2.50<br>3.50<br>5.00   |
| resinosa. Red Pine. 50'-60' I  | Rich green stiff needles, reddish-brown   |
| $2\frac{1}{2}$ to 3 ft   | netrical grower. 3.00 4.00 5.00   |
| rigida. Pitch Pine. 40'-50' Irr<br>dry. poor soil and seas                       | egular, picturesque habit. Useful for nore planting—quick grower.                               |
| 3 to 4 ft  | 3.00<br>4.00<br>5.00  |
| useful pine. Very pict 2 to 2½ ft  | Probably our most adaptable and uresque when old. Grows quickly.  2.50  3.50  5.00  7.50  10.00 |
| needles. Does well on  | O' Rather short blue-green twisted poor soils. Picturesque when old.                            |
| 2 to 2½ ft   | 2.00<br>3.50<br>5.00<br>6.00<br>7.00<br>8.50  |
| RETINOSPORA obtusa (CHAMAEO<br>Dark green lusterous fo<br>specimen—fern-like bra | liage—grows slowly. Forms beautiful   |
| $\frac{2}{2}$ to $\frac{2}{2}$ ft  | 3.00<br>4.00<br>5.00<br>7.00  |
| <ul> <li>compacta. Football Cypress</li> <li>Good green during win</li> </ul>    | $2\frac{1}{2}$ '-4' Almost spherical in shapenter—useful in foundation planting.                |
| 15 to 18 in  | 2.00<br>3.00<br>4.00<br>5.00  |
| — crippsi. Cripps Golden Cypro<br>leaved form. Slow gro                          | ess. 10'-12' Particularly good golden owing—hardy   |
| 12 to 15 in  | 2.50<br>3.50<br>5.00<br>6.00  |
| — gracilis. Slender Hinoki (<br>pyramid, rich dark gree                          | Cypress. 12′-15′ Narrow irregular foliage. Slow grower.   |
| $\begin{array}{cccccccccccccccccccccccccccccccccccc$                             | 2.50<br>3.50<br>5.00<br>6.00  |
| 15 to 18 in  | 3.00<br>4.50<br>6.00  |

| DEMINIOS DO L |                  |                  | D                          |                                       | 11.0                                   |                        | Per 10              |
|---------------|------------------|------------------|----------------------------|---------------------------------------|--|------------------------|---------------------|
| RETINOSPO     | A ob             | tusa             | nana. Dw                   | art Hino                              | oki Cypress.                           | . 2'-2½' .<br>zardens  | Forms a             |
|               |                  | 10               |                            |                                       |  | \$2.00                 |                     |
| 8             | to<br>0 to       | 12               |                            |                                       |  | 3.00                   |                     |
| 1             | 0 10             | 1 4              | 111                        |                                       |  | 3.00                   |                     |
| — youngi.     |                  |                  | folden Cyj<br>7 foliage or |                                       | 2'-15' Gra<br>of bush.                 | ceful loos             | e habit,            |
| 1             | ½ to             | 2                | ft                         |                                       |  | 3.00                   |                     |
| 2             | to               | 21/2             |                            |                                       |  | 4.50                   |                     |
| 2             | $\frac{1}{2}$ to | 3                | ft                         |                                       |  | 6.00                   |                     |
| 3             | to               | $3\frac{1}{2}$   | ft                         |                                       |  | 7.50                   |                     |
| 3             | $\frac{1}{2}$ to | 4                | ft                         |                                       |  | 10.00                  |                     |
| -             |                  |                  |                            |                                       | ick grower, l                          |                        |                     |
| 1             |                  | 18               |                            |                                       |  | 2.00                   | \$17.50             |
| 1 2           | $\frac{1}{2}$ to | 2                |                            |                                       |  | 2.50                   | 22.50               |
|               |                  | 3                | ft                         |                                       |  | 3.50<br>5.00           | 32.50               |
| 3             | $\frac{1}{2}$ to |                  |                            |                                       |  | 6.00                   |                     |
|               | ½ to             | $\frac{372}{4}$  |                            |                                       |  | 8.00                   |                     |
| 3             | -                |                  |                            |                                       |  | 0.00                   |                     |
| — aurea.      | Gold<br>especi   | en S<br>ally i   | awara Cyj<br>n spring.     | p <i>ress. 2</i><br>Branches          | 5′–35′ Foli<br>droop when              | age bright<br>1 older. | yellow,             |
| 1.            | 5 to             | 18               | in                         |                                       |  | 2.50                   | 22.50               |
| 1             | ½ to             | 2                | ft                         | ·····                                 |  | 3.00                   | 27.50               |
| 2             | to               | $2\frac{1}{2}$   | ft                         |                                       |  | 4.50                   | 40.00               |
| 2             | $\frac{1}{2}$ to | 3                | ft                         |                                       |  | 6.00                   |                     |
| 3             | to               | $3\frac{1}{2}$   | ft                         |                                       | ······································ | 7.00                   |                     |
| plumosa.      | Plum<br>ture.    |                  | press. 25<br>ul for shea   | '–35' Fo                              | orms a dense<br>formal shap            | cone of f              | ine tex-            |
| 13            | 2 to             | 15               | in                         |                                       |  | 1.75                   | 15.00               |
| 1:            |                  | 18               | in                         |                                       |  | 2.00                   | 17.50               |
|               | $\frac{1}{2}$ to | 2                |                            |                                       |  | 2.50                   | 22.50               |
| 2             | to               | $2\frac{1}{2}$   | ft                         |                                       |  | 3.50                   | 32.50               |
| 2             | $\frac{1}{2}$ to | 3                | ft                         |                                       |  | 5.00                   | 45.00               |
| 3             | to               |                  |                            |                                       |  | 6.00                   |                     |
| 5             | $\frac{1}{2}$ to | 4                | ft                         | ·····                                 |  | 8.50                   |                     |
| — aurea.      |                  |                  | ume Cypre                  |                                       | -25' Has ye                            | ellow leave<br>2.00    | es.<br>17.50        |
| 13            |                  |                  |                            |                                       |  | 2.50                   | 22.50               |
|               | ½ to             | 2                |                            |                                       |  | 3.50                   | 32.50               |
| 2             | to               |                  | ft                         | · · · · · · · · · · · · · · · · · · · |  | 5.00                   | 47.50               |
| 2             | ½ to             | 3                | ft                         |                                       |  | 6.00                   |                     |
| 3             | to               | $3\frac{1}{2}$   |                            |                                       |  | 8.00                   |                     |
| — lutescen    |                  |                  |                            |                                       | press. $2\frac{1}{2}$ -ght yellow t    |                        | s a low<br>nchlets. |
| 10            | ) to             | 12               | in                         |                                       |  | 2.00                   | 17.50               |
| 12            |                  |                  |                            |                                       |  | 3.00                   | 27.50               |
| 1.5           |                  |                  |                            |                                       |  | 4.00                   | 37.50               |
| i i           | 1/2 to           | 2                |                            |                                       |  | 5.00                   | 01.00               |
| 2             | to               |                  |                            |                                       |  | 7.50                   |                     |
| filifera. Th  |                  | Cypro            | ess. 15'-20'               | Has lon                               | ig, stringy, d<br>ful and deco         |                        | ranches             |
|               |                  | _                | _                          | , ,                                   |  |                        |                     |
| 15            |                  |                  |                            |                                       |  | 2.50                   |                     |
| 2             | ½ to             | 21/              |                            |                                       |  | 3.50                   |                     |
|               | to<br>½ to       | 3                |                            |                                       |  | 5.00                   |                     |
| 3             | ½ to<br>to       | -                |                            |                                       |  | 6.50<br>8.00           |                     |
| 31            | ½ to             | $\frac{37_2}{4}$ |                            |                                       |  | 10.00                  |                     |
| 3;            | /2 10            | -1               |                            |                                       |  | 10.00                  |                     |

| t t  |                             | EVEN              | GREENS AND C          | ONIFERS     | )                   |                  |                  |
|------|-----------------------------|-------------------|-----------------------|-------------|---------------------|------------------|------------------|
|      |                             |                   |                       |             | E                   | ach              | Per 10           |
| RETI | NOSPORA                     | filifera          | aurea. Golden Ti      | hread Cvi   | ress.               | 10'-12           | Bright           |
|      | со                          | nspicuo           | us golden yellow.     | Grows slo   | wer th              | an pre           | eceding.         |
|      |                             | to 12             | in                    |             |                     | 2.50             |                  |
|      | 12                          | to 15             |                       |             |                     | 3.00             |                  |
|      | 15                          |                   | in                    |             |                     | 4.00             |                  |
|      | 1 1/2                       |                   | ft                    |             |                     | 6.00             |                  |
|      | 2                           | to $2\frac{1}{2}$ | ft                    |             |                     | 7.50             |                  |
|      | $2\frac{1}{2}$              | to 3              | ft                    |             | 1                   | 0.00             |                  |
| -    | – nova <u>.</u>             | Varieg            | ated Thread Cypr      | ess. 10'-1. | 2′ Bra              | inches           | are var-         |
|      |                             |                   | en and yellow. R      |             |                     |                  | •                |
|      | 15                          | to 18             | in                    |             |                     | 3.50             |                  |
|      | 1 ½                         |                   | ft                    |             |                     | 5.00             |                  |
| s    | quarrosa vei                |                   | Veitch Moss Cypre     |             |                     |                  |                  |
|      |                             |                   | and dense, giving s   |             | appea               | rance.           | Broad            |
|      |                             |                   | outline when your     | _           |                     |                  |                  |
|      | 12                          |                   | in                    |             |                     | 2.00             | 17.50            |
|      | 15                          | to 18             | in                    |             |                     | 2.50<br>3.00     | 22.50<br>27.50   |
|      | $\frac{1}{2}^{\frac{1}{2}}$ | to 21/3           | ft<br>ft              |             |                     | 4.00             | 37.50            |
|      | $\frac{2}{2}\frac{1}{2}$    | to 3              | ft                    |             |                     | 5.00             | 37.30            |
|      | 3                           | to $3\frac{1}{2}$ | ft                    |             |                     | 7.00             |                  |
|      | 31/2                        |                   | ft                    |             |                     | 9.00             |                  |
|      | — sulphurea.                |                   | hur Moss Cypress.     |             |                     | r in gr          | owth to          |
|      |                             |                   | ut has light yellow   |             |                     | 6.               |                  |
|      | 12                          |                   | in                    |             |                     | 2.00             | 17.50            |
|      | 15                          |                   | in                    |             |                     | 2.50             | 22.50            |
|      | 1 1/2                       | to 2              | ft                    |             |                     | 3.00             | 27.50            |
|      | 2                           | to $2\frac{1}{2}$ | 🤅 ft                  |             |                     | 4.00             | 37.50            |
|      | $\frac{21}{2}$              | to 3              | ft                    |             |                     | 5.00             |                  |
|      | 3                           |                   | ft                    |             |                     | 7.50             |                  |
| t    |                             |                   | Andely Cypress.       |             |                     |                  | ar habit         |
|      |                             | -                 | from ground. Blu      |             | _                   |                  |                  |
|      | $1\frac{1}{2}$              |                   | ft                    |             |                     | 2.50             |                  |
|      | 2                           |                   | g ft                  |             |                     | 3.50             |                  |
| -    | — — ericoid                 |                   | eath Retinospora.     |             |                     |                  | e leaves,        |
|      | gi                          | ving wo           | ooly effect—forms a   | round bro   | oad bu              | sh.              |                  |
|      | 12                          | to 15             |                       |             |                     | 1.50             | 12.50            |
|      | 15                          | to 18             |                       |             |                     | 2.00             | 17.50            |
|      | $\frac{1\frac{1}{2}}{2}$    |                   | ft                    |             |                     | 2.50             | 22.50            |
|      | _                           |                   | ź ft                  |             |                     | 3.30             |                  |
| RHO  | DODENDR                     | ON. I             | Iybrid Rhododendı     | ron. 3'-8   | ,                   |                  |                  |
| 1    | Album elega                 | ns. Bl            | ash pink to white.    | Tall.       | 1½ to               | 2 f              | t 5.00           |
| I    | Delicatissimu               |                   | esh pink.             | - 1         |                     |                  | t 6.50           |
|      | Catawbiense                 |                   | -                     | }           | $2\frac{1}{2}$ to   |                  | t 8.00           |
|      |                             |                   | lorum. Rich laven     |             |                     |                  | 110.00           |
| •    | Catawbiense                 | granun            | iorum. Rich laven     | idei.       | 3 10                | 372 1            | 110.00           |
| (    | Caractacus.                 | Crimso            | n, tinged purple.     | )           |                     |                  |                  |
| (    | Charles Dick                | ens. F            | lich scarlet.         |             |                     |                  |                  |
| (    | Charles Bagl                | ev. D             | ep scarlet.           |             | 15 to               |                  | n 5.00           |
|      | General Gra                 |                   | -                     | \           | $1\frac{1}{2}$ to   | 2 f              | t 6.50           |
|      |                             |                   | m. Bright Carmin      | , (         | 2 to                | $2\frac{1}{2}$ f | t 8.00           |
|      | Roseum eleg                 |                   |                       |             | $2\frac{1}{2}$ to   | 3 f              | t10.00           |
|      |                             |                   |                       | i           |                     |                  |                  |
| ,    | Roseum supe                 | erbum.            | Kosy red.             | J           |                     |                  |                  |
|      |                             |                   |                       | )           | 12 to               | 15 i             | n 5.00           |
| 1    | Boule de Ne                 | ige. P            | ure white. Dwarf.     |             |                     |                  | n 6.50           |
|      |                             | -0                | >                     | (           |                     | 1                |                  |
|      | Everestianun                | n Ros             | v lilac vellow thros  | at ſ        | 11/2 to             | 2 f              | t. 8.00          |
| ,    | Everestianun                | n. Ros            | y lilac, yellow throa | at.         | $1\frac{1}{2}$ to 2 |                  | t 8.00<br>t10.00 |

| EVERGREENS AND CONFERS  |                                       | 43  |
|---|---------------------------------------|---|
| RHODODENDRON. carolinianum. Carolina Rhodo<br>Bright pink flowers, May-Iune. Compact,<br>fairly open places. Nursery Grown Clum                 | bushy.<br>ps.                         | . 4'-6'                                   |
| 12 to 15 in   | \$4.00<br>5.00<br>6.00                |   |
| — album. White Carolina Rhododendron. 4'-6'<br>but has white flowers. Foliage slightly larg<br>Nursery Grown Clumps.                            | Similar<br>ger.                       | to type                                   |
| 12 to 15 in   | 4.00<br>5.00                          |   |
| catawbiense. Catawba Rhododendron. 6'-9' L<br>flowers, May-June. Deep green leaves. P<br>Nursery Grown Clumps.                                  | arge ros<br>refers ha                 |   |
| 12 to 18 in   | 5.00<br>6.00                          | \$37.50<br>45.00<br>55.00                 |
| maximum. Rosebay Rhododendron. 8'-12' Bear<br>flowers freely produced in May-June.<br>foliage—most effective in masses.<br>Nursery Grown Clumps | utiful lig<br>Large ha                | ht pink<br>indsome                        |
| 1 to 1½ ft  | 3.00<br>4.50<br>5.00<br>6.00          | 27.50<br>40.00<br>45.00<br>55.00          |
| TAXUS baccata compacta. $3'-4'$ Neat, compact, short of 15 to 18 in   | 3.00<br>4.00<br>5.00                  |   |
| erecta. Shortleaf English Yew. 3'-5' Compact dark green leaves crowded on branches.  15 to 18 in  | 3.00                                  | it. Stiff                                 |
| - 1½ to 2 ft<br>— repandens. Spreading English Yew. 1½'-2' Spreading English Yew. Good for low  | 4.00<br>eading ho<br>planting.        | orizontal                                 |
| 12 to 15 in   | 2.50<br>3.50<br>5.00                  | 22.50<br>32.50<br>45.00                   |
| canadensis. Canada Yew. 2'-2½' Spreading habit, l<br>Prefers shade—good for underplanting. F  | ruits freel                           | у.  |
| $\begin{array}{cccccccccccccccccccccccccccccccccccc$  | 2.50<br>3.50<br>5.00<br>6.00          | 22.50<br>32.50<br>45.00                   |
| cuspidata. Japanese Yew. 4'-5' (Spreading form.)<br>leaves – spreading, bushy. Valuable for fou   | Rich das<br>ndation p                 | rk green<br>olanting.                     |
| 12 to 15 in   | 2.50<br>3.50<br>5.00<br>7.50<br>10.00 | 22.50<br>32.50<br>45.00<br>70.00<br>90.00 |
| <ul> <li>mana (brevifolia). Dwarf Japanese Yew. 2'-3' Br<br/>blackish green. Slow growing, irregular, sp</li> </ul>                             | oad thick<br>reading.                 | leaves,                                   |
| 10 to 12 in   | 2.50<br>3.00<br>4.00<br>6.00          | 22.50<br>27.50<br>37.50<br>55.00          |

| 46          | EV                                | ERC                    | JREENS A                   | AND CC     | NIFER      | 5           |                      |                        |
|-------------|-----------------------------------|------------------------|----------------------------|------------|------------|-------------|----------------------|------------------------|
|             |                                   |                        |                            |            |            |             | Each                 | Per 1                  |
| ΓHUJA lobbi | atrovire                          | ns.                    | Rich shini:                | ng deep g  | reen fles  | hy lea      | ives.                |                        |
| •           | $1\frac{1}{2}$ to                 |                        | ft                         |            |            |             | \$3.00               | \$27.5                 |
|             | 2 to                              | 21/2                   | ft                         |            |            |             | 4.00                 | 37.5                   |
|             | $2\frac{1}{2}$ to                 | 3 ~                    | ft                         |            |            |             | 5.00                 |                        |
| oggidant    | alie An                           | naria                  | an Arbori                  | vitaa 1    | 5' 20' 9   | Slanda      | r nuran              | sid wi                 |
| occidenta   |                                   |                        | Bronzy                     |            |            |             |                      |                        |
|             |                                   |                        |                            |            |            | Guuu        | accent               | ріані                  |
|             |                                   |                        | . Amenab                   |            |            |             | 0.00                 |                        |
|             | $1\frac{1}{2}$ to                 |                        | ft                         |            |            |             | 2.00                 | 17.5                   |
|             | 2 to                              | 7/2                    | ft                         |            |            |             | 2.50                 | 22.5                   |
|             | $\frac{2\frac{1}{2}}{3}$ to       | 3                      | ft ft                      |            |            |             | 3.50<br>5.00         | 32.5<br>45.0           |
|             | $3\frac{1}{2}$ to                 | 4                      | ft                         |            |            |             | 6.00                 | 43.0                   |
|             | 4 to                              | 5                      | ft                         |            |            |             | 8.50                 |                        |
| 1           |                                   | - 1                    | ıbia Arbo                  |            |            |             |                      | د.                     |
| — colum     |                                   |                        | te. Forma                  |            |            |             | nes upp              | ea wi                  |
|             | 1½ to                             |                        | ft                         |            |            |             | 3.00                 |                        |
|             | $\frac{1}{2}$ to                  |                        | ft                         |            |            |             | 4.0C                 |                        |
|             | $2\frac{1}{2}$ to                 | 3                      |                            |            |            |             | 5.00                 |                        |
|             | 3 to                              |                        | ft                         |            |            |             | 6.00                 |                        |
| — comp      | shaped<br>10 to<br>12 to<br>15 to | d—br<br>12<br>15<br>18 | ns Dwarf ight green. in in | Useful     | in forma   | al plar<br> | 1.50<br>2.00<br>3.00 | \$12.5<br>17.5<br>27.5 |
|             | $1\frac{1}{2}$ to                 | 2                      | ft                         |            |            | ••••        | 4.00                 |                        |
| dougl       | lasi aurea                        | a. I                   | Douglas G                  | olden Aı   | borvita    | e. 1        | 0'-15'               | A bro                  |
|             | pyram                             | nid w                  | ith golden-                | green foli | age. Mo    | st bea      | autiful ii           | n sprin                |
|             | 1½ to                             | 2                      | ft                         |            |            |             | 3.50                 | •                      |
|             | 2 to                              |                        | ft                         |            |            |             | 5.00                 |                        |
| — alaga     | nticcima                          | G                      | olden Tip                  | and Ar     | horvitaa   | 10          | _15' I               | Branch                 |
| ciegu       |                                   |                        | yellow.                    |            |            |             |                      | Ji arrer               |
|             |                                   |                        | ft                         |            |            |             | 3.00                 |                        |
|             | $1\frac{1}{2}$ to 2 to            |                        | ft                         |            |            |             | 4.00                 |                        |
|             | $\frac{2}{2}\frac{1}{2}$ to       |                        | ft                         |            |            |             | 5.00                 |                        |
|             | 3 to                              |                        | ft                         |            |            |             | 7.50                 |                        |
|             |                                   |                        |                            |            |            |             |                      |                        |
| — ellwa     |                                   |                        | om Thum                    |            |            |             |                      |                        |
|             |                                   |                        | nse habit—<br>mid.    Rich |            |            |             |                      | w bro                  |
|             |                                   |                        |                            |            |            |             |                      |                        |
|             | 12 to                             |                        | in                         |            |            |             | 1.50                 |                        |
|             | 15 to                             | 18                     | in                         |            |            |             | 2.00                 |                        |
|             | $1\frac{1}{2}$ to                 | 2                      | ft                         |            |            |             | 2.50                 |                        |
|             | 2 to                              | $2\frac{1}{2}$         | ft                         |            |            |             | 3.50                 |                        |
| — globo     |                                   |                        | Arborvitae                 |            |            | ul in       | forma                | l wo                   |
|             | Natur                             | _                      | compact gl                 | _          |            |             |                      |                        |
|             | 10 to                             | 12                     | in                         |            |            |             | 2.00                 | 17.                    |
|             | 12 to                             | 15                     | in                         |            |            |             | 2.50                 | 22.                    |
|             | 15 to                             | 18                     | in                         |            |            |             | 3.00                 | 27.                    |
| — hove      | -                                 | -                      | rborvitae.                 |            |            | shape       | nearly               | as bro                 |
|             | as hig                            | gh.                    | Bright gree                | n foliage. |            |             |                      |                        |
|             | 12 to                             | 15                     | in                         |            |            |             | 2.00                 | 17.                    |
|             | 15 to                             | 18                     | in                         |            | ·······    |             | 2.50                 | 22.                    |
|             | 1½ to                             | 2                      | ft                         |            |            |             | 3.50                 |                        |
|             | 1/2 10                            | 4                      |                            |            | •••••••••• |             | 3.50                 |                        |

| EVERGREENS AND CONIFERS  |                     | 47             |
|--|---------------------|----------------|
|  | Each                | Per 10         |
| THUJA occidentalis lutea. Geo. Peabody Arborvitae.   |                     | Con-           |
| spicuous golden yellow form. Columnar o  |                     |                |
| 15 to 18 in  | 2.00                | \$17.50        |
| 1½ to 2 ft   | 3.00                | 27.50          |
| 2 to 2½ ft   | 4.00                | 37.50          |
| 2½ to 3 ft   | 6.00<br>7.50        |                |
| / <u>2</u>   |                     |                |
| <ul> <li>— plicata. Moss Arborvitae. 10'-20' Rich deep bl<br/>Short stiff fern-like branches give pleasing e<br/>shade. Formal pyramid.</li> </ul> |                     |                |
| 15 to 18 in  | 1.50                | 13.50          |
| 1½ to 2 ft   | 2.00                | 17.50          |
| 2 to 2½ ft   | 2.50                | 22.50          |
| $2\frac{1}{2}$ to 3 ft   | 3.50                | 32.50          |
| 3 to 3½ ft   | 5.00                | 47.50          |
| 3½ to 4 ft   | 6.50                |                |
| 4 to 5 ft  | 8.50                |                |
| — pyramidalis. Pyramidal Arborvitae. 15'-30'<br>green coloring throughout winter. Narrow<br>Splendid for accents or formal planting.               | Retains<br>columnai |                |
| 15 to 18 in  | 2.00                | 17.50          |
| 1½ to 2 ft   | 2.50                | 22.50          |
| $\frac{2}{2}$ to $\frac{2}{2}$ ft  | 3.00                | 27.50          |
| 2½ to 3 ft   | 4.00                | 37.50          |
| 3 to 3½ ft   | 5.50                | 50.00          |
| 3½ to 4 ft   | 7.00                | 65.00          |
| 4 to 4½ ft   | 8.50                |                |
| $4\frac{1}{2}$ to 5 ft   | 10.00               |                |
| 5 to 6 ft  | 12.50               |                |
| rock garden. Grows broader than it does in   | -                   | for the        |
| 10 to 12 in  | 2.50                |                |
| 12 to 15 in  | 3.00<br>4.00        |                |
| — rosenthali. Rosenthal Arborvitae. 6'-10' Dense   |                     | lumnar         |
| form. Slow grower—good green in winter.  | 2.00                | 17.50          |
| 12 to 15 in  | 2.00                | 17.50          |
| 15 to 18 in  | 2.50                | 22.50<br>27.50 |
| $1\frac{1}{2}$ to 2 ft   | 3.00<br>4.00        | 37.50          |
| 2 to 2½ ft   | 5.00                | 47.50          |
| 3 to 3½ ft   | 6.00                | 47.50          |
| <ul> <li>spaethi. Spaeth Arborvitae. 2½'-4' Two kinds of like and scaly. Interesting and distinct.</li> </ul>                                      |                     | -heatn-        |
| 1½ to 2 ft   | 2.50                |                |
| — umbraculifera. Umbrella Arborvitae. 2'–3' Par<br>low mushroom shaped form with rich green  |                     | good—          |
| 12 to 15 in  | 2.50                |                |
| 15 to 18 in  | 3.50                |                |
| $1\frac{1}{2}$ to 2 ft   | 5.00                |                |
| <ul> <li>vervaeneana. Vervaene Arborvitae. 8'-12' Va<br/>yellow foliage, bronzy in winter—broadly p</li> </ul>                                     |                     | greenish       |
| $1\frac{1}{2}$ to 2 ft   | 2.50                | 22.50          |
|  |                     |                |
| 2 to $2\frac{1}{2}$ ft   | 3.50                | 32.50          |
| $2\frac{1}{2}$ to $3^{2}$ ft   | 3.50<br>5.00        | 32.50<br>45.00 |
| 2½ to 3 ft   | 5.00<br>6.00        |                |
| $2\frac{1}{2}$ to $3^{2}$ ft   | 5.00                |                |

Each

| THILLA condidents   |  | Each   |   |
|---|--|--|---|
| THOJA occidenta   | lis ware   | e <mark>ana (sibirica).</mark> Siberian Arborvitae<br>n fleshy foliage. Broadly pyramidal, rug   | . 12'-15'   |
|   |  | in \$2.00  |   |
|   | to 2   | ft   |   |
| 2   | to $2\frac{1}{2}$                                  | ft 3.50  |   |
|   | to 3   | ft 5.00  |   |
| 3 1   | to $3\frac{1}{2}$ to $4$                           | ft   |   |
| 3½  | 10 4   | ft 10.00   | J   |
| orientalis (BI  |  |  | ther stiff  |
|   |  | habit, bright green foliage, bronze in   |   |
|   |  | nt plant. Grows quickly, can be clipped in   |   |
| 1½  |  | ft 1.7   |   |
| 2   | to $2\frac{1}{2}$                                  | ft 2.50  |   |
| $2\frac{1}{2}$  | to 3   | ft 3.50  |   |
| 3   | to $3\frac{1}{2}$                                  | ft 5.00  |   |
| 3½<br>4   | to 4<br>to 5                                       | ft   |   |
|   |  | 10.00  |   |
|   |  |  |   |
|   |  | BIOTA). Goldspire Arborvitae. 7' 8 spring, bronze yellow in winter.  | B' Golden   |
|   |  | in   | 1   |
| 1 ½   | to 2   | ft 3.50  |   |
| 2   | to $2\frac{1}{2}$                                  | ft 5.00  |   |
| , ,   | to 3   | ft   |   |
| 3   | to $3\frac{1}{2}$                                  | ft 10.00   | )   |
| — compacta  | (ВІОТА   | ). Siebold Arborvitae. 3'-4' Forms   | a compact   |
|   |  | d specimen. Good fresh green color.  | <b>-</b>  |
|   | to 15  | in   | 0   |
|   | to 18  | in   |   |
| 1 ½   |  | ft   | _   |
| — elegantiss<br>As  |  | IOTA). Yellow Column Arborvito ich deep golden bronze color in winter.   | ie. 7'-8'   |
|   |  | in   | 0   |
| 1 1/2   |  | ft   |   |
| 2   |  | ft 5.0   | 0   |
|   | to 3   | ft   |   |
| 3   | 4- 71/   |  | 0   |
| 31/   | to $3\frac{1}{2}$                                  | ft 10.0  | 0<br>0  |
|   | ft   | ft   | 0<br>0<br>0   |
| — nana aurea<br>for   | ft<br>a (BIOT<br>r dwarf                           | ft 10.00 12.50 12. | 0<br>0<br>0<br>-3' A gem<br>arm golden  |
| — nana aurea<br>for<br>ye   | fta (BIOT<br>r dwarf<br>llow foli                  | ft 10.00 12.50 12. | 0<br>0<br>0<br>-3' A gem<br>urm golden<br>nd edging.  |
| — nana aurea<br>for<br>yel<br>6   | ft<br>a (BIOT<br>r dwarf                           | ft 10.00 12.50 12. | 0<br>0<br>0<br>-3' A gem<br>urm golden<br>nd edging.<br>0 13.50   |
| — nana aurea<br>for<br>yel<br>6<br>8<br>10                                    | ft   | ft 10.00 12.50 12. | 0<br>0<br>0<br>0<br>-3' A gem<br>urm golden<br>nd edging.<br>0 13.50<br>0 17.50<br>0 22.50                            |
| — nana aurea<br>for<br>yel<br>6<br>8<br>10<br>12                              | fta (BIOT r dwarf llow foli to 8 to 10 to 12 to 15 | ft 10.00 12.50 12. | 0<br>0<br>0<br>0<br>-3' A gem<br>urm golden<br>nd edging.<br>0 13.50<br>0 17.50<br>0 22.50<br>0 27.50                 |
| — nana aurea<br>for<br>yel<br>6<br>8<br>10<br>12<br>15                        | ft   | ft 10.00 12.50  A). Beckman Golden Arborvitae. 2½ planting—compact roundish shape, wa age. Especially good for formal work a in 1.5 in 2.00 in 2.55 in 3.00 in 4.00  | 0<br>0<br>0<br>0<br>-3' A gem<br>urm golden<br>nd edging.<br>0 13.50<br>0 17.50<br>0 22.50<br>0 27.50<br>0 37.50      |
| — nana aurea<br>for<br>yel<br>6<br>8<br>10<br>12<br>15<br>1½                  | ft   | ft 10.00 12.50  A). Beckman Golden Arborvitae. 2½′ planting—compact roundish shape, wa age. Especially good for formal work a in 1.50 in 2.00 in 2.50 in 3.00 in 4.00 5.00   | 0<br>0<br>0<br>0<br>-3' A gem<br>urm golden<br>nd edging.<br>0 13.50<br>0 22.50<br>0 27.50<br>0 37.50                 |
| - nana aurea for yel 6 8 10 12 15 1½ TSUGA canaden                            | ft   | ft 10.00 12.50  A). Beckman Golden Arborvitae. 2½′ planting—compact roundish shape, wa age. Especially good for formal work a in 1.5 in 2.00 in 2.55 in 3.00 in 4.00 5.00 anada Hemlock. 75′-90′ Most gra  | 0<br>0<br>0<br>0<br>-3' A gem<br>urm golden<br>nd edging.<br>0 13.50<br>0 17.50<br>0 22.50<br>0 37.50<br>0 aceful and |
| — nana aurea for yel 6 8 10 12 15 1½  TSUGA canaden                           | ft   | ft 10.00 12.50  A). Beckman Golden Arborvitae. 2½′ planting—compact roundish shape, wa age. Especially good for formal work a in 1.50 in 2.00 in 2.50 in 3.00 in 4.00 5.00   | 0<br>0<br>0<br>0<br>0<br>0<br>13.50<br>0 13.50<br>0 17.50<br>0 22.50<br>0 27.50<br>0 37.50<br>0 cceful and            |
| — nana aurea for yel 6 8 10 12 15 1½  TSUGA canaden                           | ft   | ft 10.00 12.5°  A). Beckman Golden Arborvitae. 2½' planting—compact roundish shape, wa age. Especially good for formal work a in 1.5 in 2.00 in 2.5 in 3.00 in 4.00 5.00 anada Hemlock. 75′-90′ Most grathe spreading horizontal branches making the spreading the spreading horizontal branches making the spreading  | O O O O O O O O O O O O O O O O O O O   |
| — nana aurea for yel 6 8 10 12 15 1½  TSUGA canaden add sha 1½ 2              | ft   | ft 10.00 12.5°  (A). Beckman Golden Arborvitae. 2½' planting—compact roundish shape, wa age. Especially good for formal work a in 2.00 in 2.50 in 3.00 in 4.00 in 5.00 anada Hemlock. 75′-90′ Most grathe spreading horizontal branches makin fects. Useful as clipped hedge or informa ft. 3.00 ft. 4.00  | 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0   |
| - nana aurea for yel 6 8 10 12 15 1½ TSUGA canaden ad: sha                    | ft   | ft 10.00 12.5°  (A). Beckman Golden Arborvitae. 2½′ planting—compact roundish shape, wa age. Especially good for formal work a in 1.5° in 2.00 in 2.5° in 3.00 in 4.00 5.00 anada Hemlock. 75′–90′ Most grathe spreading horizontal branches making fects. Useful as clipped hedge or information ft. 3.00 ft. 4.00 ft. 5.00 ft. 5.00  | 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0   |
| - nana aurea for yel 6 8 10 12 15 1½  TSUGA canaden ada sha  1½ 2 2 ½ 3       | ft   | ft   | 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0   |
| - nana aurea for yel 6 8 10 12 15 1½ TSUGA canaden add sha 1½ 2 2½ 3 3½ 4     | ft   | ft 10.00 12.5°  (A). Beckman Golden Arborvitae. 2½′ planting—compact roundish shape, wa age. Especially good for formal work a in 1.5° in 2.00 in 2.5° in 3.00 in 4.00 5.00 anada Hemlock. 75′–90′ Most grathe spreading horizontal branches making fects. Useful as clipped hedge or information ft. 3.00 ft. 4.00 ft. 5.00 ft. 5.00  | 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0   |
| - nana aurea for yel 6 8 10 12 15 1½  TSUGA canaden add sha  1½ 2 2 2½ 3 3⅓ 4 | ft   | ft         10.00           12.5°           A). Beckman Golden Arborvitae. 2½'           planting—compact roundish shape, wa           age. Especially good for formal work a           in         1.5           in         2.00           in         3.00           in         4.00           in         5.00           anada Hemlock. 75'-90' Most grathe spreading horizontal branches making fects. Useful as clipped hedge or informates.         3.00           ft         3.00           ft         4.00           ft         5.00           ft         6.00           ft         5.00   | 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0   |

Each Per 10

| TSUGA caroliniana. | Carolina   | Hemlock.   | 50'-60'  | Particularly fir | ne evergreen |
|--------------------|------------|------------|----------|------------------|--------------|
| with               | horizontal | branches a | nd thick | green leaves—    | very hardy.  |

| 2    | to | $2\frac{1}{2}$ | ft | \$6.00 |
|------|----|----------------|----|--------|
| 21/2 | to | 3              | ft | 8.00   |
| 3    | to | 31/3           | ft | 10.00  |

| 9  | to | 12  | in | 1.00 |
|----|----|-----|----|------|
| 12 | to | 1.5 | in | 1.50 |

YUCCA filamentosa. Adam's Needle. 2'-3' Long lance-like leaves. Tall flower spike grows up quickly in June-July. Numerous creamy flowers and general appearance give tropical effect. Useful for massing with either evergreens or shrubbery.

|   |       | , | • | - |    | -    |
|---|-------|---|---|---|----|------|
| 2 | yr.** |   |   |   | 35 | 2.50 |

## Landscape Suggestions



While we cannot undertake to do any planting or landscape designing directly with our staff, we are always in close touch with competent landscape men and will gladly co-operate with you in arranging appointments.

### Herbaceous Perennials.

25c each; \$2.00 ten \$18.00 hundred, except where noted.

\* indicates plants suitable for rocky or alpine gardens.

ACHILLEA ageratum. Sweet Yarrow. 2' Yellow, June-Sept. ptarmica Boule de niege. Ball of Snow Yarrow. 18" White, June-Sept. — flore pleno. 2' White, June-Sept.

ACONITUM fischeri. Azure Monkshood.  $2\frac{1}{2}$  Dark blue, Sept.–Oct.

ALTHAEA. Hollyhock. 5' Assorted, single and double, July-Aug.

\*ALYSSUM saxatile compactum. Dwarf Golden Tuft. 1' Yellow, April.

ANCHUSA italica. Italian Bugloss. 3' Blue, June-Sept.

ANTHEMIS tinctoria Kelwayi. Kelway Camomile. 2' Yellow, June-Oct. AQUILEGIA coerulea. Colorado Columbine. 18" Blue and white, May. formosa truncata. California Hybrids. 2' Various colors, May-June.

\*ARABIS alpina. Alpine Rock Cress. 6" White, April-May. ARMERIA. See STATICE, page 55.

\*ASTER alpinus. Rock Aster. 8" Lilac, May-June.

BAPTISIA australis. Blue Indigo. 3' May-June.

\*BELLIS perennis. English Daisy. 5" Pink, May. \*— monstrosa. English Daisy. 5" Pink, May.

- nana. Dwarf Pinkray Boltonia. 2' Light pink, Aug.-Sept.

CAMPANULA \*carpatica. Carpathian Bellflower. 6" Light blue, July.

\*— alba. White Carpathian Bellflower. 6" White. July-Aug. glomerata. Danesblood. 18" Dark blue. June-July.

medium. Canterbury Bells. 2' Blue, pink, white. June.

— calycanthema. Cup and Saucer. 2' Blue, pink, white. June. persicifolia. Peach-leaved Bellflower. 2' Blue. June–July.

— alba. White Peach-leaved Bellflower. 2' White. June-July. LANDRINIA umbellata. Peruvian Rock Purslane. 6'' Purplisl

\*CALANDRINIA umbellata. Peruvian Rock Purslane. 6" Purplish crimson, July-Oct.

CENTAUREA montana. Cornflower. 2' Blue, June-Aug.
—alba. White, June-Aug.

\*CERASTIUM tomentosum. Snow-in-Summer. 6" White, May-June. CERATOSTIGMA plumbaginoides. Blue Leadwort. 8" Deep blue, spreading. Aug.-Oct.

| HERBACEOUS PERENNIALS  |                 | 51              |
|--|-----------------|-----------------|
|  | Each            | Per 10          |
| CHRYSANTHEMUM maximum. Shasta Daisy. 2' White, July-Sept. — Alaska. 2' White, July-Sept.   |                 |                 |
| NAMED VARIETIES (clumps) for fall  | \$ .50<br>.25   | \$4.50<br>2.00  |
| Firelight. 2½' Pompom, red, late. Globe d'Or. 18" Button, yellow, early. Harrie. 2' Pompon, yellow, mid-season. Marie Du Pont. 3' Large white, early. Mrs. Henry F. Vincent. 2½' Large bronze, early. Oconto. 2½' Large white, mid-season. Pink Doty. 2½' Pompom, pink, mid-season. Red Doty. 2½' Pompom, red, mid-season. White Doty. 2½' Pompom, white, mid-season. Yellow Doty. 2½' Pompom, yellow, mid-season. |                 |                 |
| CIMICIFUGA racemosa. Cohosh Bugbane. 3'-4' Whit<br>Useful for shrubbery border   | e, July–<br>.35 | August.<br>3.00 |
| foetida simplex. Kamchatka Bugbane. $2\frac{1}{2}$ White, July–Aug   |                 | 4.50            |
| CONVALLARIA majalis. Lily-of-the-Valley. 8" White, May-June Clumps   | .50             | 4.50            |
| DELPHINIUM belladonna. Larkspur. 2½' Light blue chinensis. Slender Larkspur. 2' Deep blue, June-C elatum. Bee Larkspur. Blue, June-Oct. formosum. Hardy Larkspur. 2½' Dark blue, June hybrids. Larkspur. 2' to 4' Blue, June-Oct.  | Oct.            | Oct.            |
| DIANTHUS barbatus. Sweet William. 1½' Dbl. red, white Newport pink. Sweet William. 18" Double pink, latifolius atrococcineus. Double-cluster Pink. 18" Sc *plumarius. 1' White, May-June.  | May-Jur         | ie.             |
| Her Majesty. 10" Dbl. white, May-June  | .50             | 4.50            |
| Jean. 1' White, May-June   | .50             | 4.50            |
| Miss America. 1' Red, May-June   | .50             | 4.50            |
| DICENTRA formosum. Western Bleeding Heart. 1<br>May–Aug  | 2" Ros<br>.50   | e pink,<br>4.50 |
| spectabilis. Bleeding Heart. 2' Pink and white, May–June   | .50             | 4.50            |
| DICTAMNUS alba (fraxinella). Gas Plant. 2½' White, ticulary fine in large masses   | June-Jul<br>.75 | y. Par-         |
| — ruber. 2½' Rosy purple, June-July  | .75             | ·               |
| DIGITALIS ambigua. Foxglove. $2\frac{1}{2}$ ' Yellow, June-Jul<br>— alba. $2\frac{1}{2}$ ' White, June-July.<br>purpurea. Common Foxglove. $2\frac{1}{2}$ ' Purple shade,  | -               | ٧.              |
| ECHINACEA purpurea. Purple Coneflower. 3½' Purp  |                 |                 |

| 52 HERBACEOUS PEREINNIALS   |
|---|
| ECHINOPS humilis. Globe Thistle. 2' Steel blue, July-Aug.   |
| EUPATORIUM coelestinum. Blue Mist-Flower. 2' Blue, AugOct.  |
| fraseri. Melissa Thoroughwort. 3' White, July-Sept.   |
| FUNKIA subcordata. White Plantain Lily. Each Per 10 18" White, July-Aug                                     |
| coerulea. 18" Purplish blue, July-Aug.  |
| • undulata variegata. Variegated Leaf Funkia. 18" Blue, July-Aug.   |
| GAILLARDIA grandiflora. Blanket Flower. $18^{\prime\prime}$ Yellow, red, May-Nov.                           |
| GEUM chiloense (coccinea). Chiloe Avens. 1' Red, June-Aug.  |
| Mrs. Bradshaw. 2' Red, June-Sept  |
| *GLOBULARIA trichosantha. Globe Daisy. 6" Blue, May-June.   |
| GYPSOPHYLLA paniculata. Baby's Breath. 2' White, June-July.   |
| *cerastioides. Mouse-ear Gypsophylla. 4" White. May   |
| *repens. Creeping Gypsophylla. 4" White, June-July.   |
| *HELIANTHEMUM. Fickle Sunrose. 18" Pink,<br>May-Sept. A gem for the rockery                                 |
| *chamaecistus mutabile. Fickle Sunrose. 8"  |
| Various shades, June-July   |
| *— Ball of Fire. 8" Red, June-July  |
| *— Bride. 8" White, June-July<br>*— Aureum. 8" Yellow, June-July  |
| *— Proceux. 8" Light shades, June–July  |
| HELENIUM autumnale superba. Sneezeweed. 4' Yellow, AugSept.   |
| - rubrum. 4' Reddish bronze, AugSept.   |
| Riverton Gem. Bronze Sneezeweed. 3' Bronze, AugSept.  |
| HELIOPSIS pitcheriana. Heliopsis. 3' Yellow, July-Sept.   |
| HEMEROCALLIS flava. Lemon Day Lily. 2½' Yellow, May.  |
| *HEPATICA triloba. Round Lobe Hepatica. 5" Purple, April, May.  |
| HEUCHERA sanguinea. Alum Root. 18" Crimson, May-Sept. sanguinea alba. White Alum Root. 18" White, May-Sept. |
| HIBISCUS crimson eye. 4' White, crimson centre. Aug.—Sept. moscheutos. Mallow Marvels. 4' Aug.—Sept.        |
| HOLLYHOCK. (See ALTHEA.) In separate colors.  |
| *IBERIS sempervirens. Candytuft. 6"-8" White, April.  |
| *— Little Gem. Candytuft. 6" White, April.  |
| *gibraltarica. Gibraltar Candytuft. 8" Pale lilac, May.   |
| IRIS *pumila cyanea. Dwarf Iris. 8" Purple, May. germanica. Fleur-de-lis. (German Iris.) 1½'-3'             |
| Aurea—Yellow  |
| Dr. Bernice—Bronze  |
| Florentina alba—White   |
| Grachus—Pale yellow Each Per 10 Per 100   |
| H. Cramer—Lavender  |
| Landseer—Yellow, veined purple  |
| Mad. Chereau—White pencilled blue   |
| Mme. Pacquitte—Rosy claret  |
| Mrs. H. Darwin—White, violet vein /   |

| IRIS germanica—Continued  |
|---|
| Alcazar -Purple and violet  |
| Her Majesty — Pink  |
| Isoline Smoky pink  |
| Lohengrin—Mauve-rose  |
| Loreli-Yellow and purple  |
| Nibelungen - Bronze Each Per 10 Per 100   |
| Pallida Dalmatica Lavender  |
| Pallida Speciosa – Deep lavender  |
| Prosper Laugier-Bronze and pink   |
| Quaker Lady—Blue-yellow   |
| Rhein Nixe—White-purple   |
| Sherwin Wright — Yellow   |
| kaempferi. Japanese Iris. 2'-2½'  |
| Blue Jay—Blue, light centre.  J. C. Vaughan—Pure white.   |
| Bride—Plum red, wh. centre. Conardi—Lav., veined purple.  Mount Hood—Deep lavender blue, suffused purple. |
| Eclipse – Purplish red. tall.   |
| Frate—Wh., veined deep lilac. Oyodo—Dk. purple-red—dwf.   |
| Helen von Siebold. Maroon Violet Beauty—Rich blackish and white.  |
| sibirica. Siberian Iris. 2' Purple, May-June.   |
| — alba. White Siberian Iris. 2' White, May-June.  |
| KNIPHOFIA uvaria (Tritoma). Torchlily. 2' Yellow, Aug.  |
| <ul> <li>pfitzeri. Bonfire Torchlily. 2' Yellow and red, Aug.</li> </ul>                                  |
| LATHYRUS latifolius. Perennial Pea. 3' Pink, June-Aug   |
| *LINUM perenne. Blue Perennial Flax. 1' June-July.  |
| LOBELIA cardinalis. Cardinal Flower. 2½' Scarlet, July-Aug.   |
| syphilitica. Large Blue Lobelia. 2' Blue, AugSept.  |
| — alba. White, AugSept.   |
| LUPINUS polyphyllus. Lupine. 3' Blue. June-July.  |
| — albiflorus. 3' White. June-July.  |
| - Moerheimi. 2½' Pink. June-July.   |
| LYCHNIS chalcedonica. Maltese Cross. 2' Scarlet, June–July.   |
| haageana. Haage Campion. 1' Scarlet, May-June.  |
| viscaria splendens. Rosepink Campion. 1' Crimson, May-June.   |
| LYTHRUM salicaria roseum. Rose Loose-strife.  2½' Pink. July-Aug  |
| MISCANTHUS sinensis gracillimus. (EULALIA) Maiden Grass. 2½'  |
| sinensis. Variegated Striped Eulalia. 2½'   |
| MONARDIA didyma. Oswego Bee Balm. 2½' Red. June-Aug.  |
| *MYOSOTIS scorpioides (palustris). Forget-me-not. 10" Blue, May-Sept — nixenauge. 8" Blue. May-June.      |
| *NIEREMBERGIA rivularis. Whitecup. 4" White. June-Aug.  |
| OENOTHERA youngi. Evening Primrose. 2' Yellow. June-Aug.  |
|   |
| speciosa. White Sundrops. 18" White. Aug.—Sept.   |
|   |

|  | Each            | Per 10                   | Per 100    |
|--|-----------------|--------------------------|------------|
| PAEONIA sinensis. Peony  | 1.00            | 8.50                     | 75.00      |
| Albatre - white.   | Felix Crouss    |                          | 75.00      |
| Albert Crousse—rose white.   | Festiva Maxi    |                          | te.        |
| August d'Hour-dark red.  | La Tulipe—v     |                          |            |
| Canari—yellow.   | Louis Van H     |                          | se-pink.   |
| Couronne d' Or-white.  | Mad. L. Cald    |                          | •          |
| Delachi-red.   | Mad. Mouto      | t-pink.                  |            |
| Duc de Wellington—white.   | Marie Lemoi     | ne-whit                  | e.         |
| Duchesse de Nemours-white  | Meissonier-     | purple rec               | l <b>.</b> |
| Edulis Superba-white.  | Modeste Gu      | e <mark>rin</mark> —rose | · `        |
| Edouard Andre—carmine.   | Mme. de Ver     | neville—                 | white.     |
| Eugene Verdier—pink.   | Rose d'Amo      | ur—pink.                 |            |
| PAPAVER nudicaule. Iceland Poppy.                                  |                 | May-June                 | 2.         |
| — orientalis. 2½' Red. June-July                                   | 35              | 3.00                     |            |
| <ul> <li>Princess Victoria Louise. 2½'</li> </ul>                  |                 | <b>7.00</b>              |            |
| Pink. June-July  |                 | 3.00                     |            |
| — Perry's White. $2\frac{1}{2}$ White. June-J                      |                 | 3.00                     |            |
| — Mrs. Perry. $2\frac{1}{2}$ ' Pink. June-Jul                      | -               | 3.00                     |            |
| PENTSTEMON torreyi. Torrey Pentsten                                | non. 3' Scar    | let, June-               | Aug.       |
| PHALARIS aruncinacea. Reed Canary (                                | Grass. 3'       |                          |            |
| PHLOX ahrendsi. Louise. 1' Lilac. M                                | Iay-July.       |                          |            |
| — <b>Hilda.</b> <i>l'</i> Mauve. May-July.                         |                 |                          |            |
| *divaricata. Blue 1' Lavender blue.                                |                 |                          |            |
| decussata. Garden Phlox. $1\frac{1}{2}'-2'$                        | July-Sept.      |                          |            |
| Beranger. Pink, crimson center.                                    |                 |                          |            |
| Coquelicot. Brilliant orange scarl                                 | et              | 3.00                     | 25.00      |
| Eclaireur. Violet-red, pink eye.                                   |                 |                          | 25.22      |
| Elizabeth Campbell. Delicate salm                                  |                 | 3.00                     | 25.00      |
| G. A. Strohlein. Orange-scarlet, da                                |                 | 3.00                     | 25.00      |
| General Von Heutz. Salmon-red,                                     |                 |                          |            |
| Gruppenkonigin. Pale rose, darke                                   |                 |                          |            |
| Jules Sandeau. Pure pink, dwarf.<br>La Vague. Mauve pink, red eye. |                 |                          |            |
| Louise Abbema. Dwarf white.  |                 |                          |            |
| Miss Lingard. Tall, vigorous. W                                    | Thite pink eve  |                          |            |
| Miss Milly Von Hoboken. Soft                                       |                 |                          |            |
| Mrs. Jenkins. (Independence), wh                                   |                 |                          |            |
| Queen. White, early.   |                 |                          |            |
| R. P. Struthers. Red, crimson ey                                   | ·e.             |                          |            |
| Rhynstroom. Deep pink.   |                 |                          |            |
| Sunshine. Pink, darker eye.  |                 |                          |            |
| B. Compte. Reddish purple.   |                 |                          |            |
| *ovata carolina. 12" Rosy-red, June-                               | July.           | ٠                        |            |
| *subulata. Moss Pink. 4" Pink, Ap.                                 |                 |                          |            |
| *- alba. White Moss Pink. 4" Wh                                    | nite, April-May |                          |            |
| *— vivid. 6" Clear bright rose, splen                              |                 |                          | oes not    |
| run. The best dwarf phlox  |                 | 4.00                     | 30.00      |
| *-G. F. Wilson.Lavender Moss Pink.                                 | 4''             |                          |            |
| Lavender blue, April-May   | 35              | 3.00                     | 25.00      |
|  | 3               |                          |            |

PHYSOSTEGIA virginiana. False Dragonhead. 21/2' Pink, June-July. PLATYCODON grandiflorum. Balloon Flower. Light blue, June-July.

- album. 18" White, June-July

Mariesi. Maries Balloon Flower. 12" Blue, June-July.

PLUMBAGO larpentae. See CERATOSTIGMA.

PRIMULA elatior. Oxlip. 8" Yellow, May.

Veris. Cowslip. 6" Yellow, April-May.

\*POLEMONIUM Richardsoni. Jacob's Ladder. 12" Blue, June-July. caeruleum. Greek Valerian. I" Blue, June-July.

reptans. Creeping Polemonium. 8" Blue, April-May.

PYRETHRUM hybridum. Painted Lady. 2' Double mixed, July-Aug. RUDBECKIA speciosa (newmanni). Showy Cone-flower. 2' Yellow, Aug. SEMPERVIVUM fimbriatum. Fringed Houseleek. 6" Red. Sept.-Oct. globiferum. Globe Houseleek. 8" Yellow, Sept.-Oct.

SALVIA argentes. Silver Sage. 2' Light blue, June-July. azurea. Azure Salvia. 3' Light blue, Aug.

\*SEDUM acre. Gold Moss. 3" Yellow, May-June.

\*album. White Stonecrop. 3" White, May-June.

\*divergens. Native Stonecrop. 6"

\*hispanicum Spanish Stonecrop. 4" Pale pink, July.

\*kamtschaticum. Orange Stonecrop. 8" Yellow, July-Aug.

\*reflexum. Jenny Stonecrop. 8"-10" Yellow, June.

\*rupestre. 6"-8" Attractive bluish leaves. Yellow, June.

\*sarmentosum. Stringy Stonecrop. 2" Yellow, June-July.

\*sieboldi. Siebold Stonecrop. 6"-8" Pink, Aug.-Sept. spectabile. Showy Stonecrop. 18" Pink, Aug.-Sept.

\*stoloniferum. Creeping Stonecrop. 6"-8" Pink.

\*SILENE alpestris. Alpine Catchfly. 5" Pink, May.

STACHYS lanata. Woolly Betony. 18" Purple, June-July.

\*STATICE armeria laucheana. Thrift. 6" Red, June-July.

STOKESIA laevis. Blue Stokes Aster. 18" Blue: July-Oct.

- alba. White Stokes Aster. 18" White, July-Oct.

\*THYMUS serpyllum splendens. Firefly Thyme. 2" Red, June-July. TRITOMA. See KNIPHOFIA.

\*TUNICA saxifraga. Tunic Flower. 6" White, July-Aug.

VERONICA longifolia subsessilis. Clump Speedwell. 2' Violet-blue, Aug.

\*gentianoides. Gentian Speedwell. 8" Blue, May-June

\*repens. Creeping Speedwell. 2" Blue, May.

\*rupestris. Pink. 4" Pink, May-June.

spicata. Spike Speedwell. 18" Blue, May-June.

\*VINCA minor. Periwinkle. 4" Lilac blue, April-May. 15.00 hundred \*VIOLA cornuta. Tufted Pansy. 8" Blue-violet, June-Aug.

\*Admiration. 6" Violet, May-June.

\*Blue Perfection. 6" Purple-blue, May-Aug. Each Per 10 \*Jersey Gem. 6" Rich violet, May-Aug..... .75 5.00

\*odorata. Gov. Herrick. 4" Violet, April-June.

\*White Perfection. 6" White, May-Aug.

VALERIANA officinalis. Valerian. 3' White, June-July.

APPLES AND CRAB APPLES

# Fruit Trees and Bushes

Each Per 10

| ALLES A.                    | ND CRAD AI  | LLL                                 |                        |                                 | Eacn  | Per 10  |
|-----------------------------|---|-------------------------------------|------------------------|---------------------------------|---|---------|
|                             | l in. and up  |                                     |                        | XX                              | \$2.50  | \$22.50 |
|                             | $\frac{7}{8}$ in. to 1 in   |                                     |                        | X                               | 1.50  | 13.50   |
|                             | 11-16th to 7/8  | in                                  |                        | Α                               | 1.00  | 8.50    |
|                             |   |                                     | -16th in               |                                 | .75   | 6.00    |
| SUMME                       |   |                                     | WINTER                 | 111                             | .,, 5   | 0.00    |
| Early Harve                 | st Duchess  |                                     | Baldwin                | Nor                             | thern Sp  |         |
|                             |   |                                     | Delicious              | 1101                            | mem sp  | У       |
|                             | berry Fall Pippi<br>Grimes G  |                                     | Fameuse (Snow)         | Ron                             | ne Beaut  | y       |
| Gravenstein                 | King  |                                     | Golden Russet          | Stav                            | man's <b>\</b>  | Winesan |
| Red Astrach                 | nan Sweet Bo  | ıoh I                               | McIntosh               | -                               |   | vinesap |
| Williams E.                 | Red Talman S  |                                     | N. W. Greening         | Star                            | ·k  |         |
|                             | arent Wealthy   |                                     | R. I. Greening         | Wir                             | iter Bana   | ana     |
| Tel. Transpa                | irent weating   |                                     | X. I. Greening         | VV 11                           | itei Dani   | ana     |
| CRAB APP                    | LES-Hyslop,   | Red Sib                             | erian, Transcend       | lent.                           |   |         |
| PEARS—St                    |   |                                     |                        |                                 |   |         |
|                             |   |                                     |                        |                                 | 2.50  | 22.50   |
|                             | $\frac{7}{8}$ in. to 1 in   |                                     |                        | X                               | 1.50  | 13.50   |
|                             |   |                                     |                        |                                 | 1.00  | 8.50    |
|                             | Med. grade, $\frac{5}{8}$   | in. to 11.                          | 16th in. M             |                                 | .75   | 6.00    |
| Bartlett                    |   | Duche                               | ss                     | La                              | wrence  |         |
| Beurre                      | d'Anjou   | Flemis                              | sh Beauty              | Sec                             | ckel  |         |
| Clapp's                     | Favorite  | Kieffer                             |                        | Sh                              | eldon   |         |
| PEARS—D                     | warf  | michica                             | •                      |                                 | cruon   |         |
| I LIMO D                    | ··  | in and i                            | ıp                     | Α                               | 1.50  |         |
|                             |   |                                     | in                     |                                 | 1.00  |         |
| Bartlett                    |   |                                     | hess, Louise Bo        |                                 | Seckel.   |         |
| CHERRIES                    |   | ,                                   | ,                      | ,                               |   |         |
|                             | 1 in and up   |                                     |                        | vv                              | 2.50  | 22.50   |
|                             | 7/2 in to 1 in  |                                     |                        | X                               | 1.50  | 13.50   |
|                             |   |                                     |                        |                                 | 1.00  | 8.50    |
|                             |   | , .                                 |                        |                                 | .75   | 6.00    |
| Early R                     | ichmond, Mont   |                                     |                        |                                 | .,,5  | 0.00    |
|                             | ,   |                                     |                        |                                 |   |         |
| CHERRIES                    | •   |                                     |                        |                                 |   |         |
| CHERRIES                    | -Sweet  | )                                   | X                      | XX                              | 3.00  |         |
| CHERRIES                    | Sweet 11/8 in. and up   |                                     | X                      |                                 | 3.00  |         |
| CHERRIES                    | Sweet $1\frac{1}{8}$ in. and up $1$ in. to $1\frac{1}{8}$ in  |                                     |                        | XX                              | 3.00<br>2.50<br>2.00  |         |
| CHERRIES                    | Sweet $1\frac{1}{8}$ in. and up 1 in. to $1\frac{1}{8}$ in. $\frac{1}{8}$ in. to 1 in   |                                     |                        | XX<br>X                         | 2.50  |         |
| CHERRIES                    | —Sweet  1½ in. and up 1 in. to 1½ in ½ in. to 1 in 11-16th in. to   | 7/8 in                              |                        | XX<br>X<br>A                    | 2.50<br>2.00  |         |
|                             | —Sweet  1½ in. and up 1 in. to 1½ in ½ in. to 1 in 11-16th in. to ½ in. to 11-1 Cartarian   | 7/8 in<br>6th in<br><b>Down</b> e   | r's Late Red           | XX<br>X<br>A<br>B               | 2.50<br>2.00<br>1.50<br>1.25<br>Gov. Wo                             | ood     |
| Black T                     | Sweet $1\frac{1}{8}$ in. and up $1$ in. to $1\frac{1}{8}$ in $\frac{1}{8}$ in to $1$ in $11-16$ th in. to $\frac{5}{8}$ in. to $11-1$ artarian Schmidt's Big    | 7/8 in<br>6th in<br>Downe<br>gareau | r's Late Red<br>Yellow | XX<br>X<br>A<br>B               | 2.50<br>2.00<br>1.50<br>1.25<br>Gov. Wo                             | ood     |
|                             | Sweet  1½ in. and up  1 in. to 1½ in  ½ in. to 1 in  11-16th in. to  ½ in. to 11-1  Cartarian  Schmidt's Big  1 in. and up                                      | ½ in<br>6th in<br>Downe             | r's Late Red<br>Yellow | XX<br>X<br>A<br>B<br>Spar       | 2.50<br>2.00<br>1.50<br>1.25<br>Gov. Wo                             | ood     |
| Black T                     | Sweet  1½ in. and up 1 in. to 1½ in ½ in. to 1 in 11-16th in. to ½ in. to 11-1 cartarian Schmidt's Big 1 in. and up ½ in. to 1 in                               | ½ in<br>6th in<br>Downe<br>gareau   | r's Late Red<br>Yellow | XX<br>X<br>B<br>Spar<br>XX      | 2.50<br>2.00<br>1.50<br>1.25<br>Gov. Wo                             | ood     |
| Black T<br>PLUMS—           | —Sweet  1½ in. and up 1 in. to 1½ in ½ in. to 1 in 11-16th in. to ½ in. to 11-1 cartarian Schmidt's Big 1 in. and up ½ in. to 1 in 11-16th in. to               | ½ in<br>6th in<br>Downe<br>gareau   | r's Late Red<br>Yellow | XX<br>X<br>B<br>Spar<br>XX<br>X | 2.50<br>2.00<br>1.50<br>1.25<br>Gov. Wonish<br>2.00<br>1.50<br>1.00 |         |
| Black T<br>PLUMS—<br>Abunda | -Sweet  1½ in. and up 1 in. to 1½ in ½ in. to 1 in 11-16th in. to ½ in. to 11-1 cartarian Schmidt's Big 1 in. and up ½ in. to 1 in 11-16th in. to nce, Bradshaw | 7/8 in                              | r's Late Red<br>Yellow | XX<br>X<br>B<br>Spar<br>XX<br>X | 2.50<br>2.00<br>1.50<br>1.25<br>Gov. Wonish<br>2.00<br>1.50<br>1.00 |         |
| Black T<br>PLUMS—<br>Abunda | —Sweet  1½ in. and up 1 in. to 1½ in ½ in. to 1 in 11-16th in. to ½ in. to 11-1 cartarian Schmidt's Big 1 in. and up ½ in. to 1 in 11-16th in. to               | 7/8 in                              | r's Late Red<br>Yellow | XX<br>X<br>B<br>Spar<br>XX<br>X | 2.50<br>2.00<br>1.50<br>1.25<br>Gov. Wonish<br>2.00<br>1.50<br>1.00 |         |

|  |          | Each    | Per 10          |
|--|----------|---------|-----------------|
| DEACHES 3/ in and on 5 to 7 ft             | vv       | \$1.25  |                 |
| PEACHES—¾ in. and up, 5 to 7 ft            |          | 1.00    | \$10.00<br>7.50 |
| 9-16th in. to $\frac{5}{8}$ in., 4 to 5 ft |          | .75     | 6.00            |
| 7-16th in. to 9-16th in., 3 to 5 ft        |          | .50     | 4.00            |
| 5-16th in. to 7-16th in., 3 to 4 ft., B    |          | .35     | 3.00            |
| F. indicates Freestone.                    |          | .55     | 3.00            |
| EARLY MID-SEASON                           |          |         |                 |
| Carman F., White Belle of Georgia F        | F.,Wh.   |         |                 |
| Champion F., White Late Crawford F.        | Yel.     |         |                 |
| Early Crawford F., Yel. Elberta F., Yellow | ,        |         |                 |
| Hiley F., White Hale F., Yellow            |          |         |                 |
| Mountain Rose F., Wh. Iron Mountain F.     | ,Wh.     |         |                 |
| QUINCES— 3/4 in., 4 to 5 ft                |          | 1.50    |                 |
| 5/8 in., 3 to 4 ft                         |          | 1.25    |                 |
| Champion, Orange.                          |          | 1.00    |                 |
| NUTS-                                      |          |         |                 |
| Hickory—Shellbark                          |          |         |                 |
| 3 to 4 ft                                  |          | 2.50    |                 |
| 4 to 5 ft                                  |          | 3.00    |                 |
| Walnut—Japan                               |          |         |                 |
| 4 to 6 ft                                  |          | 2.00    |                 |
| 8 ft                                       |          | 3.00    |                 |
| GRAPES—                                    |          |         |                 |
| Brighton, black                            |          |         |                 |
| Campbell's Early, black                    |          |         |                 |
| Delaware, red                              |          |         |                 |
| Agawam, red                                |          |         |                 |
| Moore's Early, black                       | 2        | .50     | 4.50            |
| Moore's Diamond, white                     | . 2 yı.  | 00      | 4.30            |
| Niagara, white                             |          |         |                 |
| Worden, black                              |          |         |                 |
| Catawba, red                               |          |         |                 |
| Concord, black                             |          |         |                 |
| CURRANTS—                                  |          |         |                 |
| Cherry                                     |          |         |                 |
| Fay's Prolific                             | 2 yr.    | .50     | 4.50            |
| Lee's Black                                |          |         |                 |
| White Grape                                |          |         |                 |
| GOOSEBERRIES                               | 2 yr.    | .50     | 4.50            |
| Downing, Houghton, Joselyn, Red Jacket.    |          |         |                 |
| RASPBERRY—Cuthbert, Columbian, Gregg.      |          |         |                 |
| 1  | .50 ten; | 10.00 1 | nundred         |

# PLANTS FOR SHADED SITUATIONS Deciduous Trees and Small Shrubs

Acanthopanax pentaphylla, 7'-8' Amelanchier canadensis, 12'-15' Aronia melanocarpa, 8'-10' Aronia arbutifolia, 6'-8'Azalea arborescens, 10'-12' Azalea nudiflora, 6'-8' Azalea vaseyi, 5'-6' Azalea viscosa, 4'-5' Benzoin aestivalis, 10'-12' Calycanthus floridus, 4'-5' Cephalanthus occidentalis, 5'-6'Cercis Canadensis, 12'-15' Chionanthus virginica, 15'-18' Clethra alnifolia, 4'-5' Cornus alternifolia, 15'-18' Cornus amomum, 8'-9'Cornus florida, 15'-25' Cornus florida rubra. 15'-20' Halesia tetraptera, 12'-15'

Hydrangea arborescens, 4'-5' Hydrangea quercifolia, 3'-4' Hypericum aureum, 3'-4'Ligustrum ibota regelianum, 5'-6' Ligustrum vulgare, 10'-12' Lonicera fragrantissima, 6'-8' Lonicera morrowi, 7'-8' Lonicera tatarica, 9'-10' Myrica cerifera, 4'-5' Oxydendrum arboreum, 25'-30' Philadelphus, 9'-10' Physocarpus opulifolia, 9'-10' Rhodotypos kerrioides, 4'-5' Rubus odoratus, 5'-6' Symphoricarpos racemosa, 5'-6'Symphoricarpos vulgare, 4'-5'm Viburnum dentatum, 10'–12'Viburnum lentago, 18'-20' Viburnum molle, 10'-12'

#### Evergreen

Andromeda floribunda, 4' Andromeda japonica, 4'-5' Azalea amoena,  $2\frac{1}{2}-3'$  Azalea hinodegiri, 3'-4' Buxus sempervirens, 12'-15' Ilex crenata microphylla, 6'-8' Ilex glabra, 5'-6' Juniperus canadensis,  $2\frac{1}{2}'-3'$  Kalmia latifolia, 5'-7' Leucothoe catesbaei, 3'-4'

Mahonia aquifolium, 4'-5' Pachysandra terminalis, 6"-8" Rhododendron carolinianum, 5'-6' Rhododendron cataw., hybrids 3'-8' Rhododendron catawbiense, 6'-9' Rhododendron maximum, 8'-12' Taxus cuspidata, 4'-5' Taxus cuspidata brevifolia, 2'-3' Taxus canadensis, 2'-2½' Tsuga canadensis, 75'-90'

#### Herbaceous Perennials

Aconitum Aquilegia Anemone japonica Convallaria majalis Digitalis Dicentra spectabilis Dicentra eximia Funkia Hepatica triloba Lobelia cardinalis Lobelia syphilitica Lythrum Lychnis chalcedonica Myosotis palustrus Platycodon grandiflora Polemonium Primula Vinca minor Viola cornuta Veronica spicata

# PLANTS FOR BINDING AND COVERING SOIL ON STEEP BANKS Shrubs

Acanthopanax pentaphylla, 7'-8' Berberis thunbergi, 4'-5' Comptonia asplenifolia, 2'-3' Myrica cerifera, 4'-5' Lonicera tatarica, 9'-10' Rhus glabra, 10'-12' Rhus typhina, 15'-18'

Rosa setigera, 5'-6' Sambucus canadensis, 8'-9' Spiraea tomentosa, 3'-4' Symphoricarpos racemosus, 5'-6' Symphoricarpos vulgare, 4'-5' Rosa rugosa, 4'-5' Rhus canadensis, 4'-5'

#### Vines

Celastrus scandens, 20'-25' Lonicera japonica, 15'-20' Lycium chinense, 12'-15' Rosa wichuraiana Rosa lucida, 5'-6'

#### PLANTS FOR DRY SOILS

#### Trees

#### Deciduous

Acer negundo, 60' Ailanthus glandulosus, 50'-60' Betula populifolia, 30'-40' Quercus rubra, 75'-90'

#### Evergreens

Pinus resinosa, 50'-60' Pinus rigida, 40'-50' Pinus divaricata, 40'-50' Pinus strobus, 80'-100'

#### Shrubs

#### Deciduous

Acanthopanax pentaphylla, 7'-8' Comptonia asplenifolium, 2'-3' Cornus paniculata, 10'-12' Colutea arborescens, 8'-10' Hypericum prolificum, 2½'-3' Hypericum kalmianum, 4'-5' Lespedeza bicolor, 5'-6' Myrica cerifera, 4'-5' Prunus maritima, 9'-10' Robina hispida. 5'-6'

Rosa setigera, 5'-6' Rhus typhina, 15'-18' Rhus canadensis, 4'-5' Rhamnus cathartica, 9'-10' Ribes aureum, 7'-8' Symphoricarpos racemosus, 5'-6' Symphoricarpos vulgare, 4'-5' Vaccinium corymbosum, 5'-6' Viburnum lantana, 15'-18'

#### Evergreen

Arctostaphylos uvaria-ursi Juniperus communis, 2'-2½' Juniperus communis depressa, 1½' Juniperus sabina, 6'-7' Juniperus horizontalis,  $1'-1\frac{1}{2}'$  Mahonia aquifolia, 4'-5' Pachysandra terminalis, 8'' Pinus montana mughus,  $2\frac{1}{2}-3'$ 

#### Herbaceous Perennials

#### Sunny Places

Asclepias tuberosa Armeria Anthemis tinctoria Achillea tomentosa Achillea ptarmica, The Pearl Baptisia australis Baptisia tinctoria Cerastium tomentosum Dianthus barbatus Gypsophila paniculata Helianthemum
Helianthus
Linum perenne
Lupinus potyphyllus
Lychnis haageana
Oenothera youngii
Phlox subulata
Pentstemon barbatus
Sempervivum
Sedum

#### Shady Places

Aquilegia canadensis Aster alpinus Aquilegia chrysantha Heuchera sanguinea Iberis sempervirens Platycodon grandiflorum Sedum spectabile

#### PLANTS FOR AUTUMN COLORING

#### Trees

Acer rubrum, 50'-75' Acer saccharum, 50'-75' Crataegus cordata, 12'-15' Cornus florida, 15'-25' Liquidamber styraciflua, 50'-60' Quercus palustris, 75'-90'

#### Shrubs

Aronia arbutifolius, 6'-8' Aronia melanocarpa, 8'-10' Berberis thunbergi, 4'-5' Cornus paniculata, 10'-12' Cornus alternifolia, 15'-18' Euonymus americana, 7'-8' Euonymus alatus, 9'-10' Oxydendrum arboreum, 25′–30′ Rhus copallina, 12′–13′ Rhus aromatica, 4′–5′ Rhus glabra, 10′–12′ Vaccinium corymbosum, 5′–6′ Viburnum (all species)

# PLANTS FOR WET OR MARSHY PLACES Deciduous Trees

Acer rubrum, 50'-75'
Betula nigra, 60'-60'
Liquidambar styraciflua, 50'-60'
Larix leptolepis, 50'-60'
Quercus bicolor, 75'-90'

Quercus palustris, 75'-90' Salix babylonica, 50'-60' Salix discolor, 15'-20' Ulmus americana, 80'-100'

#### Shrubs

Azalea viscosa, 4'-5'
Cephalanthus occidentalis, 4'-5'
Calycanthus floridus, 4'-5'
Chamaedaphne calyculata, 3'-4'
Cornus stolonifera, 7'-8'
Cornus amomum. 8'-9'
Clethra alnifolia, 4'-5'
llex verticillata, 6'-8'
llex glabra, 5'-6'
Itea virginica, 3'-4'

Benzoin aestivalis, 10'-12' Aronia arbutifolia, 6'-8' Aronia melanocarpa, 8'-10' Rosa palustris, 6'-7' Sambucus canadensis, 8'-9' Spiraea tomentosum, 3'-4' Viburnum dentatum, 10'-11' Viburnum lentago, 18'-20' Viburnum cassinoides, 5'-6'

#### Herbaceous Perennials

Aster novae-angliae Boltonia latisquama Cimicifuga foetida simplex Cimifuga racemosus Helenium autumnale Iris sibirica Iris kaempferi Lobelia cardinalis Lythrum salicaria roseum Myosotis palustris Physostegia virginica

# BERRY-BEARING TREES AND SHRUBS Red Berries

Berberis vulgaris
Berberis thunbergi, 4'-5'
Cornus florida, 15'-25'
Crataegus cordata, 12'-15'
Crataegus coccinea, 15'-20'
Cotoneaster horizontalis, 1'-1½'
Euonymus alatus, 9'-10'
Euonymus bungeana, 12'-14'
Euonymus bungeana, 12'-14'
Lonicera morrowi, 7'-8'

Lonicera tatarıca, 9'-10'
Lonicera maacki, 8'-9'
Rosa rubiginosa, 5'-6'
Rosa rugosa, 4'-5'
Rosa blanda, 4'-5'
Sorbus aucuparia, 25'-30'
Sambucus racemosus, 8'-10'
Viburnum opulus, 9'-10'
Viburnum dilatatum, 8'-9'
Viburnum americanum, 8'-9'
Benzoin aestivale, 10'-12'

#### White Berries

Cornus stolonifera, 7'-8' Cornus alba, 8'-10' Symphoricarpos racemosus, 5'-6'

#### Yellow Berries

Elaeagnus longipes, 6'-8' Elaeagnus angustifolia, 15'-18'

#### Black Berries

Aralia spinosa, 18'–20' llex glabra, 5'–6' llex crenata microphylla, 6'–8' Ligustrum vulgare, 10'–12' Aronia melanocarpa, 8'–10' Amelanchier canadensis, 12'–15' Rhodotypus kerrioides, 4'-5' Sambucus canadensis, 8'-9' Viburnum sieboldi, 9'-10' Viburnum plicatum, 7'-8' Viburnum lantana, 15'-18' Rhamnus cathartica, 9'-10'

#### Deep Blue-Black Berries

Mahonia aquifolia, 4'-5' Vaccinium corymbosum

Viburnum dentatum, 10'-12' Viburnum cassinoides, 5'-6'

Viburnum lentago

#### Blue Berries

Cornus amomum, 8'-9'

Callicarpa purpurea

### INDEX OF BOTANICAL AND COMMON NAMES

| A  | PAGE           | C PA  |                 |
|--|----------------|---|-----------------|
| Abies<br>Acanthopanax<br>Acer  | 34             | Calandrinia   | 50              |
| Acanthopanax   | 3              | Callicarpa  | 8               |
| Acer   | 50             | Calluna   |                 |
| Aconite  | 51             | CalycanthusCamomile   | - 8<br>- 50     |
| Acer Achillea Aconite Aconitum Actinidia Adam's Needle   | 50             | Campanula   | 50              |
| Actinidia  | 4              | Campion   | 53              |
| Alkanet  | 50             | Canary Grass  | 54              |
| Alkanet<br>Aesculus  | 4              | Candleberry   | . 19            |
| Allementans  | 4              | Candytuft   | 52              |
| AkebiaAlmond, Flowering _ Alpine Catchfly Althoga  |                | Canterbury Bells  | 50              |
| Almina Catchfly  | 55             | CaraganaCarpinus  | . 8             |
| Althaea  | 50             | Carpinus  | 8               |
| Alum RootAllyssum  | 52             | CaryopterisCatalpa  | . 8             |
| Allyssum   | 50             | Cedar 39,   | 40              |
| Amelanchier<br>Amorpha   |                | Celtis  |                 |
| Ampelopsis Amygdalus Andromeda Androsace Anemone Anthemis  | 5              | Celastrus   |                 |
| Amygdalus  | 5              | Centauria   | 50              |
| Andromeda  | 41, 34         | Caphalanthus  | 9               |
| Andresace  | 50             | Cerastium   |                 |
| Anthemis   | 50             | Cercidiphyllum  | 9               |
|  |                | Cercis  | 9               |
| ApplesAquilegia  | 56             | Chamaecyparis 42, 43,   | 44              |
| Aquilegia  | 50             | Chamaedaphne<br>Chaste Tree   | $\frac{35}{32}$ |
| Arabis   | 9 <u>0</u>     | Cherries  | 56              |
| Arbor VitaeArbor VitaeArmeriaAroniaArrow Wood  | 46, 47, 48     | Cherries Cherry, Flowering 21, Chionanthus  | $\frac{22}{22}$ |
| Armeria  | 50             | Chionanthus   | 9               |
| Aronia   | 5              |   |                 |
| Arrow Wood   | 31             | Chokeberry  | _ 5             |
| AshAster   | 10             | Chokeberry Cimicifuga Cinquefoil Clematis   | $\frac{32}{21}$ |
| Avens  | 52             | Clematis  | -9              |
| Avens  | 6, 7, 34       | Cletura   | σ               |
|  |                | Columbine   |                 |
| В  |                | Colutea Comptonia Coneflower, Purple Coneflower, Showy Convallaria Coral Berry Corn Flower Cornus Coreopsis Cornel        | 9               |
| Baccharis Baby's Breath Balloon Flower Barberry Bay Berry Beauty Berry Bee Balm Beech Plum Beell Flower Bellis Benzoin | 6              | Coneflower, Purple  | 51              |
| Balloon Flower   | 55             | Coneflower, Showy   | 55              |
| Barberry   | 7, 34          | Convallaria   | 51              |
| Bay Berry  | 19             | Corn Flower   | 50              |
| Beauty Berry   | 18             | Cornus  | 10              |
| bee baim<br>Reech  | 13             | Coreopsis   | 51              |
| Beech Plum   |                | Coreopsis Cornel Cotoneaster Cowslip Crab Apples Crab Apple, Flowering 18, Cranberry Crataegus Cryptomeria Cun and Saucer | 10              |
| Bell Flower  | 50             | Cotoneaster   | 29              |
| Bellis   | 50             | Crah Apples   | 56              |
| Benzoin Berberis Betony Petula Bignonia  | 7 24           | Crab Apple, Flowering 18,   | 19              |
| Betony   | 55             | Cranberry   | 29              |
| Betula   | <b>7</b> , 8   | Crataegus   | 11              |
| Bignonia   | 8              | Cup and Saucer  | 47              |
| Blota  | 49             | Currants  | $\hat{52}$      |
| Bittersweet  | 1, 8           | Currant, Flowering  | 24              |
| Bignoma Biota Birch Bittersweet Black Alder Black Haw Black Haw  | 15             | Cryptomeria Cup and Saucer Currants Currant, Flowering Cydonia Cypress Cytisus 42, 43,                                    | 11              |
| Blackberries   | 57             | Cypress 42, 43,   | 11              |
| Black Haw  | 32             | Cytisus   | 11              |
| Diautter Senna   |                |   |                 |
| Blanket Flower<br>Blanket Flower<br>Bleeding Heart<br>Bluebeard<br>Blue Berry<br>Blue Spirea                           | <del>2</del> 3 | D   |                 |
| Bleeding Heart   | 51             | D-1   | =0              |
| Bluebeard  | 8              | Daisy   | 50<br>50        |
| Blue Berry   | 30             | Daphne  | 35              |
|  |                | Danesblood Daphne Daylily   | 53              |
| Boston Ivy   | 5              | Delphinium  | 51              |
| Boston Ivy<br>Box Elder<br>Boxwood   | 5<br>3         | Desmodium 11,   | 16              |
| Boxwood  | 34, 35         | Delphinium 11, Desmodium 11, Deutzia 11, Dianthus Dicentra  | 51              |
| Bridal Wreath  | 28             | Dicentra  | $5\overline{1}$ |
| Buckthorn -  | 23             |   |                 |
| BuddleiaBuckthornBugbane   | 51             | Diervilla   | 12              |
| Bush Clover<br>Buttonbush  | 16             | Diervilla Digitalis Diospyros   | 91<br>99        |
| Buttonbush   | 9              | Dogwood   | 10              |
| Butterfly Bush<br>Buxus  | 8              | Dogwood<br>Douglas Fir  | 34              |
| Duaus  | 34, 93         | Loughts Fit   | υT              |

| E P.   | AGE              | J PAGI  |
|--|------------------|---|
| Echinacea Echinops Eleagnus Elder 26 Elm Eulalia Euonymus 1 Eupatorium Evening Primrose Exochorda  | _ 51             | Jacob's Ladder       5         Japanese Maple       5         Japanese Snowball       3         Japanese Spurge       5         Jasmine       1         Jasminum       1         Jetbend       2         Judas Tree       2   |
| Echinops   | 52               | Japanese Maple  |
| Eleagnus   | - 12             | Tapanese Snowball 3   |
| Elm  | 3, 26            | Japanese Spurge 5   |
| Eulalia  | _ 53             | Jasminum  |
| Euonymus 1   | 2, 36            | Jetbead2  |
| Eupatorium   | 52               | June Berry     37, 38, 39, 4       Juniper     37, 38, 39, 4  |
| Evening l'rimrose  | _ 93             | June Berry1   |
| Exochorda  | 12               | Tuniper 37, 38, 39, 4   |
| Fagus False Dragonhead False Spirea  |                  | 3 differ ds 51, 50, 59, 4   |
| Fagus  | _ 13             | К   |
| False Dragonhead   | _ 55             | Kalmia 4  |
| Fa'se Spirea   | 27               | Katsura Troo  |
| Fir  | 34               | Kerrie Tree I   |
| Flaur-de-lie   | 59<br>59         | Kriphofia 5   |
| Forget-me-not  | 53               | Kalmia 4 Katsura Tree 4 Katsura Tree 1 Kentucky Coffee Tree 1 Kerria 1 Krinhofia 5 Koelreuteria 1   |
| Forsythia  | _ 13             |   |
| False Spirea Fir Flax Peur-de-lis Forget-me-not Forsythia F xglove Fraxinus Funkia   | _ 51             | L Laburnum 1 Larch 1 Larix 1 Larksour 5 Lathvrus 5 ' eether'eaf 3 Leiorhyl'um 4 'Lespedeza 1 Leucothoe 4 Ligustrum 1 Li'ac 2 Lilv of the Valley 5 Linden 3 'Lindera 3 'Lindera 1  |
| Fraxinus   | 13               | Larch   |
| runkia   | :)2              | Larix1  |
| G  |                  | Larksour5   |
| Gaillardia<br>Gas P'ant<br>Genista<br>Geum   | 52               | Lathyrus 5  |
| Gas P'ant  | _ 51             | Leighbyllum   |
| Genista  | 13               | Lespedeza   |
| Geum   | 52               | Leucothoe4  |
| Cloditsia  | 13<br>12         | Ligustrum1  |
| Globe Daisy  | $-\frac{10}{52}$ | Lilac2  |
| Globu'aria   | _ 52             | Linden  |
| Golden Bell  | _ 13             | Lindera   |
| Golden Chain   | _ 15             | Linum5  |
| Gold Moss  | - 10             | Liquidambar 1   |
| Go'den Tuft  | _ 50             | Liriodendron1   |
| Gooseberries   | _ 57             | Loguet Plack  |
| Graves   | 57               | Lonicera 17 1   |
| Groundsel Bush   | 6                | Loosestrife5  |
| Geum Ginkgo Gleditsia Globe Daisy Globu'aria Go'den Bell Go'den Chain Gold F'ower Go'd Moss Go'den Tuft Gooseberries Granes Groundsel Bush Gymno'dadus Gypsophylla   | 13<br>52         | Lupine 5  |
| Oypsophyna   | _ 02             | Lupinus 5   |
| Н  |                  | Lycium 1  |
| Hackberry  | 8                | Linden       3         Lindera       5         Liquidambar       1         Liquidambar       1         Loriodendron       1         Lobelia       5         Locust. Black       2         Lonicera       17.1         Loosestrife       5         Lupine       5         Luvinus       5         Lychnis       5         Lycium       1         Lythrum       5   |
| Hackberry Halesia Hamamelis Hardhack Hardy Pink Hawthorn Heather Hedera Helenium   | _ 14             |   |
| Hamamens   | - 14             | Magnalia M  |
| Hardy Pink   | - 51             | Mahonia   |
| Hawthorn   | _ 10             | Maiden Grass - 5  |
| Heather  | _ 35             | Maidenhair Tree 1   |
| Hedera   | _ 36             | Mallow Marvels 5  |
| Halianthamum   | - 52<br>52       | Malus Cross 5   |
| Heliopsis  | _ 52             | Manle 3   |
| Hemerocallis   | _ 52             | Marsh Mallow 5  |
| Helianthemum Heliopsis Hemerocallis Hemlock Henalica   | 3, 49            | M           Magnolia         1           Mahonia         4           Maiden Grass         5           Maidenhair Tree         1           Mallow Marvels         5           Multese Cross         5           Malus         18           Maple         3           Marsh Mallow         5           Matrimony Vine         1           Miscanthus         5           Mistflower         5           Mock Orange         19           Monardia         5           Morus         1 |
| Hepatica   | _ 52             | Miscanthus 5  |
| Henchera   | 52               | Mock Orange 19 20   |
| Hibiscus 1-  | 52               | Monardia 52   |
| Highbush Blueberry   | _ 30             | Morus 1   |
| Hennock 48 Hepatica Hercules' Club Heu-hera Hibiscus 1- Highbush Blueberry Holly Holly Grapa   | - 36             | Moss Pink 54  |
| Hollybook  | - 40<br>50       | Mountain Ash  |
| Honey Locust   | _ 13             | Mulherry Weening 19   |
| Honeysuckle Bush 21, 17  | 7, 18            | Myostis 5   |
| Holly   Grape   Holly Grape   Holly hock   Honey Locust   Honeysuckle Bush   21, 17   Honeysuckle Vine   17   Hornbeam   Hornbeam   Houseleek   Hornbeam   Hornbea | 7, 18            | Monardia  |
| Hornbeam   | - 8              | Myrtle 5  |
| Hydrangea  | - 55<br>- 14     | N   |
| Houseleek Hydrangea Hypericum14  | 1, 15            | Nannyberry 3:   |
|  |                  | Nannyberry 3<br>Nierembergia 5<br>Ninebark 2  |
| I  |                  | Ninebark 20   |
| Iberis   | _ 52             | Norway Maple 5  |
| Indian Current   | , 36             |   |
| Indigo Bush  | - 29<br>5        | Oak 22, 25  |
| Inkberry   | _ 36             | Oenothera   |
| Iris 52  | 2, 53            | Osier 10  |
| Iberis Ilex 15 Indian Currant Indigo Bush Inkberry Iris 52 Itea Ivy, English   | _ 15             | Oenothera     50       Osier     11       Oxlip     50       Oxydendrum     14  |
| ivy, ragiish   | _ 36             | Oxydendrum 19   |

| Pachysandra  |                           |               |                               |
|--|---------------------------|---------------|-------------------------------|
| Painted Lady   | P                         | PAGE          | S PAGE                        |
| Painted Lady   | Pachysandra               | 53            | Sage 55                       |
| Painted Lady   | Paeonia                   | 54            | Sambucus 26, 27               |
| Papaver   54   | Lighted Lady              | 55            | Sempervivum                   |
| Papaver   54   | Jainted Dady              | 97            | Smoke Tree 23                 |
| Papaver   54   |                           |               | St. Johnswort 14, 15          |
| Papaver   54   |                           |               | Salisburia13                  |
| Papaver   54   |                           |               | Salix 26                      |
| Feach   Flowering   5  |                           |               | Saivia                        |
| Peach   Flowering   57   | l'ears                    | 56            | Savin 39                      |
| Pearle   Sedum   Sedum   Sear   Pearle   Sear   Bush   12   Silver   Bell   Silver   Bell   Showball   31, Sh | I'eaches                  | 57            | Scotch Broom 11               |
| Pearl Bush   | Teach, Flowering          | 5             | Sedum 55                      |
| Pearl Bush   | Peatree                   | 8             | Shasta Daisy 51<br>Silene 55  |
| Perennial Pea  |                           |               | Silver Bell 14                |
| Perennial Pea  |                           |               | Sneezeweed 52                 |
| Perennial Pea  |                           |               | Snowball 31, 32               |
| Persimmon  | Peony                     | 94            | Snowberry29                   |
| Persimmon  | Perennial Pea             | 53            | Sophora27                     |
| Panalaris  | Periwinkle                | 55            | Sorbaria27                    |
| Philox   | Persimmon                 | 12            | Sourwood 19                   |
| Philox   | Phalaris                  | 54            | Speedwell55                   |
| Pieris   | Philadelphus              | _ 19, 20      | Speedwell 55<br>Spice Bush 7  |
| Pieris   |                           |               | Spirea 27, 28                 |
| Pieris   | Photinia                  | 20            | Spruce 40, 41                 |
| Pieris   | I'hysocarpus              | 20            | Stachys 55<br>Stagger Bush 20 |
| Pieris   | Fhysostegia               | 55            | Staphylea28                   |
| Pine   | Picea                     | _ 40, 41      | Statice 55                    |
| Platanus   | Pieris                    | 20, 41        | Stephanandra 28               |
| Platanus   | Pinue                     | 11 42         | Stokes Aster55                |
| Platanus   | Plane Tree                | 20            | Stokesia 55<br>Stonecrop 55   |
| Sundrops   | Plantain Lily             | 52            | Storax 28                     |
| Sundrops   | Platanus                  | 20            | Styray 98                     |
| Sundrops   | Platycodon                | 55            | Sugar Maple 4                 |
| Sundrops   | Pluma Double Flowering    | <u>22</u>     | Sumach23                      |
| Trivet   | Polemonium                | 50<br>55      | Summer Sweet 9 Sundrops 53    |
| Trivet   | Poplar                    | 21            | Sunroso 59                    |
| Trivet   | Poppy                     | 54            | Sweet Bay 18                  |
| Trivet   | Populus                   | 21            | Sweet Gum17                   |
| Purple Fringe  |                           |               | Sweet Pea, Hardy 53           |
| Purple-leaf Plum   | l'runus                   | _ 21. 22      | Sweet Shruh                   |
| Purple-leaf Plum   | Purple Fringe             | 23            | Sweetspire 15                 |
| Purple-leaf Plum   | Primrose                  | 55            | Sweet William 51              |
| Quercus  | 1 Timula                  | 00            | Symphoricarpos 29             |
| Quereus  | Lyrethrum                 | 55            | Statice 55                    |
| Quercus  | 1,10 tar am               | 00            | Snow-in-Summer 50             |
| Quince. Flowering         22, 23           Quinces         56           R         Torch Lily         55           Raspberry, Flowering         26         Tritoma         5           Raspberry         57         Tritoma         5           Raspberry         57         Truss         4           Red Mapberry         4         Thuja         46, 47, 47         47, 47          | Q                         |               | Sweet Fern9                   |
| Raspberry   Flowering   26   | Quercus                   | 22, 23        | ${f T}$                       |
| Raspberry   Flowering   26   | Quince, Flowering         | 11            | Tamarix 30                    |
| Thrift   | Quinces                   | 56            | Torch Lily53                  |
| Raspberry   Flowering   26   Taxus   | D                         |               | Tritoma 53                    |
| Red   Maple  |                           | 0.0           | Tarus 48                      |
| Red   Maple  | Raspberry                 | 40<br>57      | Thuja46, 47, 48               |
| Red   Maple  |                           |               | Thrift 55                     |
| Red   Maple  | Redcedar                  | 39            | Thyme 55                      |
| Tsuga  | Red Maple                 | 4             | 1 II y III US 55              |
| Tsuga  | Retinospora 42            | 2, 43, 44     | Tree of Hospon 4              |
| Tsuga  | Rhodotypos                | 23            | Trumpet Vine 8                |
| Tsuga  | Rhododendron              | 44. 45        | Tulip Tree 17                 |
| Tsuga  | Rhus                      | 23            | Tunic Flower 55               |
| Rock-cress         50         U           Rock-jasmine         50         Umbrella Tree         3           Rock Purslane         50         Umbrella Tree         1           Rose         24, 25         Vaccinium         3           Rose of Sharon         14         Valerian         5           Rose Acacia         24         Varnish Tree         1           Roses, Native and Species         24, 25         Viburnum         30, 31, 32, 40           Roses Climbing         26         Viola         5           Rudbeckia         55         Virginia Creeper   |                           |               | Tunica 55                     |
| Rockspray  | Rook-eress                | 24            | 18uga 40, 49                  |
| Rockspray  | Rock-jasmine              | 50            | Ulmus 30                      |
| Rockspray  | Rock Purslane             | 50            | Umbrella Tree 18              |
| Alerian   5   Alerian   5  | Rockspray                 | 35            | V                             |
| Alerian   5   Alerian   5  | Rosa                      | 24, 25        | Vaccinium 30                  |
| Roses  | Rose Acacia               | 14            | Valerian                      |
| Roses, hybrids         26         Viburnum         30, 31, 32, 44           Roses Climbing         26         Vinca         5           Rubus         26         Viola         5           Rudbeckia         55         Virginia Creeper         5           Russian Olive         12         Vitex         3  | Roses, Native and Species | 24. 25        | Varnish Tree 15               |
| Roses Climbing         26         Vinca         5           Rubus         26         Viola         5           Rudbeckla         55         Virginia Creeper         12           Russian Olive         12         Vitex         3   | Roses, hybrids            | 26            | Viburnum 30. 31. 32 49        |
| Rubus       26       Viola       5         Rudbeckia       55       Virginia Creeper       12         Russian Olive       12       Vitex       3   | Roses Climbing            | 26            | Vinca 55                      |
| Russian Olive  | Rudbockie                 | 26            | V101a 55                      |
| VICEX  | Russian Olive             | <del>00</del> | Virginia Creeper 5            |
|  |                           | 1-            | 92                            |

| w PAGE                       | PAGF                             |  |  |  |
|------------------------------|----------------------------------|--|--|--|
| Wayfaring Tree 31            | Wisteria 35                      |  |  |  |
| Wax Myrtle 19                | Woadwaxen 18                     |  |  |  |
| Weeping Mulberry 19          |                                  |  |  |  |
| Weigela 32, 33               | v                                |  |  |  |
| Whitecup 53                  | _                                |  |  |  |
| White Fringe 9               | Yarrow 50                        |  |  |  |
| White Ash 13                 | Yellowroot 35                    |  |  |  |
| Willows 26                   | Yew 45                           |  |  |  |
| Winterberry 15               |                                  |  |  |  |
| Witch Hazel 14               |                                  |  |  |  |
| Wintercreeper 36             |                                  |  |  |  |
| Witherod 31                  | Zanthorhiza 39                   |  |  |  |
| BROADLEAVED EVERGREEN SHRUBS |                                  |  |  |  |
| Andromeda 41                 | Euonymus radicans & varieties 36 |  |  |  |
| Azalea amoena 34             |                                  |  |  |  |
| Azalea hinodegiri 34         | liex glabra 30                   |  |  |  |
| Berberis illicifolia 34      |                                  |  |  |  |
| Buxus 34, 35                 |                                  |  |  |  |
| Chamaedaphne calyculata 35   |                                  |  |  |  |
| Cotoneaster acutifolia 35    |                                  |  |  |  |
| Cotoneaster horizontalis 35  |                                  |  |  |  |
| Cotoneaster microphylla 35   |                                  |  |  |  |
| Cotoneaster simonsi 35       |                                  |  |  |  |
| Cotoneaster thymifolia 35    |                                  |  |  |  |
| Daphne cneorum 35            |                                  |  |  |  |
| Euonymus patens 36           | Yucca filamentosa 49             |  |  |  |

### Landscape Suggestions



While we cannot undertake to do any planting or landscape designing directly with our staff, we are always in close touch with competent landscape men and will gladly co-operate with you in arranging appointments.

